

1) [Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at \$\sqrt{s} = 13\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1611.06594 [hep-ex]].

Submitted to: JHEP.

2) [Observation of \$\Upsilon\(1S\)\$ pair production in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1610.07095 [hep-ex]].

Submitted to: JHEP.

3) [Search for long-lived charged particles in proton-proton collisions at \$\sqrt{s}= 13\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1609.08382 [hep-ex]].

[10.1103/PhysRevD.94.112004.](#)

Phys. Rev. D94 (2016) no.11, 112004.

4) [Inclusive search for supersymmetry using razor variables in pp collisions at \$\sqrt{s}= 13\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1609.07658 [hep-ex]].

[10.1103/PhysRevD.95.012003.](#)

Phys. Rev. D95 (2017) no.1, 012003.

5) [Studies of inclusive four-jet production with two \$b\$ -tagged jets in proton-proton collisions at 7 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1609.03489 [hep-ex]].

[10.1103/PhysRevD.94.112005.](#)

Phys. Rev. D94 (2016) no.11, 112005.

6) [Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at \$\sqrt{s} = \mathcal{N}_\text{coll} \cdot \mathcal{N}_\text{part} = 2.76\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1609.02466 [nucl-ex]].

[10.1007/JHEP11\(2016\)055.](#)

JHEP 1611 (2016) 055.

7) [Measurement of the mass of the top quark in decays with a \$J/\psi\$ meson in pp collisions at 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1608.03560 [hep-ex]].

[10.1007/JHEP12\(2016\)123](#).

JHEP 1612 (2016) 123.

8) [Measurement of the ZZ production cross section and Z \$\rightarrow \ell^+\ell^-\ell'^+\ell'^-\$ branching fraction in pp collisions at \$\sqrt{s}=13\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1607.08834 [hep-ex]].

[10.1016/j.physletb.2016.10.054](#).

Phys.Lett. B763 (2016) 280-303.

9) [Measurement of top quark polarization in \$t\bar{t}\$ lepton+jets final states.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1607.07627 [hep-ex]].

[10.1103/PhysRevD.95.011101](#).

Phys.Rev. D95 (2017) no.1, 011101.

10) [Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1607.06975 [hep-ex]].

[10.1007/JHEP11\(2016\)147](#).

JHEP 1611 (2016) 147.

11) [Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1607.05764 [hep-ex]].

[10.1007/JHEP12\(2016\)083](#).

JHEP 1612 (2016) 083.

12) [Search for lepton flavour violating decays of the Higgs boson to \$e\tau\tau\$ and \$e\mu\mu\$ in proton–proton collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1607.03561 [hep-ex]].
[10.1016/j.physletb.2016.09.062](https://doi.org/10.1016/j.physletb.2016.09.062).
Phys.Lett. B763 (2016) 472-500.

13) [Observation of the decay \$B^+ \rightarrow \psi\(2S\) \phi\(1020\) K^+\$ in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1607.02638 [hep-ex]].
[10.1016/j.physletb.2016.11.001](https://doi.org/10.1016/j.physletb.2016.11.001).

Phys.Lett. B764 (2017) 66-86.

14) [Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at \$\sqrt{s} = 13 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1607.00915 [hep-ex]].
[10.1007/JHEP12\(2016\)013](https://doi.org/10.1007/JHEP12(2016)013).

JHEP 1612 (2016) 013.

15) [Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at \$\sqrt{s}=7\$ and \$8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1607.00837 [hep-ex]].
[10.1103/PhysRevD.94.052006](https://doi.org/10.1103/PhysRevD.94.052006).

Phys.Rev. D94 (2016) no.5, 052006.

16) [Searches for \$R\$ -parity-violating supersymmetry in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$ in final states with 0-4 leptons.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1606.08076 [hep-ex]].
[10.1103/PhysRevD.94.112009](https://doi.org/10.1103/PhysRevD.94.112009).

Phys.Rev. D94 (2016) no.11, 112009.

17) [Evidence for collectivity in pp collisions at the LHC.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1606.06198 [nucl-ex]].
[10.1016/j.physletb.2016.12.009](https://doi.org/10.1016/j.physletb.2016.12.009).

Phys.Lett. B765 (2017) 193-220.

18) [Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at \$\sqrt{s} = 8\$ and 13 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1606.04093 [hep-ex]].

[10.1103/PhysRevLett.117.051802](#).

Phys.Rev.Lett. 117 (2016) no.5, 051802.

19) [Phenomenological MSSM interpretation of CMS searches in pp collisions at \$\sqrt{s} = 7\$ and 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1606.03577 [hep-ex]].

[10.1007/JHEP10\(2016\)129](#).

JHEP 1610 (2016) 129.

20) [Measurement of the Top Quark Mass Using the Matrix Element Technique in Dilepton Final States.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1606.02814 [hep-ex]].

[10.1103/PhysRevD.94.032004](#).

Phys.Rev. D94 (2016) no.3, 032004.

21) [Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at \$\sqrt{s}=7\$ and 8 TeV.](#)

By ATLAS and CMS Collaborations (Georges Aad et al.).
[arXiv:1606.02266 [hep-ex]].

[10.1007/JHEP08\(2016\)045](#).

JHEP 1608 (2016) 045.

22) [Search for dark matter and supersymmetry with a compressed mass spectrum in the vector boson fusion topology in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1605.09305 [hep-ex]].

[10.1103/PhysRevLett.118.021802](#).

Phys.Rev.Lett, Phys.Rev.Lett. 118 (2017) 021802.

23) [Measurement of the W boson helicity fractions in the decays of top](#)

quark pairs to lepton $\$+\$$ jets final states produced in pp collisions at $\sqrt{s}=8\text{TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1605.09047 [hep-ex]].

[10.1016/j.physletb.2016.10.007](https://doi.org/10.1016/j.physletb.2016.10.007).

Phys.Lett. B762 (2016) 512-534.

24) Measurement of the inclusive $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s}=1.96\text{TeV}$ and determination of the top quark pole mass.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1605.06168 [hep-ex]].

[10.1103/PhysRevD.94.092004](https://doi.org/10.1103/PhysRevD.94.092004).

Phys.Rev. D94 (2016) 092004.

25) Search for supersymmetry in pp collisions at $\sqrt{s}=13\text{TeV}$ in the single-lepton final state using the sum of masses of large-radius jets.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1605.04608 [hep-ex]].

[10.1007/JHEP08\(2016\)122](https://doi.org/10.1007/JHEP08(2016)122).

JHEP 1608 (2016) 122.

26) Measurement of the double-differential inclusive jet cross section in proton–proton collisions at $\sqrt{s} = 13\text{TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1605.04436 [hep-ex]].

[10.1140/epjc/s10052-016-4286-3](https://doi.org/10.1140/epjc/s10052-016-4286-3).

Eur.Phys.J. C76 (2016) no.8, 451.

27) Measurement of the Forward-Backward Asymmetries in the Production of Ξ and Ω Baryons in $p\bar{p}$ Collisions.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1605.03513 [hep-ex]].

[10.1103/PhysRevD.93.112001](https://doi.org/10.1103/PhysRevD.93.112001).

Phys.Rev. D93 (2016) no.11, 112001.

28) Search for new physics in same-sign dilepton events in proton–proton collisions at $\sqrt{s} = 13\text{TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1605.03171 [hep-ex]].
[10.1140/epjc/s10052-016-4261-z](https://doi.org/10.1140/epjc/s10052-016-4261-z).
Eur.Phys.J. C76 (2016) no.8, 439.

29) [Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1605.02329 [hep-ex]].
[10.1007/JHEP09\(2016\)051](https://doi.org/10.1007/JHEP09(2016)051).
JHEP 1609 (2016) 051.

30) [Measurement of the integrated and differential \$t \bar{t}\$ production cross sections for high- \$p_t\$ top quarks in \$pp\$ collisions at \$\sqrt{s} = 8\$ TeV.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1605.00116 [hep-ex]].
[10.1103/PhysRevD.94.072002](https://doi.org/10.1103/PhysRevD.94.072002).
Phys.Rev. D94 (2016) no.7, 072002.

31) [Search for narrow resonances in dijet final states at \$\sqrt{s}=8\$ TeV with the novel CMS technique of data scouting.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1604.08907 [hep-ex]].
[10.1103/PhysRevLett.117.031802](https://doi.org/10.1103/PhysRevLett.117.031802).
Phys.Rev.Lett. 117 (2016) no.3, 031802.

32) [Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$e\mu\$ pair in proton-proton collisions at \$\sqrt{s}=8\$ TeV.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1604.05239 [hep-ex]].
[10.1140/epjc/s10052-016-4149-y](https://doi.org/10.1140/epjc/s10052-016-4149-y).
Eur.Phys.J. C76 (2016) no.6, 317.

33) [Evidence for exclusive \$\gamma\gamma \rightarrow W^+ W^-\$ production and constraints on anomalous quartic gauge couplings in \$pp\$ collisions at \$\sqrt{s}=7\$ and 8 TeV.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1604.04464 [hep-ex]].

[10.1007/JHEP08\(2016\)119](https://doi.org/10.1007/JHEP08(2016)119).

JHEP 1608 (2016) 119.

34) [Search for dark matter particles in proton-proton collisions at \$\sqrt{s}=8\$ TeV using the razor variables.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.08914 [hep-ex]].

[10.1007/JHEP12\(2016\)088](https://doi.org/10.1007/JHEP12(2016)088).

JHEP 1612 (2016) 088.

35) [Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.06896 [hep-ex]].

[10.1103/PhysRevD.94.052012](https://doi.org/10.1103/PhysRevD.94.052012).

Phys. Rev. D94 (2016) no.5, 052012.

36) [Measurement of the top quark mass using charged particles in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.06536 [hep-ex]].

[10.1103/PhysRevD.93.092006](https://doi.org/10.1103/PhysRevD.93.092006).

Phys. Rev. D93 (2016) no.9, 092006.

37) [Measurements of \$t \bar{t}\$ charge asymmetry using dilepton final states in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.06221 [hep-ex]].

[10.1016/j.physletb.2016.07.006](https://doi.org/10.1016/j.physletb.2016.07.006).

Phys. Lett. B760 (2016) 365-386.

38) [Search for new physics with the \$M_{T2}\$ variable in all-jets final states produced in pp collisions at \$\sqrt{s}=13\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.04053 [hep-ex]].

[10.1007/JHEP10\(2016\)006](https://doi.org/10.1007/JHEP10(2016)006).

JHEP 1610 (2016) 006.

39) [Search for neutral resonances decaying into a Z boson and a pair of b](#)

jets or tau leptons.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.02991 [hep-ex]].

[10.1016/j.physletb.2016.05.087](https://doi.org/10.1016/j.physletb.2016.05.087).

Phys.Lett. B759 (2016) 369-394.

40) \$\Upsilon(\mathrm{nS})\$ polarizations versus particle multiplicity in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.02913 [hep-ex]].

[10.1016/j.physletb.2016.07.065](https://doi.org/10.1016/j.physletb.2016.07.065).

Phys.Lett. B761 (2016) 31-52.

41) Search for s channel single top quark production in pp collisions at \$\sqrt{s}=7\$ and 8 TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.02555 [hep-ex]].

[10.1007/JHEP09\(2016\)027](https://doi.org/10.1007/JHEP09(2016)027).

JHEP 1609 (2016) 027.

42) Measurement of the t-tbar production cross section in the e-mu channel in proton-proton collisions at \$\sqrt{s} = 7\$ and 8 TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.02303 [hep-ex]].

[10.1007/JHEP08\(2016\)029](https://doi.org/10.1007/JHEP08(2016)029).

JHEP 1608 (2016) 029.

43) Development and characterization of single gap glass RPC.

By None Manisha, V. Bhatnagar, J.S. Shahi, J.B. Singh.

[arXiv:1603.01719 [physics.ins-det]].

[10.1016/j.nima.2016.10.005](https://doi.org/10.1016/j.nima.2016.10.005).

Nucl.Instrum.Meth. A840 (2016) 128-132.

44) Search for heavy Majorana neutrinos in \$e^{\pm}e^{\pm} + jets\$ and \$e^{\pm}\mu^{\pm} + jets\$ events in proton-proton collisions at \$\sqrt{s}=8\$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.02248 [hep-ex]].

[10.1007/JHEP04\(2016\)169](https://doi.org/10.1007/JHEP04(2016)169).

JHEP 1604 (2016) 169.

45) [Measurement of the differential cross section and charge asymmetry for inclusive \$\mathrm{p} \mathrm{p} \rightarrow \mathrm{W}^{\pm} + \mathrm{X}\$ production at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.01803 [hep-ex]].

[10.1140/epjc/s10052-016-4293-4](#).

Eur.Phys.J. C76 (2016) no.8, 469.

46) [\\$B^0_s\\$ lifetime measurement in the CP-odd decay channel \$B^0_s \rightarrow J/\psi \Lambda \bar{c} f_0\(980\)\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1603.01302 [hep-ex]].

[10.1103/PhysRevD.94.012001](#).

Phys.Rev. D94 (2016) no.1, 012001.

47) [Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1603.00765 [hep-ex]].

[10.1140/epjc/s10052-016-4292-5](#).

Eur.Phys.J. C76 (2016) no.8, 460.

48) [Measurements of the \$t\bar{t}\$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1602.09024 [hep-ex]].

[10.1140/epjc/s10052-016-4504-z](#).

Eur.Phys.J. C77 (2017) no.1, 15.

49) [Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1602.08772 [hep-ex]].

[10.1016/j.physletb.2016.05.088](#).

Phys.Lett. B759 (2016) 479-500.

50) [Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1602.08762 [hep-ex]].

[10.1140/epjc/s10052-016-4206-6](#).

Eur.Phys.J. C76 (2016) no.7, 371.

51) [Evidence for a \$B_s^0 \pi^\pm \mu^\mp\$ state.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:1602.07588 [hep-ex]].

[10.1103/PhysRevLett.117.022003](#).

Phys.Rev.Lett. 117 (2016) no.2, 022003.

52) [Measurement of the \$\mathrm{Z} \gamma \rightarrow \nu \bar{\nu}\$ production cross section in pp collisions at \$\sqrt{s}=8\$ TeV and limits on anomalous \$Z Z \gamma\$ and \$Z \gamma \gamma\$ trilinear gauge boson couplings.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1602.07152 [hep-ex]].

[10.1016/j.physletb.2016.06.080](#).

Phys.Lett. B760 (2016) 448-468.

53) [Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1602.06581 [hep-ex]].

[10.1016/j.physletb.2016.05.002](#).

Phys.Lett. B758 (2016) 152-180.

54) [Measurement of dijet azimuthal decorrelation in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1602.04384 [hep-ex]].

[10.1140/epjc/s10052-016-4346-8](#).

Eur.Phys.J. C76 (2016) no.10, 536.

55) [Search for R-parity violating decays of a top squark in proton-proton collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1602.04334 [hep-ex]].
[10.1016/j.physletb.2016.06.039](https://doi.org/10.1016/j.physletb.2016.06.039).
Phys.Lett. B760 (2016) 178-201.

56) [Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1602.03169 [hep-ex]].
[10.1007/JHEP09\(2016\)056](https://doi.org/10.1007/JHEP09(2016)056), [10.1007/JHEP07\(2016\)027](https://doi.org/10.1007/JHEP07(2016)027).
JHEP 1607 (2016) 027, Erratum: JHEP 1609 (2016) 056.

57) [Search for supersymmetry in pp collisions at \$\sqrt{s} = 8\$ TeV in final states with boosted W bosons and b jets using razor variables.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1602.02917 [hep-ex]].
[10.1103/PhysRevD.93.092009](https://doi.org/10.1103/PhysRevD.93.092009).

Phys.Rev. D93 (2016) no.9, 092009.

58) [Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1601.06713 [hep-ex]].
[10.1007/JHEP08\(2016\)139](https://doi.org/10.1007/JHEP08(2016)139).
JHEP 1608 (2016) 139.

59) [Search for massive WH resonances decaying into the \$\ell \nu \bar{b} \bar{b}\$ final state at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1601.06431 [hep-ex]].
[10.1140/epjc/s10052-016-4067-z](https://doi.org/10.1140/epjc/s10052-016-4067-z).
Eur.Phys.J. C76 (2016) no.5, 237.

60) [First measurement of muon-neutrino disappearance in NOvA.](#)

By NOvA Collaboration (P. Adamson et al.).
[arXiv:1601.05037 [hep-ex]].
[10.1103/PhysRevD.93.051104](https://doi.org/10.1103/PhysRevD.93.051104).
Phys.Rev. D93 (2016) no.5, 051104.

- 61) [First measurement of electron neutrino appearance in NOvA.](#)
By NOvA Collaboration (P. Adamson et al.).
[arXiv:1601.05022 [hep-ex]].
[10.1103/PhysRevLett.116.151806](#).
Phys.Rev.Lett. 116 (2016) no.15, 151806.
- 62) [Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1601.04768 [hep-ex]].
[10.1140/epjc/s10052-016-4156-z](#).
Eur.Phys.J. C76 (2016) no.6, 325.
- 63) [Measurement of inclusive jet production and nuclear modifications in pPb collisions at \$\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}\$.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1601.02001 [nucl-ex]].
[10.1140/epjc/s10052-016-4205-7](#).
Eur.Phys.J. C76 (2016) no.7, 372.
- 64) [Measurements of t t-bar spin correlations and top quark polarization using dilepton final states in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)
By CMS Collaboration (V. Khachatryan et al.).
[arXiv:1601.01107 [hep-ex]].
[10.1103/PhysRevD.93.052007](#).
Phys.Rev. D93 (2016) no.5, 052007.
- 65) [Correlations between jets and charged particles in PbPb and pp collisions at \$\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}\$.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1601.00079 [nucl-ex]].
[10.1007/JHEP02\(2016\)156](#).
JHEP 1602 (2016) 156.
- 66) [Measurement of Spin Correlation between Top and Antitop Quarks Produced in \$p\bar{p}\$ Collisions at \$\sqrt{s} = 1.96 \text{ TeV}\$.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1512.08818 [hep-ex]].

[10.1016/j.physletb.2016.03.053](https://doi.org/10.1016/j.physletb.2016.03.053).

Phys.Lett. B757 (2016) 199-206.

67) [Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at \$\sqrt{s}=7\$ and 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1512.08377 [hep-ex]].

[10.1007/JHEP04\(2016\)005](https://doi.org/10.1007/JHEP04(2016)005).

JHEP 1604 (2016) 005.

68) [Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton–proton collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1512.08002 [hep-ex]].

[10.1016/j.physletb.2016.05.033](https://doi.org/10.1016/j.physletb.2016.05.033).

Phys.Lett. B759 (2016) 9-35.

69) [Study of Z boson production in pPb collisions at \$\sqrt{s_{NN}}=5.02\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1512.06461 [hep-ex]].

[10.1016/j.physletb.2016.05.044](https://doi.org/10.1016/j.physletb.2016.05.044).

Phys.Lett. B759 (2016) 36-57.

70) [Measurement of the inclusive jet cross section in pp collisions at \$\sqrt{s} = 2.76\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1512.06212 [hep-ex]].

[10.1140/epjc/s10052-016-4083-z](https://doi.org/10.1140/epjc/s10052-016-4083-z).

Eur.Phys.J. C76 (2016) no.5, 265.

71) [Study of double parton interactions in diphoton + dijet events in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1512.05291 [hep-ex]].

[10.1103/PhysRevD.93.052008](https://doi.org/10.1103/PhysRevD.93.052008).

Phys.Rev. D93 (2016) no.5, 052008.

72) [Search for narrow resonances decaying to dijets in proton-proton collisions at \$\sqrt{s} = 13\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1512.01224 [hep-ex]].

[10.1103/PhysRevLett.116.071801](#).

Phys.Rev.Lett. 116 (2016) no.7, 071801.

73) [Event generator tunes obtained from underlying event and multiparton scattering measurements.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1512.00815 [hep-ex]].

[10.1140/epjc/s10052-016-3988-x](#).

Eur.Phys.J. C76 (2016) no.3, 155.

74) [Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1511.09375 [hep-ex]].

[10.1103/PhysRevD.93.052011](#).

Phys.Rev. D93 (2016) no.5, 052011.

75) [Measurement of spin correlations in \$t\bar{t}\$ production using the matrix element method in the muon+jets final state in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1511.06170 [hep-ex]].

[10.1016/j.physletb.2016.05.005](#).

Phys.Lett. B758 (2016) 321-346.

76) [Measurement of the forward-backward asymmetry of \$\Lambda\$ and \$\bar{\Lambda}\$ production in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1511.05113 [hep-ex]].

[10.1103/PhysRevD.93.032002](#).

Phys.Rev. D93 (2016) no.3, 032002.

77) [Search for anomalous single top quark production in association with a photon in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1511.03951 [hep-ex]].
[10.1007/JHEP04\(2016\)035](https://doi.org/10.1007/JHEP04(2016)035).
JHEP 1604 (2016) 035.

78) [Search for a low-mass pseudoscalar Higgs boson produced in association with a \$b\bar{b}\$ pair in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1511.03610 [hep-ex]].
[10.1016/j.physletb.2016.05.003](https://doi.org/10.1016/j.physletb.2016.05.003).
Phys.Lett. B758 (2016) 296-320.

79) [Evidence for simultaneous production of \$J/\psi\$ and \$\Upsilon\$ mesons.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1511.02428 [hep-ex]].
[10.1103/PhysRevLett.116.082002](https://doi.org/10.1103/PhysRevLett.116.082002).
Phys.Rev.Lett. 116 (2016) no.8, 082002.

80) [Measurement of top quark polarisation in t-channel single top quark production.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1511.02138 [hep-ex]].
[10.1007/JHEP04\(2016\)073](https://doi.org/10.1007/JHEP04(2016)073).
JHEP 1604 (2016) 073.

81) [Search for excited leptons in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1511.01407 [hep-ex]].
[10.1007/JHEP03\(2016\)125](https://doi.org/10.1007/JHEP03(2016)125).
JHEP 1603 (2016) 125.

82) [Reconstruction and identification of \$\tau\$ lepton decays to hadrons and \$\nu_\tau\$ at CMS.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1510.07488 [physics.ins-det]].
[10.1088/1748-0221/11/01/P01019](https://doi.org/10.1088/1748-0221/11/01/P01019).
JINST 11 (2016) no.01, P01019.

83) [Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \$\tau\$ leptons in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1510.06534 [hep-ex]].

[10.1007/JHEP01\(2016\)079](#).

JHEP 1601 (2016) 079.

84) [Measurement of the top quark pair production cross section in proton-proton collisions at \$\sqrt{s} = 13\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1510.05302 [hep-ex]].

[10.1103/PhysRevLett.116.052002](#).

Phys.Rev.Lett. 116 (2016) no.5, 052002.

85) [Search for a light charged Higgs boson decaying to \$c\bar{s}\$ in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1510.04252 [hep-ex]].

[10.1007/JHEP12\(2015\)178](#).

JHEP 1512 (2015) 178.

86) [Transverse momentum spectra of inclusive b jets in pPb collisions at \$\sqrt{s_{NN}} = 5.02\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1510.03373 [nucl-ex]].

[10.1016/j.physletb.2016.01.010](#).

Phys.Lett. B754 (2016) 59.

87) [Measurement of \$t\bar{t}\$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1510.03072 [hep-ex]].

[10.1140/epjc/s10052-016-4105-x](#).

Eur.Phys.J. C76 (2016) no.7, 379.

88) [Measurement of long-range near-side two-particle angular correlations](#)

in pp collisions at $\sqrt{s} = 13 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1510.03068 [nucl-ex]].

[10.1103/PhysRevLett.116.172302](https://doi.org/10.1103/PhysRevLett.116.172302).

Phys.Rev.Lett. 116 (2016) no.17, 172302.

89) Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh, in the final states with $h \rightarrow \tau \tau$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1510.01181 [hep-ex]].

[10.1016/j.physletb.2016.01.056](https://doi.org/10.1016/j.physletb.2016.01.056).

Phys.Lett. B755 (2016) 217-244.

90) Observation of top quark pairs produced in association with a vector boson in pp collisions at $\sqrt{s}=8 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1510.01131 [hep-ex]].

[10.1007/JHEP01\(2016\)096](https://doi.org/10.1007/JHEP01(2016)096).

JHEP 1601 (2016) 096.

91) Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $\sqrt{s_{\text{NN}}}=2.76 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.09029 [nucl-ex]].

[10.1007/JHEP01\(2016\)006](https://doi.org/10.1007/JHEP01(2016)006).

JHEP 1601 (2016) 006.

92) Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.08159 [hep-ex]].

[10.1007/JHEP06\(2016\)177](https://doi.org/10.1007/JHEP06(2016)177).

JHEP 1606 (2016) 177.

93) Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.08141 [hep-ex]].

[10.1007/JHEP01\(2016\)166](https://doi.org/10.1007/JHEP01(2016)166).

JHEP 1601 (2016) 166.

94) [Measurement of the \$\mathrm{t}\bar{t}\$ production cross section in the all-jets final state in pp collisions at \$\sqrt{s}=8\text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.06076 [hep-ex]].

[10.1140/epjc/s10052-016-3956-5](https://doi.org/10.1140/epjc/s10052-016-3956-5).

Eur.Phys.J. C76 (2016) no.3, 128.

95) [Search for \$W \rightarrow tb\$ in proton-proton collisions at \$\sqrt{s} = 8\text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.06051 [hep-ex]].

[10.1007/JHEP02\(2016\)122](https://doi.org/10.1007/JHEP02(2016)122).

JHEP 1602 (2016) 122.

96) [Search for vector-like charge 2/3 T quarks in proton-proton collisions at \$\sqrt{s} = 8\text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.04177 [hep-ex]].

[10.1103/PhysRevD.93.012003](https://doi.org/10.1103/PhysRevD.93.012003).

Phys.Rev. D93 (2016) no.1, 012003.

97) [Measurement of the top quark mass using proton-proton data at \$\sqrt{s} = 7\text{ and }8\text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.04044 [hep-ex]].

[10.1103/PhysRevD.93.072004](https://doi.org/10.1103/PhysRevD.93.072004).

Phys.Rev. D93 (2016) no.7, 072004.

98) [Measurement of the inelastic cross section in proton–lead collisions at \$\sqrt{s_{NN}}=5.02\text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.03893 [hep-ex]].

[10.1016/j.physletb.2016.06.027](https://doi.org/10.1016/j.physletb.2016.06.027).

Phys.Lett. B759 (2016) 641-662.

99) [Search for single production of scalar leptoquarks in proton-proton](#)

collisions at $\sqrt{s} = 8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.03750 [hep-ex]].

[10.1103/PhysRevD.93.032005](https://doi.org/10.1103/PhysRevD.93.032005).

Phys. Rev. D93 (2016) no.3, 032005.

100) Search for pair production of first and second generation leptoquarks in proton-proton collisions at $\sqrt{s} = 8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1509.03744 [hep-ex]].

[10.1103/PhysRevD.93.032004](https://doi.org/10.1103/PhysRevD.93.032004).

Phys. Rev. D93 (2016) no.3, 032004.

101) Inclusive Production of the X(4140) State in $p \bar{p}$ Collisions at D0.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1508.07846 [hep-ex]].

[10.1103/PhysRevLett.115.232001](https://doi.org/10.1103/PhysRevLett.115.232001).

Phys. Rev. Lett. 115 (2015) no.23, 232001.

102) Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s}=8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1508.07819 [hep-ex]].

[10.1140/epjc/s10052-015-3853-3](https://doi.org/10.1140/epjc/s10052-015-3853-3).

Eur. Phys. J. C76 (2016) no.1, 13.

103) Search for a charged Higgs boson in pp collisions at $\sqrt{s}=8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1508.07774 [hep-ex]].

[10.1007/JHEP11\(2015\)018](https://doi.org/10.1007/JHEP11(2015)018).

JHEP 1511 (2015) 018.

104) Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $\sqrt{s}=8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1508.07628 [hep-ex]].

[10.1007/JHEP11\(2015\)189](https://doi.org/10.1007/JHEP11(2015)189).

105) [Study of B Meson Production in p+\\$Pb Collisions at \\$\sqrt{s_{NN}}=\\$5.02 TeV Using Exclusive Hadronic Decays.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1508.06678 [nucl-ex]].

[10.1103/PhysRevLett.116.032301](#).

Phys.Rev.Lett. 116 (2016) no.3, 032301.

106) [Search for W' decaying to tau lepton and neutrino in proton-proton collisions at \\$\sqrt{s} = \\$ 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1508.04308 [hep-ex]].

[10.1016/j.physletb.2016.02.002](#).

Phys.Lett. B755 (2016) 196-216.

107) [Measurement of the charge asymmetry in top quark pair production in pp collisions at \\$\sqrt{s} = \\$ 8 TeV using a template method.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1508.03862 [hep-ex]].

[10.1103/PhysRevD.93.034014](#).

Phys.Rev. D93 (2016) no.3, 034014.

108) [Precise measurement of the top quark mass in dilepton decays using optimized neutrino weighting.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1508.03322 [hep-ex]].

[10.1016/j.physletb.2015.10.086](#).

Phys.Lett. B752 (2016) 18-26.

109) [Search for neutral MSSM Higgs bosons decaying to \\$\mu^+\mu^-\\$ in pp collisions at \\$\sqrt{s} = \\$ 7 and 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1508.01437 [hep-ex]].

[10.1016/j.physletb.2015.11.042](#).

Phys.Lett. B752 (2016) 221-246.

110) [Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in pp collisions at \\$\sqrt{s} = \\$ 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1508.01218 [hep-ex]].
[10.1016/j.physletb.2016.03.039](https://doi.org/10.1016/j.physletb.2016.03.039).
Phys.Lett. B757 (2016) 6-31.

111) [Angular analysis of the decay \$B^0 \rightarrow K^{*0} \mu^+ \mu^-\$ from pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1507.08126 [hep-ex]].
[10.1016/j.physletb.2015.12.020](https://doi.org/10.1016/j.physletb.2015.12.020).
Phys.Lett. B753 (2016) 424-448.

112) [Measurement of the CP-violating weak phase \$\phi_s\$ and the decay width difference \$\Delta \Gamma_{s\Gamma}\$ using the \$B^0 \rightarrow J/\psi \phi\(1020\)\$ decay channel in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1507.07527 [hep-ex]].
[10.1016/j.physletb.2016.03.046](https://doi.org/10.1016/j.physletb.2016.03.046).
Phys.Lett. B757 (2016) 97-120.

113) [Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at \$\sqrt{s} = 2.76\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1507.07229 [hep-ex]].
[10.1007/JHEP09\(2015\)137](https://doi.org/10.1007/JHEP09(2015)137).
JHEP 1509 (2015) 137.

114) [Search for pair-produced vectorlike B quarks in proton-proton collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1507.07129 [hep-ex]].
[10.1103/PhysRevD.93.112009](https://doi.org/10.1103/PhysRevD.93.112009).
Phys.Rev. D93 (2016) no.11, 112009.

115) [Limits on the Higgs boson lifetime and width from its decay to four charged leptons.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1507.06656 [hep-ex]].
[10.1103/PhysRevD.92.072010](https://doi.org/10.1103/PhysRevD.92.072010).

Phys.Rev. D92 (2015) no.7, 072010.

- 116) [Pseudorapidity distribution of charged hadrons in proton-proton collisions at \$\sqrt{s} = 13\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1507.05915 [hep-ex]].

[10.1016/j.physletb.2015.10.004](#).

Phys.Lett. B751 (2015) 143-163.

- 117) [Simultaneous measurement of forward-backward asymmetry and top polarization in dilepton final states from \$t\bar{t}\$ production at the Tevatron.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1507.05666 [hep-ex]].

[10.1103/PhysRevD.92.052007](#).

Phys.Rev. D92 (2015) 052007.

- 118) [Measurement of the \$\langle W^+ W^- \rangle\$ cross section in pp collisions at \$\sqrt{s} = 8\$ TeV and limits on anomalous gauge couplings.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1507.03268 [hep-ex]].

[10.1140/epjc/s10052-016-4219-1](#).

Eur.Phys.J. C76 (2016) no.7, 401.

- 119) [Inclusive and differential measurements of the \$t\bar{t}\$ charge asymmetry in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1507.03119 [hep-ex]].

[10.1016/j.physletb.2016.03.060](#).

Phys.Lett. B757 (2016) 154-179.

- 120) [Search for a Higgs boson decaying into \$\gamma^* \gamma \rightarrow \ell\ell \gamma\gamma\$ with low dilepton mass in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1507.03031 [hep-ex]].

[10.1016/j.physletb.2015.12.039](#).

Phys.Lett. B753 (2016) 341-362.

121) [Search for supersymmetry with photons in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1507.02898 [hep-ex]].

[10.1103/PhysRevD.92.072006](#).

Phys.Rev. D92 (2015) no.7, 072006.

122) [Search for exotic decays of a Higgs boson into undetectable particles and one or more photons.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1507.00359 [hep-ex]].

[10.1016/j.physletb.2015.12.017](#).

Phys.Lett. B753 (2016) 363-388.

123) [Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1507.00233 [hep-ex]].

[10.1103/PhysRevD.92.112001](#).

Phys.Rev. D92 (2015) no.11, 112001.

124) [Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1506.08329 [hep-ex]].

[10.1007/JHEP11\(2015\)071](#).

JHEP 1511 (2015) 071.

125) [Search for Violation of CPT and Lorentz invariance in \$B_s^0\$ meson oscillations.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1506.04123 [hep-ex]].

[10.1103/PhysRevLett.116.019901](#), [10.1103/PhysRevLett.115.161601](#).

Phys.Rev.Lett. 115 (2015) no.16, 161601, Addendum: Phys.Rev.Lett. 116 (2016) no.1, 019901.

126) [Search for resonant \$t\bar{t}\$ production in proton-proton collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1506.03062 [hep-ex]].
[10.1103/PhysRevD.93.012001](https://doi.org/10.1103/PhysRevD.93.012001).
Phys. Rev. D93 (2016) no.1, 012001.

127) [Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1506.02301 [hep-ex]].
[10.1016/j.physletb.2015.09.062](https://doi.org/10.1016/j.physletb.2015.09.062).
Phys. Lett. B750 (2015) 494-519.

128) [Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at \$\sqrt{s}=8 \text{ TeV}\$.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1506.01443 [hep-ex]].
[10.1007/JHEP02\(2016\)145](https://doi.org/10.1007/JHEP02(2016)145).
JHEP 1602 (2016) 145.

129) [Search for the standard model Higgs boson produced through vector boson fusion and decaying to \$b\bar{b}\$.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1506.01010 [hep-ex]].
[10.1103/PhysRevD.92.032008](https://doi.org/10.1103/PhysRevD.92.032008).
Phys. Rev. D92 (2015) no.3, 032008.

130) [A search for pair production of new light bosons decaying into muons.](#)
By CMS Collaboration (V. Khachatryan et al.).
[arXiv:1506.00424 [hep-ex]].
[10.1016/j.physletb.2015.10.067](https://doi.org/10.1016/j.physletb.2015.10.067).
Phys. Lett. B752 (2016) 146-168.

131) [Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at \$\sqrt{s}=8 \text{ TeV}\$.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1505.08118 [hep-ex]].
[10.1007/JHEP09\(2015\)201](https://doi.org/10.1007/JHEP09(2015)201).
JHEP 1509 (2015) 201.

132) [Comparison of the \$Z/\gamma\gamma + \text{jets}\$ to \$\gamma + \text{jets}\$ cross sections in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1505.06520 [hep-ex]].

[10.1007/JHEP10\(2015\)128](https://doi.org/10.1007/JHEP10(2015)128), [10.1007/JHEP04\(2016\)010](https://doi.org/10.1007/JHEP04(2016)010).

JHEP 1510 (2015) 128, Erratum: JHEP 1604 (2016) 010.

133) [Measurement of the differential cross section for top quark pair production in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1505.04480 [hep-ex]].

[10.1140/epjc/s10052-015-3709-x](https://doi.org/10.1140/epjc/s10052-015-3709-x).

Eur.Phys.J. C75 (2015) no.11, 542.

134) [Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in \$\ell^+\ell^-\bar{b}\bar{b}\$ final states.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1504.04710 [hep-ex]].

[10.1016/j.physletb.2015.07.010](https://doi.org/10.1016/j.physletb.2015.07.010).

Phys.Lett. B748 (2015) 221-243.

135) [Angular coefficients of Z bosons produced in pp collisions at \$\sqrt{s}=8\$ TeV and decaying to \$\mu^+ \mu^-\$ as a function of transverse momentum and rapidity.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1504.03512 [hep-ex]].

[10.1016/j.physletb.2015.08.061](https://doi.org/10.1016/j.physletb.2015.08.061).

Phys.Lett. B750 (2015) 154-175.

136) [Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton–proton collisions at 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1504.03511 [hep-ex]].

[10.1016/j.physletb.2015.07.065](https://doi.org/10.1016/j.physletb.2015.07.065).

Phys.Lett. B749 (2015) 187-209.

137) [Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1504.03198 [hep-ex]].
[10.1007/JHEP06\(2015\)121](https://doi.org/10.1007/JHEP06(2015)121).
JHEP 1506 (2015) 121.

138) [Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1504.00936 [hep-ex]].
[10.1007/JHEP10\(2015\)144](https://doi.org/10.1007/JHEP10(2015)144).
JHEP 1510 (2015) 144.

139) [Search for Third-Generation Scalar Leptoquarks in the t\\$\tau\\$ Channel in Proton-Proton Collisions at \\$\sqrt{s} = 8\\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1503.09049 [hep-ex]].
[10.1007/JHEP11\(2016\)056](https://doi.org/10.1007/JHEP11(2016)056), [10.1007/JHEP07\(2015\)042](https://doi.org/10.1007/JHEP07(2015)042).
JHEP 1507 (2015) 042, Erratum: JHEP 1611 (2016) 056.

140) [Measurement of diffraction dissociation cross sections in pp collisions at \\$\sqrt{s} = 7\\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1503.08689 [hep-ex]].
[10.1103/PhysRevD.92.012003](https://doi.org/10.1103/PhysRevD.92.012003).
Phys. Rev. D92 (2015) no.1, 012003.

141) [Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at \\$\sqrt{s} = 8\\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1503.08037 [hep-ex]].
[10.1007/JHEP06\(2015\)116](https://doi.org/10.1007/JHEP06(2015)116).
JHEP 1506 (2015) 116.

142) [Combined Measurement of the Higgs Boson Mass in \\$pp\\$ Collisions at \\$\sqrt{s}=7\\$ and 8 TeV with the ATLAS and CMS Experiments.](#)

By ATLAS and CMS Collaborations (Georges Aad et al.).
[arXiv:1503.07589 [hep-ex]].
[10.1103/PhysRevLett.114.191803](https://doi.org/10.1103/PhysRevLett.114.191803).
Phys. Rev. Lett. 114 (2015) 191803.

143) [Study of W boson production in pPb collisions at \$\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1503.05825 [nucl-ex]].

[10.1016/j.physletb.2015.09.057](#).

Phys.Lett. B750 (2015) 565-586.

144) [Measurements of the \$Z Z\$ production cross sections in the \$2l 2\nu\$ channel in proton–proton collisions at \$\sqrt{s} = 7\$ and \$8 \text{ TeV}\$ and combined constraints on triple gauge couplings.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1503.05467 [hep-ex]].

[10.1140/epjc/s10052-015-3706-0](#).

Eur.Phys.J. C75 (2015) no.10, 511.

145) [Tevatron Combination of Single-Top-Quark Cross Sections and Determination of the Magnitude of the Cabibbo-Kobayashi-Maskawa Matrix Element \$V_{tb}\$.](#)

By CDF and D0 Collaborations (Timo Antero Aaltonen et al.).
[arXiv:1503.05027 [hep-ex]].

[10.1103/PhysRevLett.115.152003](#).

Phys.Rev.Lett. 115 (2015) no.15, 152003.

146) [Search for resonant pair production of Higgs bosons decaying to two bottom quark–antiquark pairs in proton–proton collisions at 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1503.04114 [hep-ex]].

[10.1016/j.physletb.2015.08.047](#).

Phys.Lett. B749 (2015) 560-582.

147) [Measurement of the forward-backward asymmetry in \$\Lambda_b^0\$ and \$\bar{\Lambda}_b^0\$ baryon production in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1503.03917 [hep-ex]].

[10.1103/PhysRevD.91.072008](#).

Phys.Rev. D91 (2015) no.7, 072008.

148) [Simulations Study of Muon Response in the Peripheral Regions of the Iron Calorimeter Detector at the India-based Neutrino Observatory.](#)

By R. Kanishka, K.K. Meghna, V. Bhatnagar, D. Indumathi, N. Sinha.

[arXiv:1503.03369 [physics.ins-det]].

[10.1088/1748-0221/10/03/P03011](#).

JINST 10 (2015) no.03, P03011.

149) [Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1503.01952 [hep-ex]].

[10.1007/JHEP06\(2015\)080](#).

JHEP 1506 (2015) 080.

150) [Evidence for transverse momentum and pseudorapidity dependent event plane fluctuations in PbPb and pPb collisions.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1503.01692 [nucl-ex]].

[10.1103/PhysRevC.92.034911](#).

Phys. Rev. C92 (2015) no.3, 034911.

151) [Study of Final-State Radiation in Decays of Z Bosons Produced in \\$pp\\$ Collisions at 7 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.07940 [hep-ex]].

[10.1103/PhysRevD.91.092012](#).

Phys. Rev. D91 (2015) no.9, 092012.

152) [Search for Lepton-Flavour-Violating Decays of the Higgs Boson.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.07400 [hep-ex]].

[10.1016/j.physletb.2015.07.053](#).

Phys. Lett. B749 (2015) 337-362.

153) [Search for Physics Beyond the Standard Model in Events with Two Leptons, Jets, and Missing Transverse Momentum in pp Collisions at sqrt\(s\) = 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.06031 [hep-ex]].

[10.1007/JHEP04\(2015\)124](https://doi.org/10.1007/JHEP04(2015)124).

JHEP 1504 (2015) 124.

154) [Measurement of the Z \$\gamma\$ Production Cross Section in pp Collisions at 8 TeV and Search for Anomalous Triple Gauge Boson Couplings.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.05664 [hep-ex]].

[10.1007/JHEP04\(2015\)164](https://doi.org/10.1007/JHEP04(2015)164).

JHEP 1504 (2015) 164.

155) [Nuclear Effects on the Transverse Momentum Spectra of Charged Particles in pPb Collisions at \$\sqrt{s} \{ \mathrm{NN} \} = 5.02 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.05387 [nucl-ex]].

[10.1140/epjc/s10052-015-3435-4](https://doi.org/10.1140/epjc/s10052-015-3435-4).

Eur.Phys.J. C75 (2015) no.5, 237.

156) [Evidence for Collective Multiparticle Correlations in p-Pb Collisions.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.05382 [nucl-ex]].

[10.1103/PhysRevLett.115.012301](https://doi.org/10.1103/PhysRevLett.115.012301).

Phys.Rev.Lett. 115 (2015) no.1, 012301.

157) [Search for Narrow High-Mass Resonances in Proton–Proton Collisions at \$\sqrt{s} = 8 \text{ TeV}\$ Decaying to a Z and a Higgs Boson.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.04994 [hep-ex]].

[10.1016/j.physletb.2015.07.011](https://doi.org/10.1016/j.physletb.2015.07.011).

Phys.Lett. B748 (2015) 255-277.

158) [Distributions of Topological Observables in Inclusive Three- and Four-Jet Events in pp Collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.04785 [hep-ex]].

[10.1140/epjc/s10052-015-3491-9](https://doi.org/10.1140/epjc/s10052-015-3491-9).

Eur.Phys.J. C75 (2015) no.7, 302.

159) [Searches for Supersymmetry using the \$M_{T2}\$ Variable in](#)

[Hadronic Events Produced in pp Collisions at 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.04358 [hep-ex]].

[10.1007/JHEP05\(2015\)078](#).

JHEP 1505 (2015) 078.

160) [Measurement of J/ \$\psi\$ and \$\psi\(2S\)\$ Prompt Double-Differential Cross Sections in pp Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.04155 [hep-ex]].

[10.1103/PhysRevLett.114.191802](#).

Phys.Rev.Lett. 114 (2015) no.19, 191802.

161) [Performance of Photon Reconstruction and Identification with the CMS Detector in Proton-Proton Collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.02702 [physics.ins-det]].

[10.1088/1748-0221/10/08/P08010](#).

JINST 10 (2015) no.08, P08010.

162) [Performance of Electron Reconstruction and Selection with the CMS Detector in Proton-Proton Collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.02701 [physics.ins-det]].

[10.1088/1748-0221/10/06/P06005](#).

JINST 10 (2015) no.06, P06005.

163) [Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.02522 [hep-ex]].

[10.1140/epjc/s10052-015-3533-3](#).

Eur.Phys.J. C75 (2015) no.7, 325.

164) [Search for a Standard Model Higgs Boson Produced in Association with a Top-Quark Pair and Decaying to Bottom Quarks Using a Matrix Element Method.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1502.02485 [hep-ex]].
[10.1140/epjc/s10052-015-3454-1](https://doi.org/10.1140/epjc/s10052-015-3454-1).
Eur.Phys.J. C75 (2015) no.6, 251.

165) [Tevatron Constraints on Models of the Higgs Boson with Exotic Spin and Parity Using Decays to Bottom-Antibottom Quark Pairs.](#)
By CDF and D0 Collaborations (T. Aaltonen et al.).
[arXiv:1502.00967 [hep-ex]].
[10.1103/PhysRevLett.114.151802](https://doi.org/10.1103/PhysRevLett.114.151802).
Phys.Rev.Lett. 114 (2015) no.15, 151802.

166) [Search for Supersymmetry Using Razor Variables in Events with \\$b\\$-Tagged Jets in \\$pp\\$ Collisions at \\$\sqrt{s} = 8 \text{ TeV}.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1502.00300 [hep-ex]].
[10.1103/PhysRevD.91.052018](https://doi.org/10.1103/PhysRevD.91.052018).
Phys.Rev. D91 (2015) 052018.

167) [Precision measurement of the top-quark mass in lepton+\\$+\text{jets}\\$ final states.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1501.07912 [hep-ex]].
[10.1103/PhysRevD.91.112003](https://doi.org/10.1103/PhysRevD.91.112003).
Phys.Rev. D91 (2015) no.11, 112003.

168) [Measurements of the \\$\Upsilon\(1S\)\\$, \\$\Upsilon\(2S\)\\$, and \\$\Upsilon\(3S\)\\$ differential cross sections in pp collisions at \\$\sqrt{s} = 7 \text{ TeV}.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1501.07750 [hep-ex]].
[10.1016/j.physletb.2015.07.037](https://doi.org/10.1016/j.physletb.2015.07.037).
Phys.Lett. B749 (2015) 14-34.

169) [Measurement of the ratio \\$B\(B^0_s \rightarrow J/\psi f_0\(980\)\) / B\(B^0_s \rightarrow J/\psi \phi\(1020\)\)\\$ in pp collisions at \\$\sqrt{s} = 7 \text{ TeV}.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1501.06089 [hep-ex]].
[10.1016/j.physletb.2016.02.047](https://doi.org/10.1016/j.physletb.2016.02.047).
Phys.Lett. B756 (2016) 84-102.

170) [Search for Decays of Stopped Long-Lived Particles Produced in Proton–Proton Collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1501.05603 [hep-ex]].

[10.1140/epjc/s10052-015-3367-z](https://doi.org/10.1140/epjc/s10052-015-3367-z).

Eur.Phys.J. C75 (2015) no.4, 151.

171) [Search for heavy Majorana neutrinos in \$\mu^+\mu^- \mu^+\mu^+\$ jets events in proton-proton collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1501.05566 [hep-ex]].

[10.1016/j.physletb.2015.06.070](https://doi.org/10.1016/j.physletb.2015.06.070).

Phys.Lett. B748 (2015) 144-166.

172) [Measurement of the ratio of inclusive cross sections \$\sigma\(p\bar{p} \rightarrow Z+2\text{-b jets}\) / \sigma\(p\bar{p} \rightarrow Z+2\text{ jets}\)\$ in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96 \text{ TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1501.05325 [hep-ex]].

[10.1103/PhysRevD.91.052010](https://doi.org/10.1103/PhysRevD.91.052010).

Phys.Rev. D91 (2015) no.5, 052010.

173) [Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1501.04198 [hep-ex]].

[10.1103/PhysRevD.91.052009](https://doi.org/10.1103/PhysRevD.91.052009).

Phys.Rev. D91 (2015) no.5, 052009.

174) [Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\text{TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1412.8662 [hep-ex]].

[10.1140/epjc/s10052-015-3351-7](https://doi.org/10.1140/epjc/s10052-015-3351-7).

Eur.Phys.J. C75 (2015) no.5, 212.

175) [Search for pair-produced resonances decaying to jet pairs in proton–](#)

proton collisions at $\sqrt{s} = 8 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1412.7706 [hep-ex]].

[10.1016/j.physletb.2015.04.045](https://doi.org/10.1016/j.physletb.2015.04.045).

Phys.Lett. B747 (2015) 98-119.

176) Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1412.6302 [hep-ex]].

[10.1007/JHEP04\(2015\)025](https://doi.org/10.1007/JHEP04(2015)025).

JHEP 1504 (2015) 025.

177) Measurement of the $W+b$ -jet and $W+c$ -jet differential production cross sections in $p\bar{p}$ collisions at $\sqrt{s}=1.96 \text{ TeV}$.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1412.5315 [hep-ex]].

[10.1016/j.physletb.2015.02.012](https://doi.org/10.1016/j.physletb.2015.02.012).

Phys.Lett. B743 (2015) 6-14.

178) Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1412.4109 [hep-ex]].

[10.1016/j.physletb.2015.04.002](https://doi.org/10.1016/j.physletb.2015.04.002).

Phys.Lett. B745 (2015) 5-28.

179) Measurement of the electron charge asymmetry in $\boldsymbol{p}\bar{p} \rightarrow W+X \rightarrow e\nu + X$ decays in $\boldsymbol{p}\bar{p}$ collisions at $\sqrt{s}=1.96 \text{ TeV}$.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1412.2862 [hep-ex]].

[10.1103/PhysRevD.91.032007](https://doi.org/10.1103/PhysRevD.91.032007), [10.1103/PhysRevD.91.079901](https://doi.org/10.1103/PhysRevD.91.079901).

Phys.Rev. D91 (2015) no.3, 032007, Erratum: Phys.Rev. D91 (2015) no.7, 079901.

180) Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range.

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1412.1633 [hep-ex]].
[10.1140/epjc/s10052-015-3376-y](https://doi.org/10.1140/epjc/s10052-015-3376-y).
Eur.Phys.J. C75 (2015) no.5, 186.

181) [Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1412.1115 [hep-ex]].
[10.1140/epjc/s10052-015-3364-2](https://doi.org/10.1140/epjc/s10052-015-3364-2).
Eur.Phys.J. C75 (2015) no.4, 147.

182) [Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1411.7255 [hep-ex]].
[10.1016/j.physletb.2015.03.017](https://doi.org/10.1016/j.physletb.2015.03.017).

Phys.Lett. B743 (2015) 503-525.

183) [Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1411.6977 [hep-ex]].
[10.1103/PhysRevD.91.052012](https://doi.org/10.1103/PhysRevD.91.052012).

Phys.Rev. D91 (2015) no.5, 052012.

184) [Search for Long-Lived Neutral Particles Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1411.6530 [hep-ex]].
[10.1103/PhysRevD.91.012007](https://doi.org/10.1103/PhysRevD.91.012007).

Phys.Rev. D91 (2015) no.1, 012007.

185) [Search for disappearing tracks in proton-proton collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (V. Khachatryan et al.).
[arXiv:1411.6006 [hep-ex]].

[10.1007/JHEP01\(2015\)096](https://doi.org/10.1007/JHEP01(2015)096).

JHEP 1501 (2015) 096.

186) [Measurement of the cross section ratio \$\sigma_{t\bar{t}b\bar{b}} / \sigma_{t\bar{t}jj}\$ in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1411.5621 [hep-ex]].

[10.1016/j.physletb.2015.04.060](https://doi.org/10.1016/j.physletb.2015.04.060).

Phys.Lett. B746 (2015) 132-153.

187) [Observation of the rare \$B^0_s \rightarrow \mu^+\mu^-\$ decay from the combined analysis of CMS and LHCb data.](#)

By CMS and LHCb Collaborations (Vardan Khachatryan et al.).

[arXiv:1411.4413 [hep-ex]].

[10.1038/nature14474](https://doi.org/10.1038/nature14474).

Nature 522 (2015) 68-72.

188) [Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1411.3441 [hep-ex]].

[10.1103/PhysRevD.92.012004](https://doi.org/10.1103/PhysRevD.92.012004).

Phys.Rev. D92 (2015) no.1, 012004.

189) [Measurement of the Forward-Backward Asymmetry in the Production of \$B^\pm\$ Mesons in \$p\bar{p}\$ Collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1411.3021 [hep-ex]].

[10.1103/PhysRevLett.114.051803](https://doi.org/10.1103/PhysRevLett.114.051803).

Phys.Rev.Lett. 114 (2015) 051803.

190) [Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton–proton collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1411.2646 [hep-ex]].

[10.1016/j.physletb.2015.04.042](https://doi.org/10.1016/j.physletb.2015.04.042).

Phys.Lett. B746 (2015) 79-99.

191) [Performance of the CMS missing transverse momentum reconstruction in pp data at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1411.0511 [physics.ins-det]].

[10.1088/1748-0221/10/02/P02006](#).

JINST 10 (2015) no.02, P02006.

192) [Search for new phenomena in monophoton final states in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.8812 [hep-ex]].

[10.1016/j.physletb.2016.01.057](#).

Phys.Lett. B755 (2016) 102-124.

193) [Measurement of the \$\phi^* \eta\$ distribution of muon pairs with masses between 30 and 500 GeV in 10.4 \$\text{fb}^{-1}\$ of \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1410.8052 [hep-ex]].

[10.1103/PhysRevD.91.072002](#).

Phys.Rev. D91 (2015) no.7, 072002.

194) [Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.6765 [hep-ex]].

[10.1140/epjc/s10052-015-3499-1](#).

Eur.Phys.J. C75 (2015) no.6, 288.

195) [Search for a standard model-like Higgs boson in the \$\mu^+\mu^-\$ and \$e^+e^-\$ decay channels at the LHC.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.6679 [hep-ex]].

[10.1016/j.physletb.2015.03.048](#).

Phys.Lett. B744 (2015) 184-207.

196) [Study of vector boson scattering and search for new physics in events](#)

with two same-sign leptons and two jets.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.6315 [hep-ex]].

[10.1103/PhysRevLett.114.051801](https://doi.org/10.1103/PhysRevLett.114.051801).

Phys.Rev.Lett. 114 (2015) no.5, 051801.

197) Measurement of the ratio of the production cross sections times branching fractions of $B_c \rightarrow J/\psi \pi^{\pm}$ and $B \rightarrow J/\psi K^{\pm}$ and $\mathcal{B}(B_c \rightarrow J/\psi \pi^{\pm} \pi^{\pm} \pi^{\mp}) / \mathcal{B}(B_c \rightarrow J/\psi \pi^{\pm} \pi^{\mp})$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.5729 [hep-ex]].

[10.1007/JHEP01\(2015\)063](https://doi.org/10.1007/JHEP01(2015)063).

JHEP 1501 (2015) 063.

198) Study of Z production in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ in the dimuon and dielectron decay channels.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1410.4825 [nucl-ex]].

[10.1007/JHEP03\(2015\)022](https://doi.org/10.1007/JHEP03(2015)022).

JHEP 1503 (2015) 022.

199) Identification techniques for highly boosted W bosons that decay into hadrons.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.4227 [hep-ex]].

[10.1007/JHEP12\(2014\)017](https://doi.org/10.1007/JHEP12(2014)017).

JHEP 1412 (2014) 017.

200) Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.3153 [hep-ex]].

[10.1140/epjc/s10052-014-3232-5](https://doi.org/10.1140/epjc/s10052-014-3232-5).

Eur.Phys.J. C75 (2015) no.2, 66.

201) Searches for heavy Higgs bosons in two-Higgs-doublet models and

for $t \rightarrow ch$ decay using multilepton and diphoton final states in pp collisions at 8 TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.2751 [hep-ex]].

[10.1103/PhysRevD.90.112013](https://doi.org/10.1103/PhysRevD.90.112013).

Phys. Rev. D90 (2014) 112013.

202) Measurement of Prompt $\psi(2S) \rightarrow J/\psi$ Yield Ratios in Pb-Pb and $p\text{-}p$ Collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.1804 [nucl-ex]].

[10.1103/PhysRevLett.113.262301](https://doi.org/10.1103/PhysRevLett.113.262301).

Phys. Rev. Lett. 113 (2014) no.26, 262301.

203) Measurement of the B_s^0 lifetime in the flavor-specific decay channel $B_s^0 \rightarrow D_s^- \mu^+ \bar{\nu} X$.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1410.1568 [hep-ex]].

[10.1103/PhysRevLett.114.062001](https://doi.org/10.1103/PhysRevLett.114.062001).

Phys. Rev. Lett. 114 (2015) no.6, 062001.

204) Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $\sqrt{s}=8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.1154 [hep-ex]].

[10.1007/JHEP01\(2015\)053](https://doi.org/10.1007/JHEP01(2015)053).

JHEP 1501 (2015) 053.

205) Search for Monotop Signatures in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1410.1149 [hep-ex]].

[10.1103/PhysRevLett.114.101801](https://doi.org/10.1103/PhysRevLett.114.101801).

Phys. Rev. Lett. 114 (2015) no.10, 101801.

206) Search for Standard Model Production of Four Top Quarks in the Lepton + Jets Channel in pp Collisions at $\sqrt{s} = 8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1409.7339 [hep-ex]].

[10.1007/JHEP11\(2014\)154](https://doi.org/10.1007/JHEP11(2014)154).

JHEP 1411 (2014) 154.

207) [Measurement of the production cross section ratio \$\sigma\(Xb2\(1P\)\) / \sigma\(Xb1\(1P\)\)\$ in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1409.5761 [hep-ex]].

[10.1016/j.physletb.2015.02.048](https://doi.org/10.1016/j.physletb.2015.02.048).

Phys.Lett. B743 (2015) 383-402.

208) [Search for Displaced Supersymmetry in events with an electron and a muon with large impact parameters.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1409.4789 [hep-ex]].

[10.1103/PhysRevLett.114.061801](https://doi.org/10.1103/PhysRevLett.114.061801).

Phys.Rev.Lett. 114 (2015) no.6, 061801.

209) [Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1409.3392 [nucl-ex]].

[10.1016/j.physletb.2015.01.034](https://doi.org/10.1016/j.physletb.2015.01.034).

Phys.Lett. B742 (2015) 200-224.

210) [Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1409.3168 [hep-ex]].

[10.1103/PhysRevD.90.092007](https://doi.org/10.1103/PhysRevD.90.092007).

Phys.Rev. D90 (2014) no.9, 092007.

211) [Measurement of the direct CP-violating parameter \$A_{CP}\$ in the decay \$D^+ \rightarrow K^-\pi^+\pi^+\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1408.6848 [hep-ex]].

[10.1103/PhysRevD.90.111102](https://doi.org/10.1103/PhysRevD.90.111102).

Phys.Rev. D90 (2014) no.11, 111102.

212) [Measurement of the effective weak mixing angle in](#)

$\bar{p} \rightarrow Z/\gamma^* \rightarrow e^+e^-$ events.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1408.5016 [hep-ex]].

[10.1103/PhysRevLett.115.041801](https://doi.org/10.1103/PhysRevLett.115.041801).

Phys.Rev.Lett. 115 (2015) no.4, 041801.

213) [Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton collisions at \$\sqrt{s} = 8\text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1408.3583 [hep-ex]].

[10.1140/epjc/s10052-015-3451-4](https://doi.org/10.1140/epjc/s10052-015-3451-4).

Eur.Phys.J. C75 (2015) no.5, 235.

214) [Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1408.3316 [hep-ex]].

[10.1007/JHEP10\(2014\)160](https://doi.org/10.1007/JHEP10(2014)160).

JHEP 1410 (2014) 160.

215) [Measurements of jet multiplicity and differential production cross sections of \$Z + j\$ jets events in proton-proton collisions at \$\sqrt{s} = 7\text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1408.3104 [hep-ex]].

[10.1103/PhysRevD.91.052008](https://doi.org/10.1103/PhysRevD.91.052008).

Phys.Rev. D91 (2015) no.5, 052008.

216) [Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at \$\sqrt{s} = 8\text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1408.2745 [hep-ex]].

[10.1103/PhysRevD.91.092005](https://doi.org/10.1103/PhysRevD.91.092005).

Phys.Rev. D91 (2015) no.9, 092005.

217) [Search for the associated production of the Higgs boson with a top-quark pair.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1408.1682 [hep-ex]].
[10.1007/JHEP10\(2014\)106](https://doi.org/10.1007/JHEP10(2014)106), [10.1007/JHEP09\(2014\)087](https://doi.org/10.1007/JHEP09(2014)087).
JHEP 1409 (2014) 087, Erratum: JHEP 1410 (2014) 106.

218) [Search for pair production of third-generation scalar leptoquarks and top squarks in proton–proton collisions at \$\sqrt{s}=8\$ TeV.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1408.0806 [hep-ex]].
[10.1016/j.physletb.2014.10.063](https://doi.org/10.1016/j.physletb.2014.10.063).
Phys.Lett. B739 (2014) 229-249.

219) [Measurement of the \$t\bar{t}\$ production cross section in \$pp\$ collisions at \$\sqrt{s} = 8\$ TeV in dilepton final states containing one \$\tau\$ lepton.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1407.6643 [hep-ex]].
[10.1016/j.physletb.2014.10.032](https://doi.org/10.1016/j.physletb.2014.10.032).
Phys.Lett. B739 (2014) 23-43.

220) [Constraints on Models for the Higgs Boson with Exotic Spin and Parity in \$VH \rightarrow Vb\bar{b}\$ Final States.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1407.6369 [hep-ex]].
[10.1103/PhysRevLett.113.161802](https://doi.org/10.1103/PhysRevLett.113.161802).
Phys.Rev.Lett. 113 (2014) 161802.

221) [Measurement of the Electric Charge of the Top Quark in \$t\bar{t}\$ Events.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1407.4837 [hep-ex]].
[10.1103/PhysRevD.90.051101](https://doi.org/10.1103/PhysRevD.90.051101), [10.1103/PhysRevD.90.079904](https://doi.org/10.1103/PhysRevD.90.079904).
Phys.Rev. D90 (2014) no.5, 051101, Erratum: Phys.Rev. D90 (2014) no.7, 079904.

222) [Search for heavy neutrinos and \$W\$ bosons with right-handed couplings in proton-proton collisions at \$\sqrt{s} = 8\$ TeV.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1407.3683 [hep-ex]].
[10.1140/epjc/s10052-014-3149-z](https://doi.org/10.1140/epjc/s10052-014-3149-z).

Eur.Phys.J. C74 (2014) no.11, 3149.

223) [Search for new resonances decaying via WZ to leptons in proton-proton collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1407.3476 [hep-ex]].

[10.1016/j.physletb.2014.11.026](#).

Phys.Lett. B740 (2015) 83-104.

224) [Study of hadronic event-shape variables in multijet final states in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1407.2856 [hep-ex]].

[10.1007/JHEP10\(2014\)087](#).

JHEP 1410 (2014) 87.

225) [Observation of the diphoton decay of the Higgs boson and measurement of its properties.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1407.0558 [hep-ex]].

[10.1140/epjc/s10052-014-3076-z](#).

Eur.Phys.J. C74 (2014) no.10, 3076.

226) [Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1406.7830 [hep-ex]].

[10.1140/epjc/s10052-014-3060-7](#).

Eur.Phys.J. C74 (2014) no.9, 3060.

227) [Differential cross section measurements for the production of a W boson in association with jets in proton–proton collisions at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1406.7533 [hep-ex]].

[10.1016/j.physletb.2014.12.003](#).

Phys.Lett. B741 (2015) 12-37.

228) [Search for excited quarks in the \$\gamma + \text{jet}\$ final state in proton–](#)

proton collisions at $\sqrt{s}=8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1406.5171 [hep-ex]].

[10.1016/j.physletb.2014.09.048](https://doi.org/10.1016/j.physletb.2014.09.048).

Phys.Lett. B738 (2014) 274-293.

229) Observation and studies of double J/ψ production at the Tevatron.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1406.2380 [hep-ex]].

[10.1103/PhysRevD.90.111101](https://doi.org/10.1103/PhysRevD.90.111101).

Phys.Rev. D90 (2014) no.11, 111101.

230) Measurement of jet fragmentation in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1406.0932 [nucl-ex]].

[10.1103/PhysRevC.90.024908](https://doi.org/10.1103/PhysRevC.90.024908).

Phys.Rev. C90 (2014) no.2, 024908.

231) Measurement of prompt J/ψ pair production in pp collisions at $\sqrt{s} = 7$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1406.0484 [hep-ex]].

[10.1007/JHEP09\(2014\)094](https://doi.org/10.1007/JHEP09(2014)094).

JHEP 1409 (2014) 094.

232) Measurement of the ratio of inclusive jet cross sections using the anti- k_T algorithm with radius parameters R=0.5 and 0.7 in pp collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1406.0324 [hep-ex]].

[10.1103/PhysRevD.90.072006](https://doi.org/10.1103/PhysRevD.90.072006).

Phys.Rev. D90 (2014) no.7, 072006.

233) Measurement of the $pp \rightarrow ZZ$ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $\sqrt{s}=8$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1406.0113 [hep-ex]].

[10.1016/j.physletb.2014.11.059](https://doi.org/10.1016/j.physletb.2014.11.059), [10.1016/j.physletb.2016.04.010](https://doi.org/10.1016/j.physletb.2016.04.010).

Phys.Lett. B740 (2015) 250-272, Corrigendum: Phys.Lett. B757 (2016) 569-569.

234) [Search for jet extinction in the inclusive jet-\\$p_t\\$ spectrum from proton-proton collisions at \\$\sqrt{s} = 8 \text{ TeV}](#).

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1405.7653 [hep-ex]].

[10.1103/PhysRevD.90.032005](https://doi.org/10.1103/PhysRevD.90.032005).

Phys.Rev. D90 (2014) no.3, 032005.

235) [Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV](#).

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1405.7570 [hep-ex]].

[10.1140/epjc/s10052-014-3036-7](https://doi.org/10.1140/epjc/s10052-014-3036-7).

Eur.Phys.J. C74 (2014) no.9, 3036.

236) [A Simulations Study of the Muon Response of the Iron Calorimeter Detector at the India-based Neutrino Observatory](#).

By Animesh Chatterjee et al..

[arXiv:1405.7243 [physics.ins-det]].

[10.1088/1748-0221/9/07/P07001](https://doi.org/10.1088/1748-0221/9/07/P07001).

JINST 9 (2014) P07001.

237) [Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at \\$\sqrt{s}=7\text{ TeV}](#).

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1405.7225 [hep-ex]].

[10.1140/epjc/s10052-014-3129-3](https://doi.org/10.1140/epjc/s10052-014-3129-3).

Eur.Phys.J. C74 (2014) no.11, 3129.

238) [Description and performance of track and primary-vertex reconstruction with the CMS tracker](#).

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1405.6569 [physics.ins-det]].

[10.1088/1748-0221/9/10/P10009](https://doi.org/10.1088/1748-0221/9/10/P10009).

JINST 9 (2014) no.10, P10009.

239) [Measurement of the differential \$\gamma+2\text{-jet}\$ cross section and the ratio \$\sigma\(\gamma+2\text{-jet}\)/\sigma\(\gamma+b\text{-jet}\)\$ in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1405.3964 [hep-ex]].

[10.1016/j.physletb.2014.09.007](#).

Phys.Lett. B737 (2014) 357-365.

240) [Search for supersymmetry with razor variables in pp collisions at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1405.3961 [hep-ex]].

[10.1103/PhysRevD.90.112001](#).

Phys.Rev. D90 (2014) no.11, 112001.

241) [Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at \$\sqrt{s}=8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1405.3886 [hep-ex]].

[10.1016/j.physletb.2014.07.053](#).

Phys.Lett. B736 (2014) 371-397.

242) [Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1405.3455 [hep-ex]].

[10.1016/j.physletb.2014.06.077](#).

Phys.Lett. B736 (2014) 64-85.

243) [Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1405.3447 [hep-ex]].

[10.1007/JHEP08\(2014\)174](#).

JHEP 1408 (2014) 174.

244) [Search for massive resonances in dijet systems containing jets tagged](#)

[as W or Z boson decays in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1405.1994 [hep-ex]].

[10.1007/JHEP08\(2014\)173.](#)

JHEP 1408 (2014) 173.

245) [Precision measurement of the top-quark mass in lepton+jets final states.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1405.1756 [hep-ex]].

[10.1103/PhysRevLett.113.032002.](#)

Phys.Rev.Lett. 113 (2014) 032002.

246) [Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at \$\sqrt{s} = 8 \text{ TeV}\$ by the CMS and TOTEM experiments.](#)

By CMS and TOTEM Collaborations (Serguei Chatrchyan et al.).

[arXiv:1405.0722 [hep-ex]].

[10.1140/epjc/s10052-014-3053-6.](#)

Eur.Phys.J. C74 (2014) no.10, 3053.

247) [Measurement of the forward-backward asymmetry in top quark-antiquark production in \$p\bar{p}\$ collisions using the lepton+jets channel.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1405.0421 [hep-ex]].

[10.1103/PhysRevD.90.072011.](#)

Phys.Rev. D90 (2014) 072011.

248) [Measurement of Charged Pion Production Yields off the NuMI Target.](#)

By MIPP Collaboration (J.M. Paley et al.).

[arXiv:1404.5882 [hep-ex]].

[10.1103/PhysRevD.90.032001.](#)

Phys.Rev. D90 (2014) no.3, 032001.

249) [Search for anomalous production of events with three or more leptons in \$p\bar{p}\$ collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1404.5801 [hep-ex]].

[10.1103/PhysRevD.90.032006.](#)

Phys.Rev. D90 (2014) 032006.

250) [Search for \$WW \gamma\$ and \$WZ \gamma\$ production and constraints on anomalous quartic gauge couplings in \$pp\$ collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1404.4619 [hep-ex]].

[10.1103/PhysRevD.90.032008](#).

Phys.Rev. D90 (2014) no.3, 032008.

251) [Measurement of jet multiplicity distributions in \$t\bar{t}\$ production in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1404.3171 [hep-ex]].

[10.1140/epjc/s10052-014-3014-0](#), [10.1140/epjc/s10052-015-3437-2](#).

Eur.Phys.J. C74 (2015) 3014, Erratum: Eur.Phys.J. C75 (2015) no.5, 216.

252) [Measurement of the ratio \$\mathcal{B}\(t \rightarrow Wb\)/\mathcal{B}\(t \rightarrow Wq\)\$ in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1404.2292 [hep-ex]].

[10.1016/j.physletb.2014.06.076](#).

Phys.Lett. B736 (2014) 33-57.

253) [Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1404.1344 [hep-ex]].

[10.1140/epjc/s10052-014-2980-6](#).

Eur.Phys.J. C74 (2014) 2980.

254) [Measurement of the t-channel single-top-quark production cross section and of the \$|V_{tb}|\$ CKM matrix element in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1403.7366 [hep-ex]].

[10.1007/JHEP06\(2014\)090](#).

JHEP 1406 (2014) 090.

255) [Measurement of WZ and ZZ production in pp collisions at \$\sqrt{s} = 8\text{ TeV}\$ in final states with b-tagged jets.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1403.3047 [hep-ex]].

[10.1140/epjc/s10052-014-2973-5](#).

Eur.Phys.J. C74 (2014) no.8, 2973.

256) [Alignment of the CMS tracker with LHC and cosmic ray data.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1403.2286 [physics.ins-det]].

[10.1088/1748-0221/9/06/P06009](#).

JINST 9 (2014) P06009.

257) [Measurement of the forward-backward asymmetry in the distribution of leptons in \$t\bar{t}\$ events in the lepton+jets channel.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1403.1294 [hep-ex]].

[10.1103/PhysRevD.90.072001](#).

Phys.Rev. D90 (2014) 072001.

258) [Observation of s-channel production of single top quarks at the Tevatron.](#)

By CDF and D0 Collaborations (Timo Antero Aaltonen et al.).

[arXiv:1402.5126 [hep-ex]].

[10.1103/PhysRevLett.112.231803](#).

Phys.Rev.Lett. 112 (2014) 231803.

259) [Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at \$\sqrt{s}= 8 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1402.4770 [hep-ex]].

[10.1007/JHEP06\(2014\)055](#).

JHEP 1406 (2014) 055.

260) [Measurements of the \$t\bar{t}\$ charge asymmetry using the dilepton decay channel in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1402.3803 [hep-ex]].

[10.1007/JHEP04\(2014\)191](https://doi.org/10.1007/JHEP04(2014)191).

JHEP 1404 (2014) 191.

261) [Search for \$W' \rightarrow tb\$ decays in the lepton + jets final state in \$pp\$ collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1402.2176 [hep-ex]].

[10.1007/JHEP05\(2014\)108](https://doi.org/10.1007/JHEP05(2014)108).

JHEP 1405 (2014) 108.

262) [Double parton interactions in \$\gamma+3\$ jet and \$\gamma+b/cjet+2\$ jet events in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1402.1550 [hep-ex]].

[10.1103/PhysRevD.89.072006](https://doi.org/10.1103/PhysRevD.89.072006).

Phys. Rev. D89 (2014) no.7, 072006.

263) [Measurement of the production cross sections for a Z boson and one or more b jets in \$pp\$ collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1402.1521 [hep-ex]].

[10.1007/JHEP06\(2014\)120](https://doi.org/10.1007/JHEP06(2014)120).

JHEP 1406 (2014) 120.

264) [Measurement of inclusive W and Z boson production cross sections in \$pp\$ collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1402.0923 [hep-ex]].

[10.1103/PhysRevLett.112.191802](https://doi.org/10.1103/PhysRevLett.112.191802).

Phys. Rev. Lett. 112 (2014) 191802.

265) [Evidence for the direct decay of the 125 GeV Higgs boson to fermions.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1401.6527 [hep-ex]].

[10.1038/nphys3005](https://doi.org/10.1038/nphys3005).

Nature Phys. 10 (2014) 557-560.

266) [Measurement of differential \$t\bar{t}\$ production cross sections in \$\text{p}\bar{\text{p}}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1401.5785 [hep-ex]].

[10.1103/PhysRevD.90.092006](#).

Phys.Rev. D90 (2014) no.9, 092006.

267) [Evidence for the 125 GeV Higgs boson decaying to a pair of \$\tau\$ leptons.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1401.5041 [hep-ex]].

[10.1007/JHEP05\(2014\)104](#).

JHEP 1405 (2014) 104.

268) [Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at \$\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1401.4433 [nucl-ex]].

[10.1140/epjc/s10052-014-2951-y](#).

Eur.Phys.J. C74 (2014) no.7, 2951.

269) [Observation of the associated production of a single top quark and a W boson in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1401.2942 [hep-ex]].

[10.1103/PhysRevLett.112.231802](#).

Phys.Rev.Lett. 112 (2014) no.23, 231802.

270) [Electron and Photon Identification in the D0 Experiment.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1401.0029 [hep-ex]].

[10.1016/j.nima.2014.03.013](#).

Nucl.Instrum.Meth. A750 (2014) 78-95.

271) [Improved b quark jet identification at the D0 experiment.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1312.7623 [hep-ex]].

[10.1016/j.nima.2014.04.087](#).

Nucl.Instrum.Meth. A763 (2014) 290-303.

272) [Measurement of the \$t \bar{t}\$ production cross section in the dilepton channel in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1312.7582 [hep-ex], arXiv:1312.7582].

[10.1007/JHEP02\(2014\)024](#), [10.1007/JHEP02\(2014\)102](#).

JHEP 1402 (2014) 024, Erratum: JHEP 1402 (2014) 102.

273) [Jet energy scale determination in the D0 experiment.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1312.6873 [hep-ex]].

[10.1016/j.nima.2014.05.044](#).

Nucl.Instrum.Meth. A763 (2014) 442-475.

274) [Measurement of the production cross section for a W boson and two b jets in pp collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1312.6608 [hep-ex]].

[10.1016/j.physletb.2014.06.041](#).

Phys.Lett. B735 (2014) 204-225.

275) [Measurement of four-jet production in proton-proton collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1312.6440 [hep-ex]].

[10.1103/PhysRevD.89.092010](#).

Phys.Rev. D89 (2014) no.9, 092010.

276) [Event activity dependence of \$Y\(nS\)\$ production in \$\sqrt{s_{NN}}=5.02\$ TeV pPb and \$\sqrt{s}=2.76\$ TeV pp collisions.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1312.6300 [nucl-ex]].

[10.1007/JHEP04\(2014\)103](#).

JHEP 1404 (2014) 103.

277) [Measurement of the muon charge asymmetry in inclusive \$p\bar{p} \rightarrow W + X\$ production at \$\sqrt{s} = 7\$ TeV and an improved determination of light parton distribution functions.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.6283 [hep-ex]].
[10.1103/PhysRevD.90.032004](https://doi.org/10.1103/PhysRevD.90.032004).
Phys. Rev. D90 (2014) no.3, 032004.

278) [Study of double parton scattering using W + 2-jet events in proton-proton collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.5729 [hep-ex]].
[10.1007/JHEP03\(2014\)032](https://doi.org/10.1007/JHEP03(2014)032).
JHEP 1403 (2014) 032.

279) [Measurement of the properties of a Higgs boson in the four-lepton final state.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.5353 [hep-ex]].
[10.1103/PhysRevD.89.092007](https://doi.org/10.1103/PhysRevD.89.092007).
Phys. Rev. D89 (2014) no.9, 092007.

280) [Evidence of b-Jet Quenching in PbPb Collisions at \$\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.4198 [nucl-ex]].
[10.1103/PhysRevLett.113.132301](https://doi.org/10.1103/PhysRevLett.113.132301), [10.1103/PhysRevLett.115.029903](https://doi.org/10.1103/PhysRevLett.115.029903).
Phys. Rev. Lett. 113 (2014) no.13, 132301, Erratum: Phys. Rev. Lett. 115 (2015) no.2, 029903.

281) [Search for Flavor-Changing Neutral Currents in Top-Quark Decays \$t \rightarrow Zq\$ in \$p\bar{p}\$ Collisions at \$\sqrt{s}=8 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.4194 [hep-ex]].
[10.1103/PhysRevLett.112.171802](https://doi.org/10.1103/PhysRevLett.112.171802).
Phys. Rev. Lett. 112 (2014) no.17, 171802.

282) [Search for top squark and higgsino production using diphoton Higgs boson decays.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.3310 [hep-ex]].
[10.1103/PhysRevLett.112.161802](https://doi.org/10.1103/PhysRevLett.112.161802).

Phys.Rev.Lett. 112 (2014) 161802.

283) [Measurement of the W Boson Production Charge Asymmetry in \$p\bar{p} \rightarrow W + X \rightarrow e\nu + X\$ Events at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1312.2895 [hep-ex]].

[10.1103/PhysRevLett.112.151803](#), [10.1103/PhysRevLett.114.049901](#).

Phys.Rev.Lett. 112 (2014) no.15, 151803, Erratum: Phys.Rev.Lett. 114 (2015) no.4, 049901.

284) [Search for top-quark partners with charge 5/3 in the same-sign dilepton final state.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.2391 [hep-ex]].

[10.1103/PhysRevLett.112.171801](#).

Phys.Rev.Lett. 112 (2014) no.17, 171801.

285) [Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at \$\sqrt{s_{NN}} = 2.76\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.1845 [nucl-ex]].

[10.1007/JHEP02\(2014\)088](#).

JHEP 1402 (2014) 088.

286) [Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1312.1129 [hep-ex]].
[10.1007/JHEP01\(2014\)096](#).
JHEP 1401 (2014) 096.

287) [Measurement of the direct CP-violating charge asymmetry in \$D_s^{\pm} \rightarrow \phi \pi^{\pm}\$ decays.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1312.0741 [hep-ex]].
[10.1103/PhysRevLett.112.111804](#).
Phys.Rev.Lett. 112 (2014) no.11, 111804.

288) [Inclusive search for a vector-like T quark with charge \$\frac{2}{3}\$ in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1311.7667 [hep-ex]].

[10.1016/j.physletb.2014.01.006](#).

Phys.Lett. B729 (2014) 149-171.

289) [Search for new physics in events with same-sign dileptons and jets in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1311.6736, arXiv:1311.6736 [hep-ex]].

[10.1007/JHEP01\(2014\)163](#), [10.1007/JHEP01\(2015\)014](#).

JHEP 1401 (2014) 163, Erratum: JHEP 1501 (2015) 014.

290) [Measurement of the triple-differential cross section for photon+jets production in proton-proton collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1311.6141 [hep-ex]].

[10.1007/JHEP06\(2014\)009](#).

JHEP 1406 (2014) 009.

291) [Probing color coherence effects in pp collisions at \$\sqrt{s}=7\text{,}\text{ }\text{\textbackslash TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1311.5815 [hep-ex]].

[10.1140/epjc/s10052-014-2901-8](#).

Eur.Phys.J. C74 (2014) no.6, 2901.

292) [Search for pair production of excited top quarks in the lepton + jets final state.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1311.5357 [hep-ex]].

[10.1007/JHEP06\(2014\)125](#).

JHEP 1406 (2014) 125.

293) [Search for supersymmetry in pp collisions at \$\sqrt{s}=8\$ TeV in events with a single lepton, large jet multiplicity, and multiple b jets.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1311.4937 [hep-ex]].

[10.1016/j.physletb.2014.04.023](https://doi.org/10.1016/j.physletb.2014.04.023).

Phys.Lett. B733 (2014) 328-353.

294) [Measurements of \$t\bar{t}\$ spin correlations and top-quark polarization using dilepton final states in \$pp\$ collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1311.3924 [hep-ex]].

[10.1103/PhysRevLett.112.182001](https://doi.org/10.1103/PhysRevLett.112.182001).

Phys.Rev.Lett. 112 (2014) no.18, 182001.

295) [Searches for light- and heavy-flavour three-jet resonances in pp collisions at \$\sqrt{s} = 8 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1311.1799 [hep-ex]].

[10.1016/j.physletb.2014.01.049](https://doi.org/10.1016/j.physletb.2014.01.049).

Phys.Lett. B730 (2014) 193-214.

296) [Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at \$\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.8651 [nucl-ex]].

[10.1103/PhysRevC.89.044906](https://doi.org/10.1103/PhysRevC.89.044906).

Phys.Rev. C89 (2014) no.4, 044906.

297) [Measurement of the \$W\$ boson mass with the D0 detector.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1310.8628 [hep-ex]].

[10.1103/PhysRevD.89.012005](https://doi.org/10.1103/PhysRevD.89.012005).

Phys.Rev. D89 (2014) no.1, 012005.

298) [Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.7291 [hep-ex]].

[10.1007/JHEP12\(2013\)030](https://doi.org/10.1007/JHEP12(2013)030).

JHEP 1312 (2013) 030.

299) [Jet and underlying event properties as a function of charged-particle](#)

[multiplicity in proton–proton collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.4554 [hep-ex]].

[10.1140/epjc/s10052-013-2674-5.](#)

Eur.Phys.J. C73 (2013) no.12, 2674.

300) [Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.3687 [hep-ex]].

[10.1103/PhysRevD.89.012003.](#)

Phys.Rev. D89 (2014) no.1, 012003.

301) [Rapidity distributions in exclusive Z + jet and \$\gamma + \text{jet}\$ events in \$\text{pp}\$ collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.3082 [hep-ex]].

[10.1103/PhysRevD.88.112009.](#)

Phys.Rev. D88 (2013) no.11, 112009.

302) [Search for baryon number violation in top-quark decays.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.1618 [hep-ex]].

[10.1016/j.physletb.2014.02.033.](#)

Phys.Lett. B731 (2014) 173-196.

303) [Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.1349 [hep-ex]].

[10.1007/JHEP12\(2013\)039.](#)

JHEP 1312 (2013) 039.

304) [Measurement of associated W + charm production in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.1138 [hep-ex]].

[10.1007/JHEP02\(2014\)013.](#)

JHEP 1402 (2014) 013.

305) [Modification of jet shapes in PbPb collisions at \$\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1310.0878 [nucl-ex]].

[10.1016/j.physletb.2014.01.042](#).

Phys.Lett. B730 (2014) 243-263.

306) [Study of CP -violating charge asymmetries of single muons and like-sign dimuons in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1310.0447 [hep-ex]].

[10.1103/PhysRevD.89.012002](#).

Phys.Rev. D89 (2014) no.1, 012002.

307) [Combination of measurements of the top-quark pair production cross section from the Tevatron Collider.](#)

By CDF and D0 Collaborations (Timo Antero Aaltonen et al.).

[arXiv:1309.7570 [hep-ex]].

[10.1103/PhysRevD.89.072001](#).

Phys.Rev. D89 (2014) no.7, 072001.

308) [Observation of a peaking structure in the \$J/\psi \phi\$ mass spectrum from \$B^{\pm} \rightarrow J/\psi \phi K^{\pm}\$ decays.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1309.6920 [hep-ex]].

[10.1016/j.physletb.2014.05.055](#).

Phys.Lett. B734 (2014) 261-281.

309) [Search for the X\(4140\) state in \$B^+ \rightarrow J/\psi \phi K^+\$ decays with the D0 detector.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1309.6580 [hep-ex]].

[10.1103/PhysRevD.89.012004](#).

Phys.Rev. D89 (2014) no.1, 012004.

310) [Measurement of the muon charge asymmetry in \$p\bar{p} \rightarrow W + X\$ events at \$\sqrt{s} = 1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1309.2591 [hep-ex]].
[10.1103/PhysRevD.88.091102](https://doi.org/10.1103/PhysRevD.88.091102).
Phys. Rev. D88 (2013) 091102.

311) [Searches for new physics using the \$t\bar{t}\$ invariant mass distribution in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1309.2030 [hep-ex]].
[10.1103/PhysRevLett.112.119903](https://doi.org/10.1103/PhysRevLett.112.119903), [10.1103/PhysRevLett.111.211804](https://doi.org/10.1103/PhysRevLett.111.211804).
Phys. Rev. Lett. 111 (2013) no.21, 211804, Erratum: Phys. Rev. Lett. 112 (2014) no.11, 119903.

312) [Measurement of the production cross section for \$Z\gamma \rightarrow \nu\bar{\nu}\gamma\$ in pp collisions at \$\sqrt{s} = 7\$ TeV and limits on \$ZZ\gamma\$ and \$Z\gamma\gamma\$ triple gauge boson couplings.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1309.1117 [hep-ex]].
[10.1007/JHEP10\(2013\)164](https://doi.org/10.1007/JHEP10(2013)164).
JHEP 1310 (2013) 164.

313) [Search for a new bottomonium state decaying to \$\Upsilon\(1S\)\pi^+\pi^-\$ in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1309.0250 [hep-ex]].
[10.1016/j.physletb.2013.10.016](https://doi.org/10.1016/j.physletb.2013.10.016).
Phys. Lett. B727 (2013) 57-76.

314) [Measurement of the \$W\gamma\$ and \$Z\gamma\$ inclusive cross sections in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV and limits on anomalous triple gauge boson couplings.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1308.6832 [hep-ex]].
[10.1103/PhysRevD.89.092005](https://doi.org/10.1103/PhysRevD.89.092005).
Phys. Rev. D89 (2014) no.9, 092005.

315) [Measurement of the asymmetry in angular distributions of leptons produced in dilepton \$t\bar{t}\$ final states in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1308.6690 [hep-ex]].
[10.1103/PhysRevD.88.112002](https://doi.org/10.1103/PhysRevD.88.112002).
Phys. Rev. D88 (2013) no.11, 112002.

316) [Measurement of associated production of Z bosons with charm quark jets in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1308.4384 [hep-ex]].
[10.1103/PhysRevLett.112.042001](https://doi.org/10.1103/PhysRevLett.112.042001).
Phys. Rev. Lett. 112 (2014) no.4, 042001.

317) [Measurement of the W-boson helicity in top-quark decays from \$t\bar{t}\$ production in lepton+jets events in pp collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1308.3879 [hep-ex]].
[10.1007/JHEP10\(2013\)167](https://doi.org/10.1007/JHEP10(2013)167).

JHEP 1310 (2013) 167.

318) [Angular analysis and branching fraction measurement of the decay \$B^0 \rightarrow K^{*0} \mu^+ \mu^-\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1308.3409 [hep-ex]].
[10.1016/j.physletb.2013.10.017](https://doi.org/10.1016/j.physletb.2013.10.017).

Phys. Lett. B727 (2013) 77-100.

319) [Measurement of the differential cross section of photon plus jet production in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1308.2708 [hep-ex]].
[10.1103/PhysRevD.88.072008](https://doi.org/10.1103/PhysRevD.88.072008).

Phys. Rev. D88 (2013) 072008.

320) [Search for top-squark pair production in the single-lepton final state in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1308.1586 [hep-ex]].
[10.1140/epjc/s10052-013-2677-2](https://doi.org/10.1140/epjc/s10052-013-2677-2).

Eur.Phys.J. C73 (2013) no.12, 2677.

321) [Combination of CDF and D0 \\$W\\$-Boson Mass Measurements.](#)

By CDF and D0 Collaborations (Timo Antero Aaltonen et al.).

[arXiv:1307.7627 [hep-ex]].

[10.1103/PhysRevD.88.052018](#).

Phys.Rev. D88 (2013) no.5, 052018.

322) [Measurement of the prompt \$J/\psi\$ and \$\psi\(2S\)\$ polarizations in \$p\bar{p}\$ collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1307.6070 [hep-ex]].

[10.1016/j.physletb.2013.10.055](#).

Phys.Lett. B727 (2013) 381-402.

323) [Search for a Higgs boson decaying into a Z and a photon in pp collisions at \$\sqrt{s} = 7\$ and 8 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1307.5515 [hep-ex]].

[10.1016/j.physletb.2013.09.057](#).

Phys.Lett. B726 (2013) 587-609.

324) [Muon reconstruction and identification with the Run II D0 detector.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1307.5202 [hep-ex]].

[10.1016/j.nima.2013.11.050](#).

Nucl.Instrum.Meth. A737 (2014) 281-294.

325) [Measurement of the \$B\(s\) \rightarrow \mu^+ \mu^-\$ branching fraction and search for \$B_0 \rightarrow \mu^+ \mu^-\$ with the CMS Experiment.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1307.5025 [hep-ex]].

[10.1103/PhysRevLett.111.101804](#).

Phys.Rev.Lett. 111 (2013) 101804.

326) [Measurement of the top-quark mass in all-jets \$t\bar{t}\$ events in pp collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1307.4617 [hep-ex]].

[10.1140/epjc/s10052-014-2758-x](https://doi.org/10.1140/epjc/s10052-014-2758-x).

Eur.Phys.J. C74 (2014) no.4, 2758.

327) [Study of the production of charged pions, kaons, and protons in pPb collisions at \$\sqrt{s_{NN}} = 5.02 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1307.3442 [hep-ex]].

[10.1140/epjc/s10052-014-2847-x](https://doi.org/10.1140/epjc/s10052-014-2847-x).

Eur.Phys.J. C74 (2014) no.6, 2847.

328) [Determination of the top-quark pole mass and strong coupling constant from the t t-bar production cross section in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1307.1907 [hep-ex]].

[10.1016/j.physletb.2014.08.040](https://doi.org/10.1016/j.physletb.2014.08.040), [10.1016/j.physletb.2013.12.009](https://doi.org/10.1016/j.physletb.2013.12.009).

Phys.Lett. B728 (2014) 496-517, Erratum: Phys.Lett. B738 (2014) 526-528.

329) [Evidence for s-channel single top quark production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1307.0731 [hep-ex]].

[10.1016/j.physletb.2013.09.048](https://doi.org/10.1016/j.physletb.2013.09.048).

Phys.Lett. B726 (2013) 656-664.

330) [The performance of the CMS muon detector in proton-proton collisions at \$\sqrt{s} = 7 \text{ TeV}\$ at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1306.6905 [physics.ins-det]].
[10.1088/1748-0221/8/11/P11002](https://doi.org/10.1088/1748-0221/8/11/P11002).

JINST 8 (2013) P11002.

331) [Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1306.6643 [hep-ex]].
[10.1103/PhysRevLett.111.221801](https://doi.org/10.1103/PhysRevLett.111.221801).

Phys.Rev.Lett. 111 (2013) no.22, 221801.

332) [Energy Calibration and Resolution of the CMS Electromagnetic Calorimeter in \$\text{pp}\$ Collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1306.2016 [hep-ex]].

[10.1088/1748-0221/8/09/P09009](#).

JINST 8 (2013) P09009, JINST 8 (2013) 9009.

333) [Measurement of the \$W^+W^-\$ Cross section in \$\text{pp}\$ Collisions at \$\sqrt{s} = 7 \text{ TeV}\$ and Limits on Anomalous \$WW\gamma\$ and \$WWZ\$ couplings.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1306.1126 [hep-ex]].

[10.1140/epjc/s10052-013-2610-8](#).

Eur.Phys.J. C73 (2013) no.10, 2610.

334) [Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1305.7389 [hep-ex]].

[10.1007/JHEP10\(2013\)062](#).

JHEP 1310 (2013) 062.

335) [Measurement of neutral strange particle production in the underlying event in proton-proton collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1305.6016 [hep-ex]].

[10.1103/PhysRevD.88.052001](#).

Phys.Rev. D88 (2013) 052001.

336) [Study of exclusive two-photon production of \$W^+W^-\$ in \$\text{pp}\$ collisions at \$\sqrt{s} = 7 \text{ TeV}\$ and constraints on anomalous quartic gauge couplings.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1305.5596 [hep-ex]].

[10.1007/JHEP07\(2013\)116](#).

JHEP 1307 (2013) 116.

337) [Search for gluino mediated bottom- and top-squark production in](#)

mujet final states in pp collisions at 8 TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1305.2390 [hep-ex]].

[10.1016/j.physletb.2013.06.058](https://doi.org/10.1016/j.physletb.2013.06.058).

Phys.Lett. B725 (2013) 243-270.

338) Search for anomalous quartic $WW\{\gamma\}\{\gamma\}$ couplings in dielectron and missing energy final states in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1305.1258 [hep-ex]].

[10.1103/PhysRevD.88.012005](https://doi.org/10.1103/PhysRevD.88.012005).

Phys.Rev. D88 (2013) 012005.

339) Multiplicity and transverse momentum dependence of two- and four-particle correlations in pPb and PbPb collisions.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1305.0609 [nucl-ex]].

[10.1016/j.physletb.2013.06.028](https://doi.org/10.1016/j.physletb.2013.06.028).

Phys.Lett. B724 (2013) 213-240.

340) Searches for long-lived charged particles in pp collisions at $\sqrt{s}=7$ and 8 TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1305.0491 [hep-ex]].

[10.1007/JHEP07\(2013\)122](https://doi.org/10.1007/JHEP07(2013)122).

JHEP 1307 (2013) 122.

341) Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7$ TeV and first determination of the strong coupling constant in the TeV range.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1304.7498 [hep-ex]].

[10.1140/epjc/s10052-013-2604-6](https://doi.org/10.1140/epjc/s10052-013-2604-6).

Eur.Phys.J. C73 (2013) no.10, 2604.

342) Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s} = 7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1304.7495 [hep-ex]].
[10.1007/JHEP07\(2013\)163](https://doi.org/10.1007/JHEP07(2013)163).
JHEP 1307 (2013) 163.

343) [Measurement of masses in the \$t \bar{t}\$ system by kinematic endpoints in pp collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1304.5783 [hep-ex]].
[10.1140/epjc/s10052-013-2494-7](https://doi.org/10.1140/epjc/s10052-013-2494-7).

Eur.Phys.J. C73 (2013) 2494.

344) [Measurement of the ZZ production cross section and search for the standard model Higgs boson in the four lepton final state in ppbar collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1304.5422 [hep-ex]].
[10.1103/PhysRevD.88.032008](https://doi.org/10.1103/PhysRevD.88.032008).

Phys.Rev. D88 (2013) no.3, 032008.

345) [Measurement of direct CP violation parameters in \$B^{\pm} \rightarrow J/\psi K^{\pm}\$ and \$B^{\pm} \rightarrow J/\psi \pi^{\pm}\$ decays with 10.4 fb \$^{-1}\$ of Tevatron data.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1304.1655 [hep-ex]].
[10.1103/PhysRevLett.110.241801](https://doi.org/10.1103/PhysRevLett.110.241801).

Phys.Rev.Lett. 110 (2013) no.24, 241801.

346) [Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1304.0213 [hep-ex]].
[10.1140/epjc/s10052-013-2469-8](https://doi.org/10.1140/epjc/s10052-013-2469-8).

Eur.Phys.J. C73 (2013) 2469.

347) [Higgs Boson Studies at the Tevatron.](#)

By CDF and D0 Collaborations (T. Altonen et al.).

[arXiv:1303.6346 [hep-ex]].
[10.1103/PhysRevD.88.052014](https://doi.org/10.1103/PhysRevD.88.052014).

Phys.Rev. D88 (2013) no.5, 052014.

348) [Measurement of the \$\Upsilon\(1S\)\$, \$\Upsilon\(2S\)\$, and \$\Upsilon\(3S\)\$ cross sections in pp collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1303.5900 [hep-ex]].

[10.1016/j.physletb.2013.10.033](#).

Phys.Lett. B727 (2013) 101-125.

349) [Search for microscopic black holes in pp collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1303.5338 [hep-ex]].

[10.1007/JHEP07\(2013\)178](#).

JHEP 1307 (2013) 178.

350) [Studies of jet mass in dijet and W/Z + jet events.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1303.4811 [hep-ex]].

[10.1007/JHEP05\(2013\)090](#).

JHEP 1305 (2013) 090.

351) [Observation of a new boson with mass near 125 GeV in pp collisions at \$\sqrt{s} = 7\$ and 8 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1303.4571 [hep-ex]].

[10.1007/JHEP06\(2013\)081](#).

JHEP 1306 (2013) 081.

352) [Search for \$ZH \rightarrow \ell^+\ell^- b\bar{b}\$ production in \$9.7 \text{ fb}^{-1}\$ of \$p\bar{p}\$ collisions with the D0 detector.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1303.3276 [hep-ex]].

[10.1103/PhysRevD.88.052010](#).

Phys.Rev. D88 (2013) no.5, 052010.

353) [A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[10.1126/science.1230816](#).

Science 338 (2012) 1569-1575.

354) [Measurement of associated production of vector bosons and top quark-antiquark pairs at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1303.3239 [hep-ex]].

[10.1103/PhysRevLett.110.172002](#).

Phys.Rev.Lett. 110 (2013) 172002.

355) [Search for supersymmetry in hadronic final states with missing transverse energy using the variables \$\alpha_T\$ and b-quark multiplicity in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1303.2985 [hep-ex]].

[10.1140/epjc/s10052-013-2568-6](#).

Eur.Phys.J. C73 (2013) no.9, 2568.

356) [Combined search for the Higgs boson with the D0 experiment.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1303.0823 [hep-ex]].

[10.1103/PhysRevD.88.052011](#).

Phys.Rev. D88 (2013) no.5, 052011.

357) [Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1303.0763 [hep-ex]].

[10.1007/JHEP05\(2013\)145](#).

JHEP 1305 (2013) 145.

358) [Studies of W boson plus jets production in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1302.6508 [hep-ex]].

[10.1103/PhysRevD.88.092001](#).

Phys.Rev. D88 (2013) no.9, 092001.

359) [Search for Higgs boson production in trilepton and like-charge electron-muon final states with the D0 detector.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1302.5723 [hep-ex]].
[10.1103/PhysRevD.88.052009](https://doi.org/10.1103/PhysRevD.88.052009).
Phys. Rev. D88 (2013) no.5, 052009.

360) [Search for narrow resonances using the dijet mass spectrum in pp collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1302.4794 [hep-ex]].
[10.1103/PhysRevD.87.114015](https://doi.org/10.1103/PhysRevD.87.114015).
Phys. Rev. D87 (2013) no.11, 114015.

361) [Measurement of the \$X\(3872\)\$ production cross section via decays to \$J/\psi \pi \pi\$ in pp collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1302.3968 [hep-ex]].
[10.1007/JHEP04\(2013\)154](https://doi.org/10.1007/JHEP04(2013)154).
JHEP 1304 (2013) 154.

362) [Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton–proton collisions at 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1302.2892 [hep-ex]].
[10.1016/j.physletb.2013.04.017](https://doi.org/10.1016/j.physletb.2013.04.017).
Phys. Lett. B722 (2013) 207-232.

363) [Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1302.2812 [hep-ex]].
[10.1103/PhysRevD.87.072005](https://doi.org/10.1103/PhysRevD.87.072005).
Phys. Rev. D87 (2013) no.7, 072005.

364) [Study of the underlying event at forward rapidity in pp collisions at \$\sqrt{s} = 0.9, 2.76,\$ and \$7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1302.2394 [hep-ex]].
[10.1007/JHEP04\(2013\)072](https://doi.org/10.1007/JHEP04(2013)072).
JHEP 1304 (2013) 072.

365) [Searches for Higgs bosons in pp collisions at \$\sqrt{s} = 7\$ and 8 TeV in the context of four-generation and fermiophobic models.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1302.1764 [hep-ex]].

[10.1016/j.physletb.2013.06.043.](#)

Phys.Lett. B725 (2013) 36-59.

366) [Search for pair-produced dijet resonances in four-jet final states in pp collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1302.0531 [hep-ex]].

[10.1103/PhysRevLett.110.141802.](#)

Phys.Rev.Lett. 110 (2013) no.14, 141802.

367) [Measurement of the \$t\bar{t}\$ production cross section in the all-jet final state in pp collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1302.0508 [hep-ex]].

[10.1007/JHEP05\(2013\)065.](#)

JHEP 1305 (2013) 065.

368) [Search for the standard model Higgs boson in \$\ell\ell\nu\nu + \text{jets}\$ final states in \$9.7 \text{ fb}^{-1}\$ of \$p\bar{p}\$ collisions with the D0 detector.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1301.6122 [hep-ex]].

[10.1103/PhysRevD.88.052008.](#)

Phys.Rev. D88 (2013) no.5, 052008.

369) [Measurement of the top-antitop production cross section in the tau+jets channel in pp collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1301.5755 [hep-ex]].

[10.1140/epjc/s10052-013-2386-x.](#)

Eur.Phys.J. C73 (2013) no.4, 2386.

370) [Search for a Higgs boson in diphoton final states with the D0 detector in \$9.6 \text{ fb}^{-1}\$ of \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1301.5358 [hep-ex]].

[10.1103/PhysRevD.88.052007](https://doi.org/10.1103/PhysRevD.88.052007).

Phys. Rev. D88 (2013) no.5, 052007.

371) [Search for contact interactions using the inclusive jet \$p_T\$ spectrum in \$pp\$ collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1301.5023 [hep-ex]].

[10.1103/PhysRevD.87.052017](https://doi.org/10.1103/PhysRevD.87.052017).

Phys. Rev. D87 (2013) no.5, 052017.

372) [Measurement of \$W+W-\$ and \$ZZ\$ production cross sections in \$pp\$ collisions at \$\sqrt{s} = 8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1301.4698 [hep-ex]].

[10.1016/j.physletb.2013.03.027](https://doi.org/10.1016/j.physletb.2013.03.027).

Phys. Lett. B721 (2013) 190-211.

373) [Measurement of the differential cross sections for isolated direct photon pair production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1301.4536 [hep-ex]].

[10.1016/j.physletb.2013.06.036](https://doi.org/10.1016/j.physletb.2013.06.036).

Phys. Lett. B725 (2013) 6-14.

374) [Search for the rare decay \$B_s \rightarrow \mu\mu\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1301.4507 [hep-ex]].

[10.1103/PhysRevD.87.072006](https://doi.org/10.1103/PhysRevD.87.072006).

Phys. Rev. D87 (2013) no.7, 072006.

375) [Search for physics beyond the standard model in events with \$\tau\$ leptons, jets, and large transverse momentum imbalance in \$pp\$ collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1301.3792 [hep-ex]].

[10.1140/epjc/s10052-013-2493-8](https://doi.org/10.1140/epjc/s10052-013-2493-8).

Eur. Phys. J. C73 (2013) 2493.

376) [Measurement of the ratio of differential cross sections](#)

$\frac{\sigma(p\bar{p} \rightarrow Z + b \text{ jet})}{\sigma(p\bar{p} \rightarrow Z + \text{jet})}$ in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1301.2233 [hep-ex]].

[10.1103/PhysRevD.87.092010](https://doi.org/10.1103/PhysRevD.87.092010).

Phys. Rev. D87 (2013) no.9, 092010.

377) Interpretation of Searches for Supersymmetry with simplified Models.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1301.2175 [hep-ex]].

[10.1103/PhysRevD.88.052017](https://doi.org/10.1103/PhysRevD.88.052017).

Phys. Rev. D88 (2013) no.5, 052017.

378) Event shapes and azimuthal correlations in $Z + \text{jets}$ events in $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1301.1646 [hep-ex]].

[10.1016/j.physletb.2013.04.025](https://doi.org/10.1016/j.physletb.2013.04.025).

Phys. Lett. B722 (2013) 238-261.

379) Search for Higgs boson production in oppositely charged dilepton and missing energy final states in 9.7 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1301.1243 [hep-ex]].

[10.1103/PhysRevD.88.052006](https://doi.org/10.1103/PhysRevD.88.052006).

Phys. Rev. D88 (2013) no.5, 052006.

380) Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1301.0916 [hep-ex]].

[10.1103/PhysRevD.87.072001](https://doi.org/10.1103/PhysRevD.87.072001).

Phys. Rev. D87 (2013) no.7, 072001.

381) Search for supersymmetry in $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV in events with a single lepton, jets, and missing transverse momentum.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.6428 [hep-ex]].

[10.1140/epjc/s10052-013-2404-z](https://doi.org/10.1140/epjc/s10052-013-2404-z).

Eur.Phys.J. C73 (2013) 2404.

382) [Study of the Mass and Spin-Parity of the Higgs Boson Candidate Via Its Decays to Z Boson Pairs.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.6639 [hep-ex]].

[10.1103/PhysRevLett.110.081803](https://doi.org/10.1103/PhysRevLett.110.081803).

Phys.Rev.Lett. 110 (2013) no.8, 081803.

383) [Measurements of differential jet cross sections in proton-proton collisions at \$\sqrt{s}=7\$ TeV with the CMS detector.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.6660 [hep-ex]].

[10.1103/PhysRevD.87.112002](https://doi.org/10.1103/PhysRevD.87.112002), [10.1103/PhysRevD.87.119902](https://doi.org/10.1103/PhysRevD.87.119902).

Phys.Rev. D87 (2013) no.11, 112002, Erratum: Phys.Rev. D87 (2013) no.11, 119902.

384) [Measurement of the \$t\bar{t}\$ production cross section in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV with lepton + jets final states.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.6682 [hep-ex]].

[10.1016/j.physletb.2013.02.021](https://doi.org/10.1016/j.physletb.2013.02.021).

Phys.Lett. B720 (2013) 83-104.

385) [Inclusive search for supersymmetry using the razor variables in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.6961 [hep-ex]].

[10.1103/PhysRevLett.111.081802](https://doi.org/10.1103/PhysRevLett.111.081802).

Phys.Rev.Lett. 111 (2013) no.8, 081802.

386) [Search for new physics in events with same-sign dileptons and \$b\$ jets in \$p\bar{p}\$ collisions at \$\sqrt{s}=8\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.6194 [hep-ex]].

[10.1007/JHEP07\(2013\)041](https://doi.org/10.1007/JHEP07(2013)041), [10.1007/JHEP03\(2013\)037](https://doi.org/10.1007/JHEP03(2013)037).

JHEP 1303 (2013) 037, Erratum: JHEP 1307 (2013) 041.

387) [Search for heavy narrow dilepton resonances in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$ and \$\sqrt{s}=8\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.6175 [hep-ex]].

[10.1016/j.physletb.2013.02.003.](#)

Phys.Lett. B720 (2013) 63-82.

388) [Search for contact interactions in \$\mu^+\mu^-\$ events in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.4563 [hep-ex]].

[10.1103/PhysRevD.87.032001.](#)

Phys.Rev. D87 (2013) no.3, 032001.

389) [Search for heavy resonances in the W/Z-tagged dijet mass spectrum in \$\text{pp}\$ collisions at 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.1910 [hep-ex]].

[10.1016/j.physletb.2013.05.040.](#)

Phys.Lett. B723 (2013) 280-301.

390) [Measurement of the combined rapidity and \$p_{\text{T}}\$ dependence of dijet azimuthal decorrelations in \$\text{p}\bar{\text{p}}\$ collisions at \$\sqrt{s}=1.96\text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1212.1842 [hep-ex]].

[10.1016/j.physletb.2013.03.029.](#)

Phys.Lett. B721 (2013) 212-219.

391) [Search for long-lived particles decaying to photons and missing energy in proton-proton collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1212.1838 [hep-ex]].

[10.1016/j.physletb.2013.04.027.](#)

Phys.Lett. B722 (2013) 273-294.

392) [Search for the Higgs boson in lepton, tau and jets final states.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1211.6993 [hep-ex]].

[10.1103/PhysRevD.88.052005.](#)

Phys.Rev. D88 (2013) no.5, 052005.

393) [Search for exotic resonances decaying into \$WZ/ZZ\$ in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1211.5779 [hep-ex]].

[10.1007/JHEP02\(2013\)036](#).

JHEP 1302 (2013) 036.

394) [Measurement of the \$ZZ\$ production cross section and search for anomalous couplings in \$2|l_2|'\$ final states in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1211.4890 [hep-ex]].

[10.1007/JHEP01\(2013\)063](#).

JHEP 1301 (2013) 063.

395) [Search for new physics in events with photons, jets, and missing transverse energy in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1211.4784 [hep-ex]].

[10.1007/JHEP03\(2013\)111](#).

JHEP 1303 (2013) 111.

396) [Identification of b-quark jets with the CMS experiment.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1211.4462 [hep-ex]].

[10.1088/1748-0221/8/04/P04013](#).

JINST 8 (2013) P04013.

397) [Search for \$Z\$ ' resonances decaying to \$t\bar{t}\$ in dilepton+jets final states in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1211.3338 [hep-ex]].

[10.1103/PhysRevD.87.072002](#).

Phys.Rev. D87 (2013) no.7, 072002.

398) [Search for supersymmetry in final states with a single lepton, \$b\$ -quark jets, and missing transverse energy in proton-proton collisions at](#)

$\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1211.3143 [hep-ex]].

[10.1103/PhysRevD.87.052006](https://doi.org/10.1103/PhysRevD.87.052006).

Phys. Rev. D87 (2013) no.5, 052006.

399) [Search in leptonic channels for heavy resonances decaying to long-lived neutral particles.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1211.2472 [hep-ex]].

[10.1007/JHEP02\(2013\)085](https://doi.org/10.1007/JHEP02(2013)085).

JHEP 1302 (2013) 085.

400) [Search for charged massive long-lived particles at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1211.2466 [hep-ex]].

[10.1103/PhysRevD.87.052011](https://doi.org/10.1103/PhysRevD.87.052011).

Phys. Rev. D87 (2013) no.5, 052011.

401) [Measurement of differential top-quark pair production cross sections in \$p\bar{p}\$ colisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1211.2220 [hep-ex]].

[10.1140/epjc/s10052-013-2339-4](https://doi.org/10.1140/epjc/s10052-013-2339-4).

Eur.Phys.J. C73 (2013) no.3, 2339.

402) [Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or at least 3 b-quark jets in 7 TeV pp collisions using the variable alphaT.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.8115 [hep-ex]].

[10.1007/JHEP01\(2013\)077](https://doi.org/10.1007/JHEP01(2013)077).

JHEP 1301 (2013) 077.

403) [Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.7619 [hep-ex]].

[10.1016/j.physletb.2013.09.009](https://doi.org/10.1016/j.physletb.2013.09.009).

Phys.Lett. B726 (2013) 564-586.

404) [Measurement of the sum of \$W\$ \$W\$ and \$WZ\$ production with \$W+dijet\$ events in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.7544 [hep-ex]].

[10.1140/epjc/s10052-013-2283-3](https://doi.org/10.1140/epjc/s10052-013-2283-3).

Eur.Phys.J. C73 (2013) no.2, 2283.

405) [Search for heavy quarks decaying into a top quark and a \$W\$ or \$Z\$ boson using lepton + jets events in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.7471 [hep-ex]].

[10.1007/JHEP01\(2013\)154](https://doi.org/10.1007/JHEP01(2013)154).

JHEP 1301 (2013) 154.

406) [Measurement of the inelastic proton-proton cross section at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.6718 [hep-ex]].

[10.1016/j.physletb.2013.03.024](https://doi.org/10.1016/j.physletb.2013.03.024).

Phys.Lett. B722 (2013) 5-27.

407) [Search for pair production of third-generation leptoquarks and top squarks in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.5629 [hep-ex]].

[10.1103/PhysRevLett.110.081801](https://doi.org/10.1103/PhysRevLett.110.081801).

Phys.Rev.Lett. 110 (2013) no.8, 081801.

408) [Search for third-generation leptoquarks and scalar bottom quarks in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.5627 [hep-ex]].

[10.1007/JHEP12\(2012\)055](https://doi.org/10.1007/JHEP12(2012)055).

JHEP 1212 (2012) 055.

409) [Observation of long-range near-side angular correlations in proton-](#)

lead collisions at the LHC.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.5482 [nucl-ex]].

[10.1016/j.physletb.2012.11.025](https://doi.org/10.1016/j.physletb.2012.11.025).

Phys.Lett. B718 (2013) 795-814.

410) Measurement of the differential photon + \$c\$-jet cross section and the ratio of differential photon+ \$c\$ and photon+ \$b\$ cross sections in proton-antiproton collisions at \$\sqrt{s}=1.96\$ TeV.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1210.5033 [hep-ex]].

[10.1016/j.physletb.2013.01.033](https://doi.org/10.1016/j.physletb.2013.01.033).

Phys.Lett. B719 (2013) 354-361.

411) Observation of Z decays to four leptons with the CMS detector at the LHC.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.3844 [hep-ex]].

[10.1007/JHEP12\(2012\)034](https://doi.org/10.1007/JHEP12(2012)034).

JHEP 1212 (2012) 034.

412) Search for excited leptons in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.2422 [hep-ex]].

[10.1016/j.physletb.2013.02.031](https://doi.org/10.1016/j.physletb.2013.02.031).

Phys.Lett. B720 (2013) 309-329.

413) Search for heavy neutrinos and W[R] bosons with right-handed couplings in a left-right symmetric model in pp collisions at \$\sqrt{s} = 7\$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.2402 [hep-ex]].

[10.1103/PhysRevLett.109.261802](https://doi.org/10.1103/PhysRevLett.109.261802).

Phys.Rev.Lett. 109 (2012) 261802.

414) Search for narrow resonances and quantum black holes in inclusive and \$b\$-tagged dijet mass spectra from \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.2387 [hep-ex]].

[10.1007/JHEP01\(2013\)013.](#)

JHEP 1301 (2013) 013.

415) [Search for fractionally charged particles in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.2311 [hep-ex]].

[10.1103/PhysRevD.87.092008.](#)

Phys. Rev. D87 (2013) no.9, 092008.

416) [Search for supersymmetry in events with photons and low missing transverse energy in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.2052 [hep-ex]].

[10.1016/j.physletb.2012.12.055.](#)

Phys.Lett. B719 (2013) 42-61.

417) [Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.1797 [hep-ex]].

[10.1016/j.physletb.2012.10.070.](#)

Phys.Lett. B718 (2012) 348-368.

418) [Measurement of the relative prompt production rate of \$\chi\(c2\)\$ and \$\chi\(c1\)\$ in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.0875 [hep-ex]].

[10.1140/epjc/s10052-012-2251-3.](#)

Eur.Phys.J. C72 (2012) 2251.

419) [Search for anomalous production of highly boosted \$Z\$ bosons decaying to \$\mu^+ \mu^-\$ in proton-proton collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1210.0867 [hep-ex]].

[10.1016/j.physletb.2013.03.037.](#)

Phys.Lett. B722 (2013) 28-47.

420) [Measurement of the \$p\bar{p} \rightarrow W+b+X\$ production cross section at](#)

$\sqrt{s}=1.96$ TeV.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1210.0627 [hep-ex]].

[10.1016/j.physletb.2012.12.044](https://doi.org/10.1016/j.physletb.2012.12.044).

Phys.Lett. B718 (2013) 1314-1320.

421) Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.6620 [hep-ex]].

[10.1007/JHEP11\(2012\)147](https://doi.org/10.1007/JHEP11(2012)147).

JHEP 1211 (2012) 147.

422) Measurement of the single-top-quark $t\bar{t}$ -channel cross section in pp collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.4533 [hep-ex]].

[10.1007/JHEP12\(2012\)035](https://doi.org/10.1007/JHEP12(2012)035).

JHEP 1212 (2012) 035.

423) Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.4397 [hep-ex]].

[10.1007/JHEP12\(2012\)015](https://doi.org/10.1007/JHEP12(2012)015).

JHEP 1212 (2012) 015.

424) Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.3937 [hep-ex]].

[10.1007/JHEP11\(2012\)088](https://doi.org/10.1007/JHEP11(2012)088).

JHEP 1211 (2012) 088.

425) Search for a narrow spin-2 resonance decaying to a pair of Z vector bosons in the semileptonic final state.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.3807 [hep-ex]].

[10.1016/j.physletb.2012.11.063](https://doi.org/10.1016/j.physletb.2012.11.063).

Phys.Lett. B718 (2013) 1208-1228.

426) [Evidence for associated production of a single top quark and W boson in \$\text{pp}\$ collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.3489 [hep-ex]].

[10.1103/PhysRevLett.110.022003](#).

Phys.Rev.Lett. 110 (2013) 022003.

427) [Measurement of the \$Y\(1S\)\$, \$Y\(2S\)\$ and \$Y\(3S\)\$ polarizations in \$\text{pp}\$ collisions at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.2922 [hep-ex]].

[10.1103/PhysRevLett.110.081802](#).

Phys.Rev.Lett. 110 (2013) no.8, 081802.

428) [Measurement of the top-quark mass in \$t\bar{t}\$ events with dilepton final states in \$\text{pp}\$ collisions at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.2393 [hep-ex]].

[10.1140/epjc/s10052-012-2202-z](#).

Eur.Phys.J. C72 (2012) 2202.

429) [Measurement of the top-quark mass in \$t\bar{t}\$ events with lepton+jets final states in \$\text{pp}\$ collisions at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.2319 [hep-ex]].

[10.1007/JHEP12\(2012\)105](#).

JHEP 1212 (2012) 105.

430) [Observation of a diffractive contribution to dijet production in proton-proton collisions at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.1805 [hep-ex]].

[10.1103/PhysRevD.87.012006](#).

Phys.Rev. D87 (2013) no.1, 012006.

431) [Search for exclusive or semi-exclusive photon pair production and observation of exclusive and semi-exclusive electron pair production in](#)

\$pp\$ collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.1666 [hep-ex]].

[10.1007/JHEP11\(2012\)080](https://doi.org/10.1007/JHEP11(2012)080).

JHEP 1211 (2012) 080.

432) Measurement of the ratio of three-jet to two-jet cross sections in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1209.1140 [hep-ex]].

[10.1016/j.physletb.2013.01.048](https://doi.org/10.1016/j.physletb.2013.01.048).

Phys.Lett. B720 (2013) 6-12.

433) Combined search for the quarks of a sequential fourth generation.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.1062 [hep-ex]].

[10.1103/PhysRevD.86.112003](https://doi.org/10.1103/PhysRevD.86.112003).

Phys.Rev. D86 (2012) 112003.

434) Search for pair produced fourth-generation up-type quarks in pp collisions at $\sqrt{s}=7$ TeV with a lepton in the final state.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1209.0471 [hep-ex]].

[10.1016/j.physletb.2012.10.038](https://doi.org/10.1016/j.physletb.2012.10.038).

Phys.Lett. B718 (2012) 307-328.

435) Measurement of the semileptonic charge asymmetry in B^0 meson mixing with the D0 detector.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1208.5813 [hep-ex]].

[10.1103/PhysRevD.86.072009](https://doi.org/10.1103/PhysRevD.86.072009).

Phys.Rev. D86 (2012) 072009.

436) Limits on anomalous trilinear gauge boson couplings from WW , WZ and $W\gamma$ production in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1208.5458 [hep-ex]].

[10.1016/j.physletb.2012.10.062](https://doi.org/10.1016/j.physletb.2012.10.062).

Phys.Lett. B718 (2012) 451-459.

437) [Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1208.4859 [hep-ex]].

[10.1103/PhysRevD.86.072010](#).

Phys.Rev. D86 (2012) 072010.

438) [Study of the dijet mass spectrum in \\$pp \rightarrow W +\\$ jets events at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1208.3477 [hep-ex]].

[10.1103/PhysRevLett.109.251801](#).

Phys.Rev.Lett. 109 (2012) 251801.

439) [Search for three-jet resonances in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1208.2931 [hep-ex]].

[10.1016/j.physletb.2012.10.048](#).

Phys.Lett. B718 (2012) 329-347.

440) [Observation of sequential Upsilon suppression in PbPb collisions.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1208.2826 [nucl-ex]].

[10.1103/PhysRevLett.109.222301](#).

Phys.Rev.Lett. 109 (2012) 222301.

441) [Measurement of the \\$t\bar{t}\\$ production cross section in the dilepton channel in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1208.2671 [hep-ex]].

[10.1007/JHEP11\(2012\)067](#).

JHEP 1211 (2012) 067.

442) [Measurement of the azimuthal anisotropy of neutral pions in PbPb collisions at \\$\sqrt{s_{NN}}=2.76\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1208.2470 [nucl-ex]].
[10.1103/PhysRevLett.110.042301](https://doi.org/10.1103/PhysRevLett.110.042301).
Phys.Rev.Lett. 110 (2013) no.4, 042301.

443) [Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1208.0957 [hep-ex]].
[10.1016/j.physletb.2012.12.045](https://doi.org/10.1016/j.physletb.2012.12.045).
Phys.Lett. B718 (2013) 1252-1272.

444) [Search for a \$W'\$ boson decaying to a bottom quark and a top quark in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1208.0956 [hep-ex]].
[10.1016/j.physletb.2012.12.008](https://doi.org/10.1016/j.physletb.2012.12.008).
Phys.Lett. B718 (2013) 1229-1251.

445) [Search for the standard model Higgs boson in associated \$WH\$ production in 9.7 \$fb^{-1}\$ of \$p\bar{p}\$ collisions with the D0 detector.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1208.0653 [hep-ex]].
[10.1103/PhysRevLett.109.121804](https://doi.org/10.1103/PhysRevLett.109.121804).
Phys.Rev.Lett. 109 (2012) 121804.

446) [Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1207.7235 [hep-ex]].
[10.1016/j.physletb.2012.08.021](https://doi.org/10.1016/j.physletb.2012.08.021).
Phys.Lett. B716 (2012) 30-61.

447) [Combined Search for the Standard Model Higgs Boson Decaying to \$b\bar{b}\$ Using the D0 Run II Data Set.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1207.6631 [hep-ex]].
[10.1103/PhysRevLett.109.121802](https://doi.org/10.1103/PhysRevLett.109.121802).
Phys.Rev.Lett. 109 (2012) 121802.

448) [Evidence for a particle produced in association with weak bosons and decaying to a bottom-antibottom quark pair in Higgs boson searches at the Tevatron.](#)

By CDF and D0 Collaborations (T. Aaltonen et al.).

[arXiv:1207.6436 [hep-ex]].

[10.1103/PhysRevLett.109.071804](#).

Phys.Rev.Lett. 109 (2012) 071804.

449) [Search for heavy Majorana neutrinos in \$\mu^{\pm}\mu^{\pm} + \text{jets}\$ and \$e^{\pm}e^{\pm} + \text{jets}\$ events in pp collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.6079 [hep-ex]].

[10.1016/j.physletb.2012.09.012](#).

Phys.Lett. B717 (2012) 109-128.

450) [Search for the standard model Higgs boson in \$ZH \rightarrow \ell\ell^- b\bar{b}\$ production with the D0 detector in \$9.7 \text{ fb}^{-1}\$ of \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1207.5819 [hep-ex]].

[10.1103/PhysRevLett.109.121803](#).

Phys.Rev.Lett. 109 (2012) 121803.

451) [Search for the standard model Higgs boson in the \$ZH \rightarrow \nu\bar{\nu} b\bar{b}\$ channel in \$9.5 \text{ fb}^{-1}\$ of \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1207.5689 [hep-ex]].

[10.1016/j.physletb.2012.08.034](#).

Phys.Lett. B716 (2012) 285-293.

452) [Search for pair production of first- and second-generation scalar leptoquarks in \$pp\$ collisions at \$\sqrt{s}= 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.5406 [hep-ex]].

[10.1103/PhysRevD.86.052013](#).

Phys.Rev. D86 (2012) 052013.

453) [Measurement of angular correlations of jets at \$\sqrt{s}=1.96 \text{ TeV}\$](#)

and determination of the strong coupling at high momentum transfers.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1207.4957 [hep-ex]].

[10.1016/j.physletb.2012.10.003](https://doi.org/10.1016/j.physletb.2012.10.003).

Phys.Lett. B718 (2012) 56-63.

454) Study of the inclusive production of charged pions, kaons, and protons in \$pp\$ collisions at \$\sqrt{s}=0.9\$, 2.76, and 7 TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.4724 [hep-ex]].

[10.1140/epjc/s10052-012-2164-1](https://doi.org/10.1140/epjc/s10052-012-2164-1).

Eur.Phys.J. C72 (2012) 2164.

455) Forward-backward asymmetry of Drell-Yan lepton pairs in \$pp\$ collisions at \$\sqrt{s} = 7\$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.3973 [hep-ex]].

[10.1016/j.physletb.2012.10.082](https://doi.org/10.1016/j.physletb.2012.10.082).

Phys.Lett. B718 (2013) 752-772.

456) Measurement of the Semileptonic Charge Asymmetry using \$B_s^0 \rightarrow D^- \bar{\nu}_\mu X\$ Decays.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1207.1769 [hep-ex]].

[10.1103/PhysRevLett.110.011801](https://doi.org/10.1103/PhysRevLett.110.011801).

Phys.Rev.Lett. 110 (2013) 011801.

457) Search for Neutral Higgs Bosons in Events with Multiple Bottom Quarks at the Tevatron.

By CDF and D0 Collaborations (T. Aaltonen et al.).

[arXiv:1207.2757 [hep-ex]].

[10.1103/PhysRevD.86.091101](https://doi.org/10.1103/PhysRevD.86.091101).

Phys.Rev. D86 (2012) 091101.

458) A search for a doubly-charged Higgs boson in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.2666 [hep-ex]].

[10.1140/epjc/s10052-012-2189-5](https://doi.org/10.1140/epjc/s10052-012-2189-5).

Eur.Phys.J. C72 (2012) 2189.

- 459) [Measurement of the underlying event activity in \$\text{pp}\$ collisions at \$\sqrt{s} = 0.9\text{TeV}\$ with the novel jet-area/median approach.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.2392 [hep-ex]].

[10.1007/JHEP08\(2012\)130](#).

JHEP 1208 (2012) 130.

- 460) [Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at \$\sqrt{s} = 7\text{TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.1898 [hep-ex]].

[10.1103/PhysRevLett.109.171803](#).

Phys.Rev.Lett. 109 (2012) 171803.

- 461) [Search for supersymmetry in hadronic final states using MT2 in \$\text{pp}\$ collisions at \$\sqrt{s} = 7\text{TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.1798 [hep-ex]].

[10.1007/JHEP10\(2012\)018](#).

JHEP 1210 (2012) 018.

- 462) [Search for a fermiophobic Higgs boson in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1207.1130 [hep-ex]].

[10.1007/JHEP09\(2012\)111](#).

JHEP 1209 (2012) 111.

- 463) [Combination of the top-quark mass measurements from the Tevatron collider.](#)

By CDF and D0 Collaborations (T. Aaltonen et al.).

[arXiv:1207.1069 [hep-ex]].

[10.1103/PhysRevD.86.092003](#).

Phys.Rev. D86 (2012) 092003.

- 464) [Search for Higgs boson production in oppositely charged dilepton and missing energy events in \$\text{p}\bar{\text{p}}\$ collisions at \$\sqrt{s} = 1.96\text{TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1207.1041 [hep-ex]].
[10.1103/PhysRevD.86.032010](https://doi.org/10.1103/PhysRevD.86.032010).
Phys. Rev. D86 (2012) 032010.

465) [Search for new physics with long-lived particles decaying to photons and missing energy in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1207.0627 [hep-ex]].
[10.1007/JHEP11\(2012\)172](https://doi.org/10.1007/JHEP11(2012)172).
JHEP 1211 (2012) 172.

466) [Measurement of Leptonic Asymmetries and Top Quark Polarization in \$t\bar{t}\$ Production.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1207.0364 [hep-ex]].
[10.1103/PhysRevD.87.011103](https://doi.org/10.1103/PhysRevD.87.011103).
Phys. Rev. D87 (2013) no.1, 011103.

467) [Search for stopped long-lived particles produced in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1207.0106 [hep-ex]].
[10.1007/JHEP08\(2012\)026](https://doi.org/10.1007/JHEP08(2012)026).
JHEP 1208 (2012) 026.

468) [Inclusive and differential measurements of the \$t\bar{t}\$ charge asymmetry in proton-proton collisions at \$\sqrt{s} = 7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1207.0065 [hep-ex]].
[10.1016/j.physletb.2012.09.028](https://doi.org/10.1016/j.physletb.2012.09.028).
Phys. Lett. B717 (2012) 129-150.

469) [Search for a light pseudoscalar Higgs boson in the dimuon decay channel in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1206.6326 [hep-ex]].
[10.1103/PhysRevLett.109.121801](https://doi.org/10.1103/PhysRevLett.109.121801).
Phys. Rev. Lett. 109 (2012) 121801.

470) [Search for dark matter and large extra dimensions in monojet events in \$\text{pp}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1206.5663 [hep-ex]].

[10.1007/JHEP09\(2012\)094](#).

JHEP 1209 (2012) 094.

471) [Performance of CMS muon reconstruction in \$\text{pp}\$ collision events at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1206.4071 [physics.ins-det]].

[10.1088/1748-0221/7/10/P10002](#).

JINST 7 (2012) P10002.

472) [Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in \$\text{pp}\$ collisions at \$\sqrt{s}=7\$ TeV..](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1206.3949 [hep-ex]].

[10.1016/j.physletb.2012.11.036](#).

Phys.Lett. B718 (2013) 815-840.

473) [Search for charge-asymmetric production of \$W\bar{W}\$ bosons in \$t\bar{t}\$ + jet events from \$\text{pp}\$ collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1206.3921 [hep-ex]].

[10.1016/j.physletb.2012.09.048](#).

Phys.Lett. B717 (2012) 351-370.

474) [Measurement of the electron charge asymmetry in inclusive \$W\$ production in \$\text{pp}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1206.2598 [hep-ex]].

[10.1103/PhysRevLett.109.111806](#).

Phys.Rev.Lett. 109 (2012) 111806.

475) [Search for narrow resonances in dilepton mass spectra in \$\text{pp}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1206.1849 [hep-ex]].
[10.1016/j.physletb.2012.06.051](https://doi.org/10.1016/j.physletb.2012.06.051).
Phys.Lett. B714 (2012) 158-179.

476) [Search for high-mass resonances decaying into \$\tau\$ -lepton pairs in pp collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1206.1725 [hep-ex]].
[10.1016/j.physletb.2012.07.062](https://doi.org/10.1016/j.physletb.2012.07.062).
Phys.Lett. B716 (2012) 82-102.

477) [Measurement of the differential cross section \$d\sigma/dt\$ in elastic \$p\bar{p}\$ scattering at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1206.0687 [hep-ex]].
[10.1103/PhysRevD.86.012009](https://doi.org/10.1103/PhysRevD.86.012009).
Phys.Rev. D86 (2012) 012009.

478) [Search for a \$W'\rho\$ or Techni- \$\rho\$ Decaying into \$WZ\$ in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1206.0433 [hep-ex]].
[10.1103/PhysRevLett.109.141801](https://doi.org/10.1103/PhysRevLett.109.141801).
Phys.Rev.Lett. 109 (2012) 141801.

479) [Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1205.6615 [hep-ex]].
[10.1103/PhysRevLett.109.071803](https://doi.org/10.1103/PhysRevLett.109.071803).
Phys.Rev.Lett. 109 (2012) 071803.

480) [Study of \$W\$ boson production in PbPb and \$pp\$ collisions at \$\sqrt{s_{NN}}=2.76\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1205.6334 [nucl-ex]].
[10.1016/j.physletb.2012.07.025](https://doi.org/10.1016/j.physletb.2012.07.025).
Phys.Lett. B715 (2012) 66-87.

481) [Measurement of jet fragmentation into charged particles in \\$pp\\$ and PbPb collisions at \\$\sqrt{s_{\text{NN}}}=2.76\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1205.5872 [nucl-ex]].

[10.1007/JHEP10\(2012\)087](#).

JHEP 1210 (2012) 087.

482) [Search for a light charged Higgs boson in top quark decays in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1205.5736 [hep-ex]].

[10.1007/JHEP07\(2012\)143](#).

JHEP 1207 (2012) 143.

483) [Search for new physics in events with same-sign dileptons and \\$b\\$-tagged jets in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1205.3933 [hep-ex]].

[10.1007/JHEP08\(2012\)110](#).

JHEP 1208 (2012) 110.

484) [Measurement of the pseudorapidity and centrality dependence of the transverse energy density in PbPb collisions at \\$\sqrt{s_{\text{NN}}}=2.76\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1205.2488 [nucl-ex]].

[10.1103/PhysRevLett.109.152303](#).

Phys. Rev. Lett. 109 (2012) 152303.

485) [Measurement of the \\$\Lambda_b\\$ cross section and the \\$\bar{\Lambda}_b\\$ to \\$\Lambda_b\\$ ratio with \\$J/\Psi \Lambda_b\\$ decays in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1205.0594 [hep-ex]].

[10.1016/j.physletb.2012.05.063](#).

Phys. Lett. B714 (2012) 136-157.

486) [Search for heavy long-lived charged particles in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1205.0272 [hep-ex]].
[10.1016/j.physletb.2012.06.023](https://doi.org/10.1016/j.physletb.2012.06.023).
Phys.Lett. B713 (2012) 408-433.

487) [Studies of jet quenching using isolated-photon+jet correlations in PbPb and \$\text{pp}\$ collisions at \$\sqrt{s_{\text{NN}}}=2.76\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1205.0206 [nucl-ex]].
[10.1016/j.physletb.2012.11.003](https://doi.org/10.1016/j.physletb.2012.11.003).
Phys.Lett. B718 (2013) 773-794.

488) [Observation of a new \$\Xi\(b\)\$ baryon.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1204.5955 [hep-ex]].
[10.1103/PhysRevLett.108.252002](https://doi.org/10.1103/PhysRevLett.108.252002).
Phys.Rev.Lett. 108 (2012) 252002.

489) [Study of the decay \$B_s^0 \rightarrow J/\psi f_2^{\(\prime\)}\(1525\)\$ in \$\mu^+\mu^- K^+K^-\$ final states.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1204.5723 [hep-ex]].
[10.1103/PhysRevD.86.092011](https://doi.org/10.1103/PhysRevD.86.092011).
Phys.Rev. D86 (2012) 092011.

490) [Search for anomalous production of multilepton events in \$\text{pp}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1204.5341 [hep-ex]].
[10.1007/JHEP06\(2012\)169](https://doi.org/10.1007/JHEP06(2012)169).
JHEP 1206 (2012) 169.

491) [Search for leptonic decays of \$W'\$ bosons in \$\text{pp}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1204.4764 [hep-ex]].
[10.1007/JHEP08\(2012\)023](https://doi.org/10.1007/JHEP08(2012)023).
JHEP 1208 (2012) 023.

492) [Search for physics beyond the standard model in events with a \$Z\$](#)

[boson, jets, and missing transverse energy in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1204.3774 [hep-ex]].

[10.1016/j.physletb.2012.08.026.](#)

Phys.Lett. B716 (2012) 260-284.

493) [Shape, Transverse Size, and Charged Hadron Multiplicity of Jets in \$\text{pp}\$ Collisions at 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1204.3170 [hep-ex]].

[10.1007/JHEP06\(2012\)160.](#)

JHEP 1206 (2012) 160.

494) [Measurement of the mass difference between top and antitop quarks.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1204.2807 [hep-ex]].

[10.1007/JHEP06\(2012\)109.](#)

JHEP 1206 (2012) 109.

495) [Search for Anomalous \$t\bar{t}\$ Production in the Highly-Boosted All-Hadronic Final State.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1204.2488 [hep-ex]].

[10.1007/JHEP03\(2014\)132, 10.1007/JHEP09\(2012\)029.](#)

JHEP 1209 (2012) 029, Erratum: JHEP 1403 (2014) 132.

496) [Measurement of the \$\Lambda_b^0\$ lifetime in the exclusive decay \$\Lambda_b^0 \rightarrow J/\psi \Lambda^0\$ in \$\text{p}\bar{\text{p}}\$ collisions at \$\sqrt{s}=1.96\text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1204.2340 [hep-ex]].

[10.1103/PhysRevD.85.112003.](#)

Phys.Rev. D85 (2012) 112003.

497) [Combination of searches for anomalous top quark couplings with 5.4 \$\text{fb}^{-1}\$ of \$\text{p}\bar{\text{p}}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1204.2332 [hep-ex]].

[10.1016/j.physletb.2012.05.048](https://doi.org/10.1016/j.physletb.2012.05.048).

Phys.Lett. B713 (2012) 165-171.

498) [Azimuthal anisotropy of charged particles at high transverse momenta in PbPb collisions at \$\sqrt{s_{NN}}=2.76\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1204.1850 [nucl-ex]].

[10.1103/PhysRevLett.109.022301](https://doi.org/10.1103/PhysRevLett.109.022301).

Phys.Rev.Lett. 109 (2012) 022301.

499) [Measurement of the \$Z/\gamma^*\$ +b-jet cross section in pp collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1204.1643 [hep-ex]].

[10.1007/JHEP06\(2012\)126](https://doi.org/10.1007/JHEP06(2012)126).

JHEP 1206 (2012) 126.

500) [Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at \$\sqrt{s_{NN}}=2.76\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1204.1409 [nucl-ex]].

[10.1103/PhysRevC.87.014902](https://doi.org/10.1103/PhysRevC.87.014902).

Phys.Rev. C87 (2013) no.1, 014902.

501) [Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1204.1411 [hep-ex]].

[10.1140/epjc/s10052-012-2080-4](https://doi.org/10.1140/epjc/s10052-012-2080-4).

Eur.Phys.J. C72 (2012) 2080.

502) [Search for heavy bottom-like quarks in 4.9 inverse femtobarns of \$\text{pp}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1204.1088 [hep-ex]].

[10.1007/JHEP05\(2012\)123](https://doi.org/10.1007/JHEP05(2012)123).

JHEP 1205 (2012) 123.

503) [Search for Dark Matter and Large Extra Dimensions in pp Collisions](#)

[Yielding a Photon and Missing Transverse Energy.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1204.0821 [hep-ex]].

[10.1103/PhysRevLett.108.261803](#).

Phys.Rev.Lett. 108 (2012) 261803.

- 504) [Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1204.0696 [hep-ex]].

[10.1140/epjc/s10052-012-2216-6](#).

Eur.Phys.J. C72 (2012) 2216.

- 505) [Measurement of the top quark pair production cross section in \$p\bar{p}\$ collisions at \$\sqrt{s} = 7\$ TeV in dilepton final states containing a \$\tau\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1203.6810 [hep-ex]].

[10.1103/PhysRevD.85.112007](#).

Phys.Rev. D85 (2012) 112007.

- 506) [Search for violation of Lorentz invariance in top quark pair production and decay.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1203.6106 [hep-ex]].

[10.1103/PhysRevLett.108.261603](#).

Phys.Rev.Lett. 108 (2012) 261603.

- 507) [Observation of a narrow mass state decaying into \$\Upsilon\(1S\) + \gamma\$ in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1203.6034 [hep-ex]].

[10.1103/PhysRevD.86.031103](#).

Phys.Rev. D86 (2012) 031103.

- 508) [Measurement of the photon+b-jet production differential cross section in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1203.5865 [hep-ex]].

[10.1016/j.physletb.2012.06.056](https://doi.org/10.1016/j.physletb.2012.06.056).

Phys.Lett. B714 (2012) 32-39.

509) [Search for heavy, top-like quark pair production in the dilepton final state in \$\text{pp}\$ collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1203.5410 [hep-ex]].

[10.1016/j.physletb.2012.07.059](https://doi.org/10.1016/j.physletb.2012.07.059).

Phys.Lett. B716 (2012) 103-121.

510) [Search for \$Z\gamma\$ events with large missing transverse energy in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1203.5311 [hep-ex]].

[10.1103/PhysRevD.86.071701](https://doi.org/10.1103/PhysRevD.86.071701).

Phys.Rev. D86 (2012) 071701.

511) [Search for the standard model Higgs boson in tau lepton pair final states.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1203.4443 [hep-ex]].

[10.1016/j.physletb.2012.07.012](https://doi.org/10.1016/j.physletb.2012.07.012).

Phys.Lett. B714 (2012) 237-245.

512) [Search for \$B^0_s \rightarrow \mu^+ \mu^-\$ and \$B^0 \rightarrow \mu^+ \mu^-\$ decays.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1203.3976 [hep-ex]].

[10.1007/JHEP04\(2012\)033](https://doi.org/10.1007/JHEP04(2012)033).

JHEP 1204 (2012) 033.

513) [Measurement of the cross section for production of \$b\bar{b}\$ decaying to muons in \$\text{pp}\$ collisions at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1203.3458 [hep-ex]].

[10.1007/JHEP06\(2012\)110](https://doi.org/10.1007/JHEP06(2012)110).

JHEP 1206 (2012) 110.

514) [Search for \$W\bar{H}\$ associated production in \$p\bar{p}\$ collisions at](#)

$\sqrt{s}=1.96\text{ TeV}$.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1203.1082 [hep-ex]].

[10.1103/PhysRevD.86.032005](https://doi.org/10.1103/PhysRevD.86.032005).

Phys. Rev. D86 (2012) 032005.

515) [Measurement of the W Boson Mass with the D0 Detector.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1203.0293 [hep-ex]].

[10.1103/PhysRevLett.108.151804](https://doi.org/10.1103/PhysRevLett.108.151804).

Phys. Rev. Lett. 108 (2012) 151804.

516) [Search for microscopic black holes in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.6396 [hep-ex]].

[10.1007/JHEP04\(2012\)061](https://doi.org/10.1007/JHEP04(2012)061).

JHEP 1204 (2012) 061.

517) [Search for quark compositeness in dijet angular distributions from \$p\bar{p}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.5535 [hep-ex]].

[10.1007/JHEP05\(2012\)055](https://doi.org/10.1007/JHEP05(2012)055).

JHEP 1205 (2012) 055.

518) [Combination of CDF and D0 measurements of the \$W\$ boson helicity in top quark decays.](#)

By CDF and D0 Collaborations (T. Aaltonen et al.).

[arXiv:1202.5272 [hep-ex]].

[10.1103/PhysRevD.85.071106](https://doi.org/10.1103/PhysRevD.85.071106).

Phys. Rev. D85 (2012) 071106.

519) [Jet momentum dependence of jet quenching in PbPb collisions at \$\sqrt{s_{\text{NN}}}=2.76\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.5022 [nucl-ex]].

[10.1016/j.physletb.2012.04.058](https://doi.org/10.1016/j.physletb.2012.04.058).

Phys. Lett. B712 (2012) 176-197.

520) [Inclusive \\$b\\$-jet production in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1202.4617 [hep-ex]].
[10.1007/JHEP04\(2012\)084](#).
JHEP 1204 (2012) 084.

521) [Search for the standard model Higgs boson decaying to bottom quarks in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1202.4195 [hep-ex]].
[10.1016/j.physletb.2012.02.085](#).
Phys.Lett. B710 (2012) 284-306.

522) [Search for neutral Higgs bosons decaying to tau pairs in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1202.4083 [hep-ex]].
[10.1016/j.physletb.2012.05.028](#).
Phys.Lett. B713 (2012) 68-90.

523) [Search for large extra dimensions in dimuon and dielectron events in pp collisions at \\$\sqrt{s} = 7\\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1202.3827 [hep-ex]].
[10.1016/j.physletb.2012.03.029](#).
Phys.Lett. B711 (2012) 15-34.

524) [Search for the standard model Higgs boson in the \\$H \rightarrow Z Z \rightarrow 2 \ell \nu \ell \nu\\$ channel in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1202.3478 [hep-ex]].
[10.1007/JHEP03\(2012\)040](#).
JHEP 1203 (2012) 040.

525) [Search for the standard model Higgs boson in the \\$H \rightarrow Z Z \rightarrow \ell \ell \ell \ell \tau \tau\\$ decay channel in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)
By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1202.3617 [hep-ex]].

[10.1007/JHEP03\(2012\)081](https://doi.org/10.1007/JHEP03(2012)081).

JHEP 1203 (2012) 081.

526) [Study of high-pT charged particle suppression in PbPb compared to \\$pp\\$ collisions at \\$\sqrt{s_{NN}}=2.76\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.2554 [nucl-ex]].

[10.1140/epjc/s10052-012-1945-x](https://doi.org/10.1140/epjc/s10052-012-1945-x).

Eur.Phys.J. C72 (2012) 1945.

527) [Search for the standard model Higgs boson in the decay channel \\$H\\$ to \\$Z Z\\$ to 4 leptons in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.1997 [hep-ex]].

[10.1103/PhysRevLett.108.111804](https://doi.org/10.1103/PhysRevLett.108.111804).

Phys.Rev.Lett. 108 (2012) 111804.

528) [Search for pair production of the scalar top quark in muon+tau final states.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1202.1978 [hep-ex]].

[10.1016/j.physletb.2012.03.028](https://doi.org/10.1016/j.physletb.2012.03.028).

Phys.Lett. B710 (2012) 578-586.

529) [Search for the standard model Higgs boson decaying to \\$W^+W^-\\$ in the fully leptonic final state in pp collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.1489 [hep-ex]].

[10.1016/j.physletb.2012.02.076](https://doi.org/10.1016/j.physletb.2012.02.076).

Phys.Lett. B710 (2012) 91-113.

530) [Combined results of searches for the standard model Higgs boson in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.1488 [hep-ex]].

[10.1016/j.physletb.2012.02.064](https://doi.org/10.1016/j.physletb.2012.02.064).

Phys.Lett. B710 (2012) 26-48.

531) [Search for the standard model Higgs boson decaying into two photons](#)

in pp collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.1487 [hep-ex]].

[10.1016/j.physletb.2012.03.003](https://doi.org/10.1016/j.physletb.2012.03.003).

Phys.Lett. B710 (2012) 403-425.

532) Search for a Higgs boson in the decay channel $H \rightarrow ZZ^(*) \rightarrow q\bar{q} \ell^+\ell^- l^+ l^-$ in pp collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.1416 [hep-ex]].

[10.1007/JHEP04\(2012\)036](https://doi.org/10.1007/JHEP04(2012)036).

JHEP 1204 (2012) 036.

533) Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1202.0704 [hep-ex]].

[10.1007/JHEP06\(2012\)036](https://doi.org/10.1007/JHEP06(2012)036).

JHEP 1206 (2012) 036.

534) A measurement of the WZ and ZZ production cross sections using leptonic final states in 8.6 fb^{-1} of $p\bar{p}$ collisions.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1201.5652 [hep-ex]].

[10.1103/PhysRevD.85.112005](https://doi.org/10.1103/PhysRevD.85.112005).

Phys.Rev. D85 (2012) 112005.

535) Measurement of the top quark mass in $p\bar{p}$ collisions using events with two leptons.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1201.5172 [hep-ex]].

[10.1103/PhysRevD.86.051103](https://doi.org/10.1103/PhysRevD.86.051103).

Phys.Rev. D86 (2012) 051103.

536) Suppression of non-prompt J/ψ , prompt J/ψ , and $Y(1S)$ in PbPb collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV.

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1201.5069 [nucl-ex]].

[10.1007/JHEP05\(2012\)063](https://doi.org/10.1007/JHEP05(2012)063).

JHEP 1205 (2012) 063.

537) [An Improved determination of the width of the top quark.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1201.4156 [hep-ex]].

[10.1103/PhysRevD.85.091104](https://doi.org/10.1103/PhysRevD.85.091104).

Phys. Rev. D85 (2012) 091104.

538) [Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at \$\sqrt{s_{\text{NN}}}=2.76\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1201.3158 [nucl-ex]].

[10.1140/epjc/s10052-012-2012-3](https://doi.org/10.1140/epjc/s10052-012-2012-3).

Eur.Phys.J. C72 (2012) 2012.

539) [Measurement of isolated photon production in \$p\bar{p}\$ and PbPb collisions at \$\sqrt{s_{\text{NN}}}=2.76\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1201.3093 [nucl-ex]].

[10.1016/j.physletb.2012.02.077](https://doi.org/10.1016/j.physletb.2012.02.077).

Phys.Lett. B710 (2012) 256-277.

540) [Search for Higgs bosons of the minimal supersymmetric standard model in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1112.5431 [hep-ex]].

[10.1016/j.physletb.2012.03.021](https://doi.org/10.1016/j.physletb.2012.03.021).

Phys.Lett. B710 (2012) 569-577.

541) [Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1112.5100 [hep-ex]].

[10.1016/j.physletb.2012.01.078](https://doi.org/10.1016/j.physletb.2012.01.078).

Phys.Lett. B709 (2012) 28-49.

542) [Search for universal extra dimensions in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1112.4092 [hep-ex]].
[10.1103/PhysRevLett.108.131802](https://doi.org/10.1103/PhysRevLett.108.131802).
Phys.Rev.Lett. 108 (2012) 131802.

543) [Search for signatures of extra dimensions in the diphoton mass spectrum at the Large Hadron Collider.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1112.0688 [hep-ex]].
[10.1103/PhysRevLett.108.111801](https://doi.org/10.1103/PhysRevLett.108.111801).
Phys.Rev.Lett. 108 (2012) 111801.

544) [Measurements of \$WW\$ and \$WZ\$ production in \$W + \text{jets}\$ final states in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1112.0536 [hep-ex]].
[10.1103/PhysRevLett.108.181803](https://doi.org/10.1103/PhysRevLett.108.181803).
Phys.Rev.Lett. 108 (2012) 181803.

545) [Exclusive photon-photon production of muon pairs in proton-proton collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1111.5536 [hep-ex]].
[10.1007/JHEP01\(2012\)052](https://doi.org/10.1007/JHEP01(2012)052).
JHEP 1201 (2012) 052.

546) [\$Z\gamma\$ production and limits on anomalous \$ZZ\gamma\$ and \$Z\gamma\gamma\$ couplings in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1111.3684 [hep-ex]].
[10.1103/PhysRevD.85.052001](https://doi.org/10.1103/PhysRevD.85.052001).
Phys.Rev. D85 (2012) 052001.

547) [Search for a Narrow \$t\bar{t}\$ Resonance in \$p\bar{p}\$ Collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1111.1271 [hep-ex]].
[10.1103/PhysRevD.85.051101](https://doi.org/10.1103/PhysRevD.85.051101).
Phys.Rev. D85 (2012) 051101.

548) [\$J/\psi\$ and \$\psi_{\(2S\)}\$ production in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1111.1557 [hep-ex]].

[10.1007/JHEP02\(2012\)011](#).

JHEP 1202 (2012) 011.

549) [Measurement of the Production Cross Section for Pairs of Isolated Photons in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1110.6461 [hep-ex]].

[10.1007/JHEP01\(2012\)133](#).

JHEP 1201 (2012) 133.

550) [Measurement of the Rapidity and Transverse Momentum Distributions of \$Z\$ Bosons in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1110.4973 [hep-ex]].

[10.1103/PhysRevD.85.032002](#).

Phys. Rev. D85 (2012) 032002.

551) [Search for anomalous \$Wtb\$ couplings in single top quark production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1110.4592 [hep-ex]].

[10.1016/j.physletb.2012.01.014](#).

Phys. Lett. B708 (2012) 21-26.

552) [Measurement of the relative branching ratio of \$B^0_s \rightarrow J/\psi f_0\(980\) \rightarrow B_s \pi^0 \rightarrow J/\psi \phi\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1110.4272 [hep-ex]].

[10.1103/PhysRevD.85.011103](#).

Phys. Rev. D85 (2012) 011103.

553) [Evidence for spin correlation in \$t\bar{t}\$ production.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1110.4194 [hep-ex]].

[10.1103/PhysRevLett.108.032004](https://doi.org/10.1103/PhysRevLett.108.032004).

Phys.Rev.Lett. 108 (2012) 032004.

554) [Measurement of the inclusive jet cross section in \$p \bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1110.3771 [hep-ex]].

[10.1103/PhysRevD.85.052006](https://doi.org/10.1103/PhysRevD.85.052006).

Phys.Rev. D85 (2012) 052006.

555) [A Search for charged massive long-lived particles.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:1110.3302 [hep-ex]].

[10.1103/PhysRevLett.108.121802](https://doi.org/10.1103/PhysRevLett.108.121802).

Phys.Rev.Lett. 108 (2012) 121802.

556) [Jet Production Rates in Association with W and Z Bosons in \$p\bar{p}\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1110.3226 [hep-ex]].

[10.1007/JHEP01\(2012\)010](https://doi.org/10.1007/JHEP01(2012)010).

JHEP 1201 (2012) 010.

557) [Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1110.2682 [hep-ex]].

[10.1103/PhysRevD.84.112002](https://doi.org/10.1103/PhysRevD.84.112002).

Phys.Rev. D84 (2011) 112002.

558) [Measurement of energy flow at large pseudorapidities in \$p\bar{p}\$ collisions at \$\sqrt{s} = 0.9\$ and 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1110.0211 [hep-ex]].

[10.1007/JHEP11\(2011\)148](https://doi.org/10.1007/JHEP11(2011)148), [10.1007/JHEP02\(2012\)055](https://doi.org/10.1007/JHEP02(2012)055).

JHEP 1111 (2011) 148, Erratum: JHEP 1202 (2012) 055.

559) [Forward Energy Flow, Central Charged-Particle Multiplicities, and Pseudorapidity Gaps in W and Z Boson Events from pp Collisions at](#)

$\sqrt{s} = 7 \text{ TeV.}$

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1110.0181 [hep-ex]].

[10.1140/epjc/s10052-011-1839-3](https://doi.org/10.1140/epjc/s10052-011-1839-3).

Eur.Phys.J. C72 (2012) 1839.

560) [Performance of tau-lepton reconstruction and identification in CMS.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1109.6034 [physics.ins-det]].

[10.1088/1748-0221/7/01/P01001](https://doi.org/10.1088/1748-0221/7/01/P01001).

JINST 7 (2012) P01001.

561) [Search for a Vector-like Quark with Charge 2/3 in \$t + Z\$ Events from \$p\bar{p}\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1109.4985 [hep-ex]].

[10.1103/PhysRevLett.107.271802](https://doi.org/10.1103/PhysRevLett.107.271802).

Phys.Rev.Lett. 107 (2011) 271802.

562) [\\$W\gamma\\$ production and limits on anomalous \\$WW\gamma\\$ couplings in \\$p\bar{p}\\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1109.4432 [hep-ex]].

[10.1103/PhysRevLett.107.241803](https://doi.org/10.1103/PhysRevLett.107.241803).

Phys.Rev.Lett. 107 (2011) 241803.

563) [Measurement of the CP-violating phase \$\phi_{s^0 J/\psi \phi}\$ using the flavor-tagged decay \$B_s^0 \rightarrow J/\psi \phi\$ in \$8 \text{ fb}^{-1}\$ of \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1109.3166 [hep-ex]].

[10.1103/PhysRevD.85.032006](https://doi.org/10.1103/PhysRevD.85.032006).

Phys.Rev. D85 (2012) 032006.

564) [Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1109.2352 [hep-ex]].

[10.1103/PhysRevLett.107.221804](https://doi.org/10.1103/PhysRevLett.107.221804).

Phys.Rev.Lett. 107 (2011) 221804.

565) [Model independent search for new phenomena in \$p \bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1108.5362 [hep-ex]].

[10.1103/PhysRevD.85.092015](#).

Phys.Rev. D85 (2012) 092015.

566) [Measurement of the \$t \bar{t}\$ Production Cross Section in \$p\bar{p}\$ Collisions at 7 TeV in Lepton + Jets Events Using \$b\$ -quark Jet Identification.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1108.3773 [hep-ex]].

[10.1103/PhysRevD.84.092004](#).

Phys.Rev. D84 (2011) 092004.

567) [Measurements of single top quark production cross sections and \$|V_{tb}|\$ in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1108.3091 [hep-ex]].

[10.1103/PhysRevD.84.112001](#).

Phys.Rev. D84 (2011) 112001.

568) [Measurement of the Differential Cross Section for Isolated Prompt Photon Production in pp Collisions at 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1108.2044 [hep-ex]].

[10.1103/PhysRevD.84.052011](#).

Phys.Rev. D84 (2011) 052011.

569) [Measurement of the Drell-Yan Cross Section in \$p\bar{p}\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1108.0566 [hep-ex]].

[10.1007/JHEP10\(2011\)007](#).

JHEP 1110 (2011) 007.

570) [Search for B\(s\) and B to dimuon decays in pp collisions at 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.5834 [hep-ex]].

[10.1103/PhysRevLett.107.191802](https://doi.org/10.1103/PhysRevLett.107.191802).

Phys.Rev.Lett. 107 (2011) 191802.

571) [Forward-backward asymmetry in top quark-antiquark production.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1107.4995 [hep-ex]].

[10.1103/PhysRevD.84.112005](https://doi.org/10.1103/PhysRevD.84.112005).

Phys.Rev. D84 (2011) 112005.

572) [Search for Resonances in the Dijet Mass Spectrum from 7 TeV pp Collisions at CMS.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.4771 [hep-ex]].

[10.1016/j.physletb.2011.09.015](https://doi.org/10.1016/j.physletb.2011.09.015).

Phys.Lett. B704 (2011) 123-142.

573) [Measurement of the Inclusive \$W\$ and \$Z\$ Production Cross Sections in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.4789 [hep-ex]].

[10.1007/JHEP10\(2011\)132](https://doi.org/10.1007/JHEP10(2011)132).

JHEP 1110 (2011) 132.

574) [Dependence on pseudorapidity and centrality of charged hadron production in PbPb collisions at a nucleon-nucleon centre-of-mass energy of 2.76 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.4800 [nucl-ex]].

[10.1007/JHEP08\(2011\)141](https://doi.org/10.1007/JHEP08(2011)141).

JHEP 1108 (2011) 141.

575) [Search for the standard model and a fermiophobic Higgs boson in diphoton final states.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1107.4587 [hep-ex]].

[10.1103/PhysRevLett.107.151801](https://doi.org/10.1103/PhysRevLett.107.151801).

Phys.Rev.Lett. 107 (2011) 151801.

576) [Determination of Jet Energy Calibration and Transverse Momentum Resolution in CMS.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.4277 [physics.ins-det]].

[10.1088/1748-0221/6/11/P11002](#).

JINST 6 (2011) P11002.

577) [Search for Three-Jet Resonances in \$\text{pp}\$ Collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.3084 [hep-ex]].

[10.1103/PhysRevLett.107.101801](#).

Phys.Rev.Lett. 107 (2011) 101801.

578) [Search for supersymmetry in \$\text{pp}\$ collisions at \$\sqrt{s}=7\text{ TeV}\$ in events with a single lepton, jets, and missing transverse momentum.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.1870 [hep-ex]].

[10.1007/JHEP08\(2011\)156](#).

JHEP 1108 (2011) 156.

579) [Search for first generation leptoquark pair production in the electron + missing energy + jets final state.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1107.1849 [hep-ex]].

[10.1103/PhysRevD.84.071104](#).

Phys.Rev. D84 (2011) 071104.

580) [A search for excited leptons in \$\text{pp}\$ Collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.1773 [hep-ex]].

[10.1016/j.physletb.2011.09.021](#).

Phys.Lett. B704 (2011) 143-162.

581) [Search for associated Higgs boson production using like charge dilepton events in \$\text{p}\bar{\text{p}}\$ collisions at \$\sqrt{s} = 1.96\text{ TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1107.1268 [hep-ex]].

[10.1103/PhysRevD.84.092002.](#)

Phys. Rev. D84 (2011) 092002.

582) [Inclusive search for squarks and gluinos in \$\\$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.1279 [hep-ex]].

[10.1103/PhysRevD.85.012004.](#)

Phys. Rev. D85 (2012) 012004.

583) [Measurement of the Underlying Event Activity at the LHC with \$\sqrt{s}= 7\$ TeV and Comparison with \$\sqrt{s} = 0.9\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1107.0330 [hep-ex]].

[10.1007/JHEP09\(2011\)109.](#)

JHEP 1109 (2011) 109.

584) [Measurement of the anomalous like-sign dimuon charge asymmetry with 9 fb \$^{-1}\$ of \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1106.6308 [hep-ex]].

[10.1103/PhysRevD.84.052007.](#)

Phys. Rev. D84 (2011) 052007.

585) [Precision measurement of the ratio \$\{\rm B\}\(t \rightarrow Wb\)/\{\rm B\}\(t \rightarrow Wq\)\$ and Extraction of \$V_{tb}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1106.5436 [hep-ex]].

[10.1103/PhysRevLett.107.121802.](#)

Phys. Rev. Lett. 107 (2011) 121802.

586) [Search for neutral Minimal Supersymmetric Standard Model Higgs bosons decaying to tau pairs produced in association with \$b\$ quarks in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1106.4885 [hep-ex]].

[10.1103/PhysRevLett.107.121801.](#)

Phys. Rev. Lett. 107 (2011) 121801.

587) [Missing transverse energy performance of the CMS detector.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1106.5048 [physics.ins-det]].

[10.1088/1748-0221/6/09/P09001](#).

JINST 6 (2011) P09001.

588) [Search for Higgs bosons decaying to \$\tau\tau\$ pairs in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1106.4555 [hep-ex]].

[10.1016/j.physletb.2011.12.050](#).

Phys.Lett. B707 (2012) 323-329.

589) [Search for New Physics with a Mono-Jet and Missing Transverse Energy in \$p\bar{p}\$ Collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1106.4775 [hep-ex]].

[10.1103/PhysRevLett.107.201804](#).

Phys.Rev.Lett. 107 (2011) 201804.

590) [Search for New Physics with Jets and Missing Transverse Momentum in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1106.4503 [hep-ex]].

[10.1007/JHEP08\(2011\)155](#).

JHEP 1108 (2011) 155.

591) [Search for doubly-charged Higgs boson pair production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1106.4250 [hep-ex]].

[10.1103/PhysRevLett.108.021801](#).

Phys.Rev.Lett. 108 (2012) 021801.

592) [Measurement of the Strange \$B\$ Meson Production Cross Section with \$J/\Psi \phi\$ Decays in \$p\bar{p}\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1106.4048 [hep-ex]].

[10.1103/PhysRevD.84.052008](#).

Phys.Rev. D84 (2011) 052008.

593) [Search for Supersymmetry in Events with b Jets and Missing Transverse Momentum at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1106.3272 [hep-ex]].
[10.1007/JHEP07\(2011\)113](#).
JHEP 1107 (2011) 113.

594) [Measurement of the \\$t\\$-channel single top quark production cross section in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1106.3052 [hep-ex]].
[10.1103/PhysRevLett.107.091802](#).
Phys.Rev.Lett. 107 (2011) 091802.

595) [Search for Light Resonances Decaying into Pairs of Muons as a Signal of New Physics.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1106.2375 [hep-ex]].
[10.1007/JHEP07\(2011\)098](#).
JHEP 1107 (2011) 098.

596) [Bounds on an anomalous dijet resonance in \\$W+\\$jets production in \\$p\bar{p}\\$ collisions at \\$\sqrt{s}=1.96\\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:1106.1921 [hep-ex]].
[10.1103/PhysRevLett.107.011804](#).
Phys.Rev.Lett. 107 (2011) 011804.

597) [Direct measurement of the mass difference between top and antitop quarks.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1106.2063 [hep-ex]].
[10.1103/PhysRevD.84.052005](#).
Phys.Rev. D84 (2011) 052005.

598) [Search for Same-Sign Top-Quark Pair Production at \\$\sqrt{s}=7\\$ TeV and Limits on Flavour Changing Neutral Currents in the Top Sector.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1106.2142 [hep-ex]].
[10.1007/JHEP08\(2011\)005](https://doi.org/10.1007/JHEP08(2011)005).
JHEP 1108 (2011) 005.

599) [Measurements of inclusive \$W+jets\$ production rates as a function of jet transverse momentum in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1106.1457 [hep-ex]].
[10.1016/j.physletb.2011.10.011](https://doi.org/10.1016/j.physletb.2011.10.011).
Phys.Lett. B705 (2011) 200-207.

600) [Measurement of the Top-antitop Production Cross Section in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV using the Kinematic Properties of Events with Leptons and Jets.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1106.0902 [hep-ex]].
[10.1140/epjc/s10052-011-1721-3](https://doi.org/10.1140/epjc/s10052-011-1721-3).

Eur.Phys.J. C71 (2011) 1721.

601) [Search for physics beyond the standard model using multilepton signatures in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1106.0933 [hep-ex]].
[10.1016/j.physletb.2011.09.047](https://doi.org/10.1016/j.physletb.2011.09.047).

Phys.Lett. B704 (2011) 411-433.

602) [Measurement of the ratio of the 3-jet to 2-jet cross sections in \$pp\$ collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1106.0647 [hep-ex]].
[10.1016/j.physletb.2011.07.067](https://doi.org/10.1016/j.physletb.2011.07.067).

Phys.Lett. B702 (2011) 336-354.

603) [Measurement of the Inclusive Jet Cross Section in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1106.0208 [hep-ex]].
[10.1103/PhysRevLett.107.132001](https://doi.org/10.1103/PhysRevLett.107.132001).

Phys.Rev.Lett. 107 (2011) 132001.

604) [Precise measurement of the top-quark mass from lepton+jets events at D0.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1105.6287 [hep-ex]].

[10.1103/PhysRevD.84.032004](#).

Phys.Rev. D84 (2011) 032004.

605) [Measurement of the \$t\bar{t}\$ production cross section and the top quark mass in the dilepton channel in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1105.5661 [hep-ex]].

[10.1007/JHEP07\(2011\)049](#).

JHEP 1107 (2011) 049.

606) [Search for First Generation Scalar Leptoquarks in the \$e\bar{\nu}jj\$ channel in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1105.5237 [hep-ex]].

[10.1016/j.physletb.2011.07.089](#).

Phys.Lett. B703 (2011) 246-266.

607) [Measurement of the \$t\bar{t}\$ production cross section using dilepton events in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1105.5384 [hep-ex]].

[10.1016/j.physletb.2011.09.046](#).

Phys.Lett. B704 (2011) 403-410.

608) [Indications of suppression of excited \$\Upsilon\$ states in PbPb collisions at \$\sqrt{S_{NN}} = 2.76\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1105.4894 [nucl-ex]].

[10.1103/PhysRevLett.107.052302](#).

Phys.Rev.Lett. 107 (2011) 052302.

609) [Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1105.3152 [hep-ex]].
[10.1007/JHEP06\(2011\)093](https://doi.org/10.1007/JHEP06(2011)093).
JHEP 1106 (2011) 093.

610) [Measurement of \$W\gamma\$ and \$Z\gamma\$ production in \$pp\$ collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1105.2758 [hep-ex]].
[10.1016/j.physletb.2011.06.034](https://doi.org/10.1016/j.physletb.2011.06.034).
Phys.Lett. B701 (2011) 535-555.

611) [Model-independent measurement of \$t\$ -channel single top quark production in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1105.2788 [hep-ex]].
[10.1016/j.physletb.2011.10.035](https://doi.org/10.1016/j.physletb.2011.10.035).
Phys.Lett. B705 (2011) 313-319.

612) [Long-range and short-range dihadron angular correlations in central \$PbPb\$ collisions at a nucleon-nucleon center of mass energy of 2.76 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1105.2438 [nucl-ex]].
[10.1007/JHEP07\(2011\)076](https://doi.org/10.1007/JHEP07(2011)076).
JHEP 1107 (2011) 076.

613) [Measurement of the production fraction times branching fraction \$f\(b \rightarrow \Lambda_b\) \cdot \mathcal{B}\(\Lambda_b \rightarrow J/\psi \Lambda\)\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1105.0690 [hep-ex]].
[10.1103/PhysRevD.84.031102](https://doi.org/10.1103/PhysRevD.84.031102).
Phys.Rev. D84 (2011) 031102.

614) [Precise measurement of the top quark mass in the dilepton channel at D0.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1105.0320 [hep-ex]].
[10.1103/PhysRevLett.107.082004](https://doi.org/10.1103/PhysRevLett.107.082004).
Phys.Rev.Lett. 107 (2011) 082004.

615) [Measurement of spin correlation in \$t\bar{t}\$ production using a matrix element approach.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1104.5194 [hep-ex]].

[10.1103/PhysRevLett.107.032001](#).

Phys.Rev.Lett. 107 (2011) 032001.

616) [Search for a fourth generation \$t'\$ quark in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1104.4522 [hep-ex]].

[10.1103/PhysRevLett.107.082001](#).

Phys.Rev.Lett. 107 (2011) 082001.

617) [Measurement of \$\sin^2\theta_{\rm eff}^{\rm ell}\$ and \$Z\$ -light quark couplings using the forward-backward charge asymmetry in \$p\bar{p} \rightarrow Z\gamma^* \rightarrow e^+e^-\$ events with \$\mathcal{L}=5.0\$ fb \$^{-1}\$ at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1104.4590 [hep-ex]].

[10.1103/PhysRevD.84.012007](#).

Phys.Rev. D84 (2011) 012007.

618) [Charged particle transverse momentum spectra in \$pp\$ collisions at \$\sqrt{s} = 0.9\$ and 7 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1104.3547 [hep-ex]].

[10.1007/JHEP08\(2011\)086](#).

JHEP 1108 (2011) 086.

619) [Measurement of the Polarization of W Bosons with Large Transverse Momenta in W+Jets Events at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1104.3829 [hep-ex]].

[10.1103/PhysRevLett.107.021802](#).

Phys.Rev.Lett. 107 (2011) 021802.

620) [Search for new physics with same-sign isolated dilepton events with](#)

[jets and missing transverse energy at the LHC.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1104.3168 [hep-ex]].

[10.1007/JHEP06\(2011\)077.](#)

JHEP 1106 (2011) 077.

621) [Measurement of the ZZ production cross section in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1104.3078 [hep-ex]].

[10.1103/PhysRevD.84.011103.](#)

Phys. Rev. D84 (2011) 011103.

622) [Determination of the pole and \$\overline{MS}\$ masses of the top quark from the \$t\bar{t}\$ cross section.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1104.2887 [hep-ex]].

[10.1016/j.physletb.2011.08.015.](#)

Phys. Lett. B703 (2011) 422-427.

623) [Measurement of the B^0 production cross section in pp Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1104.2892 [hep-ex]].

[10.1103/PhysRevLett.106.252001.](#)

Phys. Rev. Lett. 106 (2011) 252001.

624) [Measurement of the differential dijet production cross section in proton-proton collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1104.1693 [hep-ex]].

[10.1016/j.physletb.2011.05.027.](#)

Phys. Lett. B700 (2011) 187-206.

625) [Measurement of three-jet differential cross sections \$d\sigma / dM\$ in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1104.1986 [hep-ex]].

[10.1016/j.physletb.2011.09.048](https://doi.org/10.1016/j.physletb.2011.09.048).

Phys.Lett. B704 (2011) 434-441.

626) [Measurement of the Inclusive Z Cross Section via Decays to Tau Pairs in \$\text{pp}\$ Collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1104.1617 [hep-ex]].

[10.1007/JHEP08\(2011\)117](https://doi.org/10.1007/JHEP08(2011)117).

JHEP 1108 (2011) 117.

627) [Search for Neutral MSSM Higgs Bosons Decaying to Tau Pairs in \$\text{pp}\$ Collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1104.1619 [hep-ex]].

[10.1103/PhysRevLett.106.231801](https://doi.org/10.1103/PhysRevLett.106.231801).

Phys.Rev.Lett. 106 (2011) 231801.

628) [Search for flavor changing neutral currents in decays of top quarks.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1103.4574 [hep-ex]].

[10.1016/j.physletb.2011.06.014](https://doi.org/10.1016/j.physletb.2011.06.014).

Phys.Lett. B701 (2011) 313-320.

629) [Search for Large Extra Dimensions in the Diphoton Final State at the Large Hadron Collider.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1103.4279 [hep-ex]].

[10.1007/JHEP05\(2011\)085](https://doi.org/10.1007/JHEP05(2011)085).

JHEP 1105 (2011) 085.

630) [Measurement of the lepton charge asymmetry in inclusive \$W\$ production in \$\text{pp}\$ collisions at \$\sqrt{s} = 7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1103.3470 [hep-ex]].

[10.1007/JHEP04\(2011\)050](https://doi.org/10.1007/JHEP04(2011)050).

JHEP 1104 (2011) 050.

631) [Measurement of spin correlation in \$t\bar{t}\$ production using dilepton final states.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1103.1871 [hep-ex]].
[10.1016/j.physletb.2011.05.077](https://doi.org/10.1016/j.physletb.2011.05.077).
Phys.Lett. B702 (2011) 16-23.

632) [Search for Physics Beyond the Standard Model in Opposite-Sign Dilepton Events at \$\sqrt{s} = 7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1103.1348 [hep-ex]].
[10.1007/JHEP06\(2011\)026](https://doi.org/10.1007/JHEP06(2011)026).
JHEP 1106 (2011) 026.

633) [Search for Supersymmetry in \$pp\$ Collisions at \$\sqrt{s} = 7\text{ TeV}\$ in Events with Two Photons and Missing Transverse Energy.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1103.0953 [hep-ex]].
[10.1103/PhysRevLett.106.211802](https://doi.org/10.1103/PhysRevLett.106.211802).
Phys.Rev.Lett. 106 (2011) 211802.

634) [Search for Resonances in the Dilepton Mass Distribution in \$pp\$ Collisions at \$\sqrt{s} = 7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1103.0981 [hep-ex]].
[10.1007/JHEP05\(2011\)093](https://doi.org/10.1007/JHEP05(2011)093).
JHEP 1105 (2011) 093.

635) [Search for a \$W'\$ boson decaying to a muon and a neutrino in \$pp\$ collisions at \$\sqrt{s} = 7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1103.0030 [hep-ex]].
[10.1016/j.physletb.2011.05.048](https://doi.org/10.1016/j.physletb.2011.05.048).
Phys.Lett. B701 (2011) 160-179.

636) [Measurement of \$W^+ W^-\$ production and search for the Higgs boson in \$pp\$ collisions at \$\sqrt{s}=7\text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).
[arXiv:1102.5429 [hep-ex]].
[10.1016/j.physletb.2011.03.056](https://doi.org/10.1016/j.physletb.2011.03.056).
Phys.Lett. B699 (2011) 25-47.

637) [Study of Z boson production in PbPb collisions at \$\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1102.5435 [nucl-ex]].

[10.1103/PhysRevLett.106.212301](#).

Phys.Rev.Lett. 106 (2011) 212301.

638) [Search for a Heavy Bottom-like Quark in \$p\bar{p}\$ Collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1102.4746 [hep-ex]].

[10.1016/j.physletb.2011.05.074](#).

Phys.Lett. B701 (2011) 204-223.

639) [Strange Particle Production in \$p\bar{p}\$ Collisions at \$\sqrt{s}=0.9 \text{ and } 7 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1102.4282 [hep-ex]].

[10.1007/JHEP05\(2011\)064](#).

JHEP 1105 (2011) 064.

640) [Measurement of \$B\bar{B}\$ Angular Correlations based on Secondary Vertex Reconstruction at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1102.3194 [hep-ex]].

[10.1007/JHEP03\(2011\)136](#).

JHEP 1103 (2011) 136.

641) [Measurement of Dijet Angular Distributions and Search for Quark Compositeness in \$p\bar{p}\$ Collisions at \$\sqrt{s} = 7 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1102.2020 [hep-ex]].

[10.1103/PhysRevLett.106.201804](#).

Phys.Rev.Lett. 106 (2011) 201804.

642) [Observation and studies of jet quenching in PbPb collisions at nucleon-nucleon center-of-mass energy = 2.76 TeV.](#)

By CMS Collaboration (Serguei Chatrchyan et al.).

[arXiv:1102.1957 [nucl-ex]].
[10.1103/PhysRevC.84.024906](https://doi.org/10.1103/PhysRevC.84.024906).
Phys. Rev. C84 (2011) 024906.

643) [Search for the Standard Model Higgs Boson in the \$H \rightarrow WW \rightarrow \ell\ell \bar{\nu} q^{\prime} \bar{q}\$ Decay Channel.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1101.6079 [hep-ex]].
[10.1103/PhysRevLett.106.171802](https://doi.org/10.1103/PhysRevLett.106.171802).
Phys. Rev. Lett. 106 (2011) 171802.

644) [First Measurement of Hadronic Event Shapes in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1102.0068 [hep-ex]].
[10.1016/j.physletb.2011.03.060](https://doi.org/10.1016/j.physletb.2011.03.060).
Phys. Lett. B699 (2011) 48-67.

645) [Dijet Azimuthal Decorrelations in \$pp\$ Collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1101.5029 [hep-ex]].
[10.1103/PhysRevLett.106.122003](https://doi.org/10.1103/PhysRevLett.106.122003).
Phys. Rev. Lett. 106 (2011) 122003.

646) [Inclusive b-hadron production cross section with muons in \$pp\$ collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1101.3512 [hep-ex]].
[10.1007/JHEP03\(2011\)090](https://doi.org/10.1007/JHEP03(2011)090).
JHEP 1103 (2011) 090.

647) [Measurement of Bose-Einstein Correlations in \$pp\$ Collisions at \$\sqrt{s}=0.9\$ and 7 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1101.3518 [hep-ex]].
[10.1007/JHEP05\(2011\)029](https://doi.org/10.1007/JHEP05(2011)029).
JHEP 1105 (2011) 029.

648) [Search for Supersymmetry in pp Collisions at 7 TeV in Events with Jets and Missing Transverse Energy.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1101.1628 [hep-ex]].

[10.1016/j.physletb.2011.03.021](#).

Phys.Lett. B698 (2011) 196-218.

649) [Search for Heavy Stable Charged Particles in \\$pp\\$ collisions at \\$\sqrt{s}=7\\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1101.1645 [hep-ex]].

[10.1007/JHEP03\(2011\)024](#).

JHEP 1103 (2011) 024.

650) [Azimuthal decorrelations and multiple parton interactions in \\$\gamma\\$+2 jet and \\$\gamma\\$+3 jet events in \\$p\bar{p}\\$ collisions at \\$\sqrt{s}=1.96\\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1101.1509 [hep-ex]].

[10.1103/PhysRevD.83.052008](#).

Phys.Rev. D83 (2011) 052008.

651) [Measurement of the top quark pair production cross section in the lepton+jets channel in proton-antiproton collisions at \\$\sqrt{s}=1.96\\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1101.0124 [hep-ex]].

[10.1103/PhysRevD.84.012008](#).

Phys.Rev. D84 (2011) 012008.

652) [Measurement of the \\$B^+\\$ Production Cross Section in pp Collisions at \\$\sqrt{s} = 7\\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1101.0131 [hep-ex]].

[10.1103/PhysRevLett.106.112001](#).

Phys.Rev.Lett. 106 (2011) 112001.

653) [Measurement of color flow in \\$\mathbf{t}\bar{t}\\$ events from \\$\mathbf{p}\bar{p}\\$ collisions at \\$\sqrt{s}=1.96\\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1101.0648 [hep-ex]].
[10.1103/PhysRevD.83.092002](https://doi.org/10.1103/PhysRevD.83.092002).
Phys. Rev. D83 (2011) 092002.

654) [Search for \$W'\$ resonances with left- and right-handed couplings to fermions.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1101.0806 [hep-ex]].
[10.1016/j.physletb.2011.03.066](https://doi.org/10.1016/j.physletb.2011.03.066).
Phys. Lett. B699 (2011) 145-150.

655) [Search for a heavy gauge boson \$W'\$ in the final state with an electron and large missing transverse energy in \$pp\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1012.5945 [hep-ex]].
[10.1016/j.physletb.2011.02.048](https://doi.org/10.1016/j.physletb.2011.02.048).
Phys. Lett. B698 (2011) 21-39.

656) [Upsilon Production Cross-Section in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1012.5545 [hep-ex]].
[10.1103/PhysRevD.83.112004](https://doi.org/10.1103/PhysRevD.83.112004).
Phys. Rev. D83 (2011) 112004.

657) [Search for Pair Production of First-Generation Scalar Leptoquarks in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1012.4031 [hep-ex]].
[10.1103/PhysRevLett.106.201802](https://doi.org/10.1103/PhysRevLett.106.201802).
Phys. Rev. Lett. 106 (2011) 201802.

658) [Search for Pair Production of Second-Generation Scalar Leptoquarks in \$pp\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1012.4033 [hep-ex]].
[10.1103/PhysRevLett.106.201803](https://doi.org/10.1103/PhysRevLett.106.201803).
Phys. Rev. Lett. 106 (2011) 201803.

659) [Search for Microscopic Black Hole Signatures at the Large Hadron Collider.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1012.3375 [hep-ex]].

[10.1016/j.physletb.2011.02.032](#).

Phys.Lett. B697 (2011) 434-453.

660) [Measurements of Inclusive \$W\$ and \$Z\$ Cross Sections in \$p\bar{p}\$ Collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1012.2466 [hep-ex]].

[10.1007/JHEP01\(2011\)080](#).

JHEP 1101 (2011) 080.

661) [Search for \$WH\$ associated production in 5.3 \$fb^{-1}\$ of \$p\bar{p}\$ collisions at the Fermilab Tevatron.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1012.0874 [hep-ex]].

[10.1016/j.physletb.2011.02.036](#).

Phys.Lett. B698 (2011) 6-13.

662) [Measurement of the Isolated Prompt Photon Production Cross Section in \$p\bar{p}\$ Collisions at \$\sqrt{s} = 7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1012.0799 [hep-ex]].

[10.1103/PhysRevLett.106.082001](#).

Phys.Rev.Lett. 106 (2011) 082001.

663) [Charged particle multiplicities in \$p\bar{p}\$ interactions at \$\sqrt{s}=0.9\$, 2.36, and 7 TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1011.5531 [hep-ex]].

[10.1007/JHEP01\(2011\)079](#).

JHEP 1101 (2011) 079.

664) [Search for Stopped Gluinos in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1011.5861 [hep-ex]].

[10.1103/PhysRevLett.106.011801](#).

Phys.Rev.Lett. 106 (2011) 011801.

665) [Search for resonant WW and WZ production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1011.6278 [hep-ex]].

[10.1103/PhysRevLett.107.011801](#).

Phys.Rev.Lett. 107 (2011) 011801.

666) [Measurement of the W boson helicity in top quark decays using 5.4 fb \$\sqrt{-1}\$ of \$p\bar{p}\$ collision data.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1011.6549 [hep-ex]].

[10.1103/PhysRevD.83.032009](#).

Phys.Rev. D83 (2011) 032009.

667) [Prompt and non-prompt \$J/\psi\$ production in \$p\bar{p}\$ collisions at \$\sqrt{s}=7\$ TeV.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1011.4193 [hep-ex]].

[10.1140/epjc/s10052-011-1575-8](#).

Eur.Phys.J. C71 (2011) 1575.

668) [Search for neutral Higgs bosons in the multi-\\$b\\$-jet topology in 5.2fb \$\sqrt{-1}\$ of \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1011.1931 [hep-ex]].

[10.1016/j.physletb.2011.02.062](#).

Phys.Lett. B698 (2011) 97-104.

669) [A measurement of the ratio of inclusive cross sections \$\sigma\(p\bar{p} \rightarrow Z + b\{rm, jet}\) / \sigma\(p\bar{p} \rightarrow Z + \{rm jet\}\)\$ at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1010.6203 [hep-ex]].

[10.1103/PhysRevD.83.031105](#).

Phys.Rev. D83 (2011) 031105.

670) [First Measurement of the Cross Section for Top-Quark Pair](#)

Production in Proton-Proton Collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1010.5994 [hep-ex]].

[10.1016/j.physletb.2010.11.058](https://doi.org/10.1016/j.physletb.2010.11.058).

Phys.Lett. B695 (2011) 424-443.

671) Search for Quark Compositeness with the Dijet Centrality Ratio in $s_{\bar{p}p}$ Collisions at $\sqrt{s}=7$ TeV.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1010.4439 [hep-ex]].

[10.1103/PhysRevLett.105.262001](https://doi.org/10.1103/PhysRevLett.105.262001).

Phys.Rev.Lett. 105 (2010) 262001.

672) Search for single vector-like quarks in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1010.1466 [hep-ex]].

[10.1103/PhysRevLett.106.081801](https://doi.org/10.1103/PhysRevLett.106.081801).

Phys.Rev.Lett. 106 (2011) 081801.

673) Precise study of the $Z\gamma^*$ boson transverse momentum distribution in $p\bar{p}$ collisions using a novel technique.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1010.0262 [hep-ex]].

[10.1103/PhysRevLett.106.122001](https://doi.org/10.1103/PhysRevLett.106.122001).

Phys.Rev.Lett. 106 (2011) 122001.

674) Search for Dijet Resonances in 7 TeV pp Collisions at CMS.

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1010.0203 [hep-ex]].

[10.1103/PhysRevLett.105.211801](https://doi.org/10.1103/PhysRevLett.105.211801), [10.1103/PhysRevLett.106.029902](https://doi.org/10.1103/PhysRevLett.106.029902).

Phys.Rev.Lett. 105 (2010) 211801.

675) Determination of the width of the top quark.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1009.5686 [hep-ex]].

[10.1103/PhysRevLett.106.022001](https://doi.org/10.1103/PhysRevLett.106.022001).

Phys.Rev.Lett. 106 (2011) 022001.

676) [Search for pair production of the scalar top quark in the electron+muon final state.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1009.5950 [hep-ex]].

[10.1016/j.physletb.2010.12.052.](#)

Phys.Lett. B696 (2011) 321-327.

677) [Observation of Long-Range Near-Side Angular Correlations in Proton-Proton Collisions at the LHC.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1009.4122 [hep-ex]].

[10.1007/JHEP09\(2010\)091.](#)

JHEP 1009 (2010) 091.

678) [High mass exclusive diffractive dijet production in \$\mathbf{p}\bar{\mathbf{p}}\$ collisions at \$\sqrt{s} = 1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1009.2444 [hep-ex]].

[10.1016/j.physletb.2011.10.013.](#)

Phys.Lett. B705 (2011) 193-199.

679) [Measurement of \$t\bar{t}\$ production in the tau + jets topology using \$\mathbf{p}\bar{\mathbf{p}}\$ collisions at \$\sqrt{s} = 1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1008.4284 [hep-ex]].

[10.1103/PhysRevD.82.071102.](#)

Phys.Rev. D82 (2010) 071102.

680) [Search for \$ZH \rightarrow e^+e^- b\bar{b}\$ production in \$4.2 \text{ fb}^{-1}\$ of \$\mathbf{p}\bar{\mathbf{p}}\$ collisions at \$\sqrt{s}=1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1008.3564 [hep-ex]].

[10.1103/PhysRevLett.105.251801.](#)

Phys.Rev.Lett. 105 (2010) 251801.

681) [Search for New Fermions \('Quirks'\) at the Fermilab Tevatron Collider.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1008.3547 [hep-ex]].

[10.1103/PhysRevLett.105.211803.](#)

Phys.Rev.Lett. 105 (2010) 211803.

682) [Search for events with leptonic jets and missing transverse energy in \$\mathbf{p}\bar{\mathbf{p}}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1008.3356 [hep-ex]].

[10.1103/PhysRevLett.105.211802](#).

Phys.Rev.Lett. 105 (2010) 211802.

683) [Search for a heavy neutral gauge boson in the dielectron channel with 5.4 fb \$^{-1}\$ of \$\mathbf{p}\bar{\mathbf{p}}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1008.2023 [hep-ex]].

[10.1016/j.physletb.2010.10.059](#).

Phys.Lett. B695 (2011) 88-94.

684) [Search for diphoton events with large missing transverse energy in 6.3 fb \$^{-1}\$ of \$\mathbf{p}\bar{\mathbf{p}}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1008.2133 [hep-ex]].

[10.1103/PhysRevLett.105.221802](#).

Phys.Rev.Lett. 105 (2010) 221802.

685) [Search for sneutrino production in emu final states in 5.3 fb \$^{-1}\$ of \$\mathbf{p}\bar{\mathbf{p}}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1007.4835 [hep-ex]].

[10.1103/PhysRevLett.105.191802](#).

Phys.Rev.Lett. 105 (2010) 191802.

686) [CMS Tracking Performance Results from early LHC Operation.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1007.1988 [physics.ins-det]].

[10.1140/epjc/s10052-010-1491-3](#).

Eur.Phys.J. C70 (2010) 1165-1192.

687) [Evidence for an anomalous like-sign dimuon charge asymmetry.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1007.0395 [hep-ex]].
[10.1103/PhysRevLett.105.081801](https://doi.org/10.1103/PhysRevLett.105.081801).
Phys.Rev.Lett. 105 (2010) 081801.

688) [Search for flavor changing neutral currents via quark-gluon couplings in single top quark production using 2.3 fb \$\sqrt{s}\$ of \$p\bar{p}\$ collisions.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1006.3575 [hep-ex]].
[10.1016/j.physletb.2010.08.011](https://doi.org/10.1016/j.physletb.2010.08.011).
Phys.Lett. B693 (2010) 81-87.

689) [Search for the rare decay \$B_s^0 \rightarrow \mu^+\mu^-\$.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1006.3469 [hep-ex]].
[10.1016/j.physletb.2010.09.024](https://doi.org/10.1016/j.physletb.2010.09.024).
Phys.Lett. B693 (2010) 539-544.

690) [First Measurement of the Underlying Event Activity at the LHC with \$\sqrt{s} = 0.9\$ TeV.](#)
By CMS Collaboration (Vardan Khachatryan et al.).
[arXiv:1006.2083 [hep-ex]].
[10.1140/epjc/s10052-010-1453-9](https://doi.org/10.1140/epjc/s10052-010-1453-9).
Eur.Phys.J. C70 (2010) 555-572.

691) [Measurement of the \$WZ \rightarrow e\nu\ell\nu\ell\$ cross section and limits on anomalous triple gauge couplings in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1006.0761 [hep-ex]].
[10.1016/j.physletb.2010.10.047](https://doi.org/10.1016/j.physletb.2010.10.047).
Phys.Lett. B695 (2011) 67-73.

692) [Measurement of the normalized \$Z\gamma^* \rightarrow \mu^+\mu^-\$ transverse momentum distribution in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)
By D0 Collaboration (Victor Mukhamedovich Abazov et al.).
[arXiv:1006.0618 [hep-ex]].
[10.1016/j.physletb.2010.09.012](https://doi.org/10.1016/j.physletb.2010.09.012).
Phys.Lett. B693 (2010) 522-530.

693) [Measurement of the charge ratio of atmospheric muons with the CMS detector.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1005.5332 [hep-ex]].

[10.1016/j.physletb.2010.07.033](#).

Phys.Lett. B692 (2010) 83-104.

694) [Search for scalar bottom quarks and third-generation leptoquarks in \$\text{p p}^{\bar{}} \text{ bar}\$ collisions at \$\sqrt{s}=1.96 \text{ TeV}\$.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1005.2222 [hep-ex]].

[10.1016/j.physletb.2010.08.028](#).

Phys.Lett. B693 (2010) 95-101.

695) [Evidence for an anomalous like-sign dimuon charge asymmetry.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1005.2757 [hep-ex]].

[10.1103/PhysRevD.82.032001](#).

Phys.Rev. D82 (2010) 032001.

696) [Combined Tevatron upper limit on \$\text{gg} \rightarrow \text{H} \rightarrow \text{W}^+\text{W}^-\$ and constraints on the Higgs boson mass in fourth-generation fermion models.](#)

By CDF and D0 Collaborations (T. Aaltonen et al.).

[arXiv:1005.3216 [hep-ex]].

[10.1103/PhysRevD.82.011102](#).

Phys.Rev. D82 (2010) 011102.

697) [First Measurement of Bose-Einstein Correlations in proton-proton Collisions at \$\sqrt{s}=0.9\$ and \$2.36 \text{ TeV}\$ at the LHC.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1005.3294 [hep-ex]].

[10.1103/PhysRevLett.105.032001](#).

Phys.Rev.Lett. 105 (2010) 032001.

698) [Transverse-momentum and pseudorapidity distributions of charged hadrons in \$\text{pp}\$ collisions at \$\sqrt{s}=7 \text{ TeV}\$.](#)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1005.3299 [hep-ex]].

[10.1103/PhysRevLett.105.022002](https://arxiv.org/abs/1010.02200).

Phys.Rev.Lett. 105 (2010) 022002.

699) [Search for Randall-Sundrum gravitons in the dielectron and diphoton final states with 5.4 fb⁻¹ of data from \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](https://arxiv.org/abs/1004.1826)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:1004.1826 [hep-ex]].

[10.1103/PhysRevLett.104.241802](https://arxiv.org/abs/1004.241802).

Phys.Rev.Lett. 104 (2010) 241802.

700) [Measurement of direct photon pair production cross sections in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](https://arxiv.org/abs/1002.4917)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1002.4917 [hep-ex]].

[10.1016/j.physletb.2010.05.017](https://arxiv.org/abs/1002.4917).

Phys.Lett. B690 (2010) 108-117.

701) [Measurement of the dijet invariant mass cross section in \$p\bar{p}\$ collisions at \$\sqrt{s}=1.96\$ TeV.](https://arxiv.org/abs/1002.4594)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1002.4594 [hep-ex]].

[10.1016/j.physletb.2010.09.013](https://arxiv.org/abs/1002.4594).

Phys.Lett. B693 (2010) 531-538.

702) [\\$b\\$-Jet Identification in the D0 Experiment.](https://arxiv.org/abs/1002.4224)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1002.4224 [hep-ex]].

[10.1016/j.nima.2010.03.118](https://arxiv.org/abs/1002.4224).

Nucl.Instrum.Meth. A620 (2010) 490-517.

703) [Transverse momentum and pseudorapidity distributions of charged hadrons in pp collisions at \$\sqrt{s} = 0.9\$ and 2.36 TeV.](https://arxiv.org/abs/1002.0621)

By CMS Collaboration (Vardan Khachatryan et al.).

[arXiv:1002.0621 [hep-ex]].

[10.1007/JHEP02\(2010\)041](https://arxiv.org/abs/1002.0621).

JHEP 1002 (2010) 041.

704) [Combination of Tevatron searches for the standard model Higgs](https://arxiv.org/abs/1002.0621)

boson in the W+W- decay mode.

By CDF and D0 Collaborations (T. Aaltonen et al.).

[arXiv:1001.4162 [hep-ex]].

[10.1103/PhysRevLett.104.061802](https://doi.org/10.1103/PhysRevLett.104.061802).

Phys.Rev.Lett. 104 (2010) 061802.

705) Search for Higgs boson production in dilepton and missing energy final states with 5.4 fb^{-1} of $\text{p}\bar{\text{p}}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1001.4481 [hep-ex]].

[10.1103/PhysRevLett.104.061804](https://doi.org/10.1103/PhysRevLett.104.061804).

Phys.Rev.Lett. 104 (2010) 061804.

706) Dependence of the $t\bar{t}$ production cross section on the transverse momentum of the top quark.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:1001.1900 [hep-ex]].

[10.1016/j.physletb.2010.09.011](https://doi.org/10.1016/j.physletb.2010.09.011).

Phys.Lett. B693 (2010) 515-521.

707) Search for the standard model Higgs boson in the $ZH \rightarrow \nu\bar{\nu} b\bar{b}$ channel in 5.2 fb^{-1} of $\text{p}\bar{\text{p}}$ collisions at $s^{1/2} = 1.96 \text{ TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0912.5285 [hep-ex]].

[10.1103/PhysRevLett.104.071801](https://doi.org/10.1103/PhysRevLett.104.071801).

Phys.Rev.Lett. 104 (2010) 071801.

708) Double parton interactions in $\gamma + 3 \text{ jet events in } \text{p}\bar{\text{p}}$ collisions $\sqrt{s} = 1.96 \text{ TeV}$...

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0912.5104 [hep-ex]].

[10.1103/PhysRevD.81.052012](https://doi.org/10.1103/PhysRevD.81.052012).

Phys.Rev. D81 (2010) 052012.

709) Search for single top quarks in the tau+jets channel using 4.8 fb^{-1} of $\text{p}\bar{\text{p}}$ collision data.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0912.1066 [hep-ex]].

[10.1016/j.physletb.2010.05.003](https://doi.org/10.1016/j.physletb.2010.05.003).

Phys.Lett. B690 (2010) 5-14.

710) [Search for the associated production of a b quark and a neutral supersymmetric Higgs boson which decays to tau pairs.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0912.0968 [hep-ex]].

[10.1103/PhysRevLett.104.151801](https://doi.org/10.1103/PhysRevLett.104.151801).

Phys.Rev.Lett. 104 (2010) 151801.

711) [Search for a resonance decaying into WZ boson pairs in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0912.0715 [hep-ex]].

[10.1103/PhysRevLett.104.061801](https://doi.org/10.1103/PhysRevLett.104.061801).

Phys.Rev.Lett. 104 (2010) 061801.

712) [Commissioning and Performance of the CMS Pixel Tracker with Cosmic Ray Muons.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0911.5434 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03007](https://doi.org/10.1088/1748-0221/5/03/T03007).

JINST 5 (2010) T03007.

713) [Performance of the CMS Level-1 Trigger during Commissioning with Cosmic Ray Muons.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0911.5422 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03002](https://doi.org/10.1088/1748-0221/5/03/T03002).

JINST 5 (2010) T03002.

714) [Measurement of the Muon Stopping Power in Lead Tungstate.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0911.5397 [physics.ins-det]].

[10.1088/1748-0221/5/03/P03007](https://doi.org/10.1088/1748-0221/5/03/P03007).

JINST 5 (2010) P03007.

715) [Commissioning and Performance of the CMS Silicon Strip Tracker with Cosmic Ray Muons.](#)

By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4996 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03008](https://doi.org/10.1088/1748-0221/5/03/T03008).
JINST 5 (2010) T03008.

716) [Performance of CMS Muon Reconstruction in Cosmic-Ray Events.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4994 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03022](https://doi.org/10.1088/1748-0221/5/03/T03022).
JINST 5 (2010) T03022.

717) [Performance of the CMS Cathode Strip Chambers with Cosmic Rays.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4992 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03018](https://doi.org/10.1088/1748-0221/5/03/T03018).
JINST 5 (2010) T03018.

718) [Performance of the CMS Hadron Calorimeter with Cosmic Ray Muons and LHC Beam Data.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4991 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03012](https://doi.org/10.1088/1748-0221/5/03/T03012).
JINST 5 (2010) T03012.

719) [Fine Synchronization of the CMS Muon Drift-Tube Local Trigger using Cosmic Rays.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4904 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03004](https://doi.org/10.1088/1748-0221/5/03/T03004).
JINST 5 (2010) T03004.

720) [Calibration of the CMS Drift Tube Chambers and Measurement of the Drift Velocity with Cosmic Rays.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4895 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03016](https://doi.org/10.1088/1748-0221/5/03/T03016).
JINST 5 (2010) T03016.

721) [Performance of the CMS Drift-Tube Local Trigger with Cosmic Rays.](#)

By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4893 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03003](https://doi.org/10.1088/1748-0221/5/03/T03003).
JINST 5 (2010) T03003.

722) [Commissioning of the CMS High-Level Trigger with Cosmic Rays.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4889 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03005](https://doi.org/10.1088/1748-0221/5/03/T03005).
JINST 5 (2010) T03005.

723) [Identification and Filtering of Uncharacteristic Noise in the CMS Hadron Calorimeter.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4881 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03014](https://doi.org/10.1088/1748-0221/5/03/T03014).
JINST 5 (2010) T03014.

724) [Performance of CMS Hadron Calorimeter Timing and Synchronization using Test Beam, Cosmic Ray, and LHC Beam Data.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4877 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03013](https://doi.org/10.1088/1748-0221/5/03/T03013).
JINST 5 (2010) T03013.

725) [Performance of the CMS Drift Tube Chambers with Cosmic Rays.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4855 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03015](https://doi.org/10.1088/1748-0221/5/03/T03015).
JINST 5 (2010) T03015.

726) [Commissioning of the CMS Experiment and the Cosmic Run at Four Tesla.](#)
By CMS Collaboration (S Chatrchyan et al.).
[arXiv:0911.4845 [physics.ins-det]].
[10.1088/1748-0221/5/03/T03001](https://doi.org/10.1088/1748-0221/5/03/T03001).
JINST 5 (2010) T03001.

727) [CMS Data Processing Workflows during an Extended Cosmic Ray](#)

Run.

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0911.4842 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03006](https://doi.org/10.1088/1748-0221/5/03/T03006).

JINST 5 (2010) T03006.

728) [Aligning the CMS Muon Chambers with the Muon Alignment System during an Extended Cosmic Ray Run.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0911.4770 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03019](https://doi.org/10.1088/1748-0221/5/03/T03019).

JINST 5 (2010) T03019.

729) [Measurement of the \$t\bar{t}\$ cross section using high-multiplicity jet events.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0911.4286 [hep-ex]].

[10.1103/PhysRevD.82.032002](https://doi.org/10.1103/PhysRevD.82.032002).

Phys. Rev. D82 (2010) 032002.

730) [Performance Study of the CMS Barrel Resistive Plate Chambers with Cosmic Rays.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0911.4045 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03017](https://doi.org/10.1088/1748-0221/5/03/T03017).

JINST 5 (2010) T03017.

731) [Time Reconstruction and Performance of the CMS Electromagnetic Calorimeter.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0911.4044 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03011](https://doi.org/10.1088/1748-0221/5/03/T03011).

JINST 5 (2010) T03011.

732) [Alignment of the CMS Muon System with Cosmic-Ray and Beam-Halo Muons.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0911.4022 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03020](https://doi.org/10.1088/1748-0221/5/03/T03020).

JINST 5 (2010) T03020.

733) [Determination of the strong coupling constant from the inclusive jet cross section in \$\bar{p}p\$ collisions at \$\sqrt{s}=1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0911.2710 [hep-ex]].

[10.1103/PhysRevD.80.111107](#).

Phys. Rev. D80 (2009) 111107.

734) [Precise Mapping of the Magnetic Field in the CMS Barrel Yoke using Cosmic Rays.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0910.5530 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03021](#).

JINST 5 (2010) T03021.

735) [Performance and Operation of the CMS Electromagnetic Calorimeter.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0910.3423 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03010](#).

JINST 5 (2010) T03010.

736) [Alignment of the CMS Silicon Tracker during Commissioning with Cosmic Rays.](#)

By CMS Collaboration (S Chatrchyan et al.).

[arXiv:0910.2505 [physics.ins-det]].

[10.1088/1748-0221/5/03/T03009](#).

JINST 5 (2010) T03009.

737) [Direct measurement of the W boson width.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0909.4814 [hep-ex]].

[10.1103/PhysRevLett.103.231802](#).

Phys. Rev. Lett. 103 (2009) 231802.

738) [Search for Charged Higgs Bosons in Top Quark Decays.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0908.1811 [hep-ex]].

[10.1016/j.physletb.2009.11.016](#).

Phys.Lett. B682 (2009) 278-286.

739) [Measurement of the W boson mass.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:0908.0766 [hep-ex]].

[10.1103/PhysRevLett.103.141801](#).

Phys.Rev.Lett. 103 (2009) 141801.

740) [Measurement of trilinear gauge boson couplings from WW + WZ ---> l nu jj events in p anti-p collisions at s**\(1/2\) = 1.96 TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0907.4398 [hep-ex]].

[10.1103/PhysRevD.80.053012](#).

Phys.Rev. D80 (2009) 053012.

741) [Measurement of Z/gamma*+jet+X angular distributions in p anti-p collisions at s**\(1/2\) = 1.96.TeV.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:0907.4286 [hep-ex]].

[10.1016/j.physletb.2009.11.012](#).

Phys.Lett. B682 (2010) 370-380.

742) [Measurement of the t-channel single top quark production cross section.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0907.4259 [hep-ex]].

[10.1016/j.physletb.2009.11.038](#).

Phys.Lett. B682 (2010) 363-369.

743) [A Novel method for modeling the recoil in W boson events at hadron collider.](#)

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:0907.3713 [hep-ex]].

[10.1016/j.nima.2009.08.056](#).

Nucl.Instrum.Meth. A609 (2009) 250-262.

744) [The CMS barrel calorimeter response to particle beams from 2-GeV/c to 350-GeV/c.](#)

By USCMS and ECAL/HCAL Collaborations (S. Abdullin et al.).

[10.1140/epjc/s10052-009-1024-0](https://doi.org/10.1140/epjc/s10052-009-1024-0), [10.1140/epjc/s10052-009-0959-5](https://doi.org/10.1140/epjc/s10052-009-0959-5).
Eur.Phys.J. C60 (2009) 359-373, Erratum: Eur.Phys.J. C61 (2009) 353-356.

745) [Search for pair production of first-generation leptoquarks in p anti-p collisions at \$s^{**}\(1/2\) = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0907.1048 [hep-ex]].

[10.1016/j.physletb.2009.10.016](https://doi.org/10.1016/j.physletb.2009.10.016).

Phys.Lett. B681 (2009) 224-232.

746) [Search for charged Higgs bosons in decays of top quarks.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0906.5326 [hep-ex]].

[10.1103/PhysRevD.80.051107](https://doi.org/10.1103/PhysRevD.80.051107).

Phys.Rev. D80 (2009) 051107.

747) [Measurement of dijet angular distributions at \$s^{**}\(1/2\) = 1.96\text{-TeV}\$ and searches for quark compositeness and extra spatial dimensions.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0906.4819 [hep-ex]].

[10.1103/PhysRevLett.103.191803](https://doi.org/10.1103/PhysRevLett.103.191803).

Phys.Rev.Lett. 103 (2009) 191803.

748) [Search for Resonant Pair Production of long-lived particles decaying to b anti-b in p anti-p collisions at \$s^{**}\(1/2\) = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0906.1787 [hep-ex]].

[10.1103/PhysRevLett.103.071801](https://doi.org/10.1103/PhysRevLett.103.071801).

Phys.Rev.Lett. 103 (2009) 071801.

749) [Direct measurement of the mass difference between top and antitop quarks.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0906.1172 [hep-ex]].

[10.1103/PhysRevLett.103.132001](https://doi.org/10.1103/PhysRevLett.103.132001).

Phys.Rev.Lett. 103 (2009) 132001.

750) [Search for squark production in events with jets, hadronically](#)

decaying tau leptons and missing transverse energy at $s^{**}(1/2) = 1.96\text{-TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0905.4086 [hep-ex]].

[10.1016/j.physletb.2009.08.002](https://doi.org/10.1016/j.physletb.2009.08.002).

Phys.Lett. B680 (2009) 24-33.

751) Search for NMSSM Higgs bosons in the $h \rightarrow aa \rightarrow \mu\mu\mu\mu\mu\mu$, $\mu\mu\tau\tau\tau\tau$ channels using $p\bar{p}$ collisions at $s^{**}(1/2) = 1.96\text{-TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0905.3381 [hep-ex]].

[10.1103/PhysRevLett.103.061801](https://doi.org/10.1103/PhysRevLett.103.061801).

Phys.Rev.Lett. 103 (2009) 061801.

752) Search for dark photons from supersymmetric hidden valleys.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0905.1478 [hep-ex]].

[10.1103/PhysRevLett.103.081802](https://doi.org/10.1103/PhysRevLett.103.081802).

Phys.Rev.Lett. 103 (2009) 081802.

753) Search for CP violation in $B_s^0 \rightarrow \mu^+ D_s^- X$ decays in $p\bar{p}$ collisions at $\sqrt{s}=1.96\text{ TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0904.3907 [hep-ex]].

[10.1103/PhysRevD.83.119901](https://doi.org/10.1103/PhysRevD.83.119901), [10.1103/PhysRevD.82.012003](https://doi.org/10.1103/PhysRevD.82.012003).

Phys.Rev. D82 (2010) 012003, Erratum: Phys.Rev. D83 (2011) 119901.

754) Measurement of the Top Quark Mass in Final States with Two Leptons.

By D0 Collaboration (Victor Mukhamedovich Abazov et al.).

[arXiv:0904.3195 [hep-ex]].

[10.1103/PhysRevD.80.092006](https://doi.org/10.1103/PhysRevD.80.092006).

Phys.Rev. D80 (2009) 092006.

755) Measurement of the WW production cross section with dilepton final states in $p\bar{p}$ collisions at $s^{**}(1/2) = 1.96\text{-TeV}$ and limits on anomalous trilinear gauge couplings.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0904.0673 [hep-ex]].

[10.1103/PhysRevLett.103.191801](https://arxiv.org/abs/0903.1918).

Phys.Rev.Lett. 103 (2009) 191801.

756) [Combination of t anti-t cross section measurements and constraints on the mass of the top quark and its decays into charged Higgs bosons.](https://arxiv.org/abs/0903.5525)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0903.5525 [hep-ex]].

[10.1103/PhysRevD.80.071102](https://arxiv.org/abs/0903.1918).

Phys.Rev. D80 (2009) 071102.

757) [Search for the standard model Higgs boson in tau final states.](https://arxiv.org/abs/0903.4800)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0903.4800 [hep-ex]].

[10.1103/PhysRevLett.102.251801](https://arxiv.org/abs/0903.1918).

Phys.Rev.Lett. 102 (2009) 251801.

758) [Measurements of differential cross sections of Z/gamma*+jets+X events in proton anti-proton collisions at s**\(1/2\) = 1.96-TeV.](https://arxiv.org/abs/0903.1748)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0903.1748 [hep-ex]].

[10.1016/j.physletb.2009.05.058](https://arxiv.org/abs/0903.1748).

Phys.Lett. B678 (2009) 45-54.

759) [Observation of Single Top Quark Production.](https://arxiv.org/abs/0903.0850)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0903.0850 [hep-ex]].

[10.1103/PhysRevLett.103.092001](https://arxiv.org/abs/0903.1918).

Phys.Rev.Lett. 103 (2009) 092001.

760) [Measurement of the Z gamma --> nu anti-nu gamma cross section and limits on anomalous Z Z gamma and Z gamma gamma couplings in p anti-p collisions at s**\(1/2\) = 1.96-TeV.](https://arxiv.org/abs/0902.2157)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0902.2157 [hep-ex]].

[10.1103/PhysRevLett.102.201802](https://arxiv.org/abs/0902.2157).

Phys.Rev.Lett. 102 (2009) 201802.

761) [Measurement of the t anti-t production cross section and top quark mass extraction using dilepton events in p anti-p collisions.](https://arxiv.org/abs/0903.1918)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0901.2137 [hep-ex]].
[10.1016/j.physletb.2009.07.032](https://doi.org/10.1016/j.physletb.2009.07.032).
Phys.Lett. B679 (2009) 177-185.

762) [Search for Resonant Diphoton Production with the D0 Detector.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0901.1887 [hep-ex]].
[10.1103/PhysRevLett.102.231801](https://doi.org/10.1103/PhysRevLett.102.231801).
Phys.Rev.Lett. 102 (2009) 231801.

763) [Search for admixture of scalar top quarks in the t anti-t lepton+jets final state at \$s^{**}\(1/2\) = 1.96\text{-TeV}\$.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0901.1063 [hep-ex]].
[10.1016/j.physletb.2009.02.027](https://doi.org/10.1016/j.physletb.2009.02.027).
Phys.Lett. B674 (2009) 4-10.

764) [Measurement of gamma + b + X and gamma + c + X production cross sections in p anti-p collisions at \$s^{**}\(1/2\) = 1.96\text{-TeV}\$.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0901.0739 [hep-ex]].
[10.1103/PhysRevLett.102.192002](https://doi.org/10.1103/PhysRevLett.102.192002).
Phys.Rev.Lett. 102 (2009) 192002.

765) [Search for associated production of charginos and neutralinos in the trilepton final state using \$2.3 \text{ fb}^{-1}\$ of data.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0901.0646 [hep-ex]].
[10.1016/j.physletb.2009.08.011](https://doi.org/10.1016/j.physletb.2009.08.011).
Phys.Lett. B680 (2009) 34-43.

766) [Search for anomalous top quark couplings with the D0 detector.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0901.0151 [hep-ex]].
[10.1103/PhysRevLett.102.092002](https://doi.org/10.1103/PhysRevLett.102.092002).
Phys.Rev.Lett. 102 (2009) 092002.

767) [Evidence for decay \$B_s^0 \rightarrow D_s^{\(*\)}D_s^{\(*\)}\$ and a](#)

measurement of $\Delta\Gamma_{s^CP} - \Gamma_s$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0811.2173 [hep-ex]].

[10.1103/PhysRevLett.102.091801](https://doi.org/10.1103/PhysRevLett.102.091801).

Phys.Rev.Lett. 102 (2009) 091801.

768) Design, performance, and calibration of the CMS Hadron-outer calorimeter.

By CMS HCAL Collaboration (S. Abdullin et al.).

[10.1140/epjc/s10052-008-0756-6](https://doi.org/10.1140/epjc/s10052-008-0756-6).

Eur.Phys.J. C57 (2008) 653-663.

769) Search for the lightest scalar top quark in events with two leptons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0811.0459 [hep-ex]].

[10.1016/j.physletb.2009.04.039](https://doi.org/10.1016/j.physletb.2009.04.039).

Phys.Lett. B675 (2009) 289-296.

770) Search for neutral Higgs bosons at high $\tan\beta$ in the $b(h/H/A) \rightarrow b \tau^+ \tau^-$ channel.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0811.0024 [hep-ex]].

[10.1103/PhysRevLett.102.051804](https://doi.org/10.1103/PhysRevLett.102.051804).

Phys.Rev.Lett. 102 (2009) 051804.

771) Evidence of $WW + WZ$ production with lepton + jets final states in proton-antiproton collisions at $\sqrt{s} = 1.96\text{ TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0810.3873 [hep-ex]].

[10.1103/PhysRevLett.102.161801](https://doi.org/10.1103/PhysRevLett.102.161801).

Phys.Rev.Lett. 102 (2009) 161801.

772) Measurement of the angular and lifetime parameters of the decays $B^0_d \rightarrow J/\psi K^{*0}$ and $B^0_s \rightarrow J/\psi \phi$.

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0810.0037 [hep-ex]].

[10.1103/PhysRevLett.102.032001](https://doi.org/10.1103/PhysRevLett.102.032001).

Phys.Rev.Lett. 102 (2009) 032001.

773) [Search for Long-Lived Charged Massive Particles with the D0 Detector.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0809.4472 [hep-ex]].

[10.1103/PhysRevLett.102.161802](#).

Phys.Rev.Lett. 102 (2009) 161802.

774) [The CMS experiment at the CERN LHC.](#)

By CMS Collaboration (S. Chatrchyan et al.).

[10.1088/1748-0221/3/08/S08004](#).

JINST 3 (2008) S08004.

775) [Search for Large extra spatial dimensions in the dielectron and diphoton channels in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0809.2813 [hep-ex]].

[10.1103/PhysRevLett.102.051601](#).

Phys.Rev.Lett. 102 (2009) 051601.

776) [Observation of the doubly strange \$b\$ baryon \$\Omega_b\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.4142 [hep-ex]].

[10.1103/PhysRevLett.101.232002](#).

Phys.Rev.Lett. 101 (2008) 232002.

777) [Search for pair production of second generation scalar leptoquarks.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.4023 [hep-ex]].

[10.1016/j.physletb.2008.12.017](#).

Phys.Lett. B671 (2009) 224-232.

778) [A Search for associated \$W\$ and Higgs Boson production in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.1970 [hep-ex]].

[10.1103/PhysRevLett.102.051803](#).

Phys.Rev.Lett. 102 (2009) 051803.

779) [Measurement of \$\sigma\(p\bar{p} \rightarrow Z + X\) \text{ Br}\(Z \rightarrow \tau^+ \tau^-\)\$ at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.1306 [hep-ex]].

[10.1016/j.physletb.2008.11.010](#).

Phys.Lett. B670 (2009) 292-299.

780) [Measurement of differential \$Z / \gamma^* + \text{jet} + X\$ cross sections in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.1296 [hep-ex]].

[10.1016/j.physletb.2008.09.060](#).

Phys.Lett. B669 (2008) 278-286.

781) [A search for the standard model Higgs boson in the missing energy and acoplanar b-jet topology at \$\sqrt{s}=1.96\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.1266 [hep-ex]].

[10.1103/PhysRevLett.101.251802](#).

Phys.Rev.Lett. 101 (2008) 251802.

782) [Observation of \$Z Z\$ production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.0703 [hep-ex]].

[10.1103/PhysRevLett.101.171803](#).

Phys.Rev.Lett. 101 (2008) 171803.

783) [Search for Scalar Leptoquarks and \$T\$ -odd Quarks in the Acoplanar Jet Topology using \$2.5 \text{ fb}^{-1}\$ of \$p\bar{p}\$ Collision Data at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.0446 [hep-ex]].

[10.1016/j.physletb.2008.09.014](#).

Phys.Lett. B668 (2008) 357-363.

784) [\$Z Z \rightarrow \ell\ell^{\pm} \ell\ell^{\mp}\$ v anti-v production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0808.0269 [hep-ex]].
[10.1103/PhysRevD.78.072002](https://doi.org/10.1103/PhysRevD.78.072002).
Phys. Rev. D78 (2008) 072002.

785) [Measurement of the electron charge asymmetry in \$p \bar{p} \rightarrow W + X \rightarrow e \nu + X\$ events at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0807.3367 [hep-ex]].
[10.1103/PhysRevLett.101.211801](https://doi.org/10.1103/PhysRevLett.101.211801).
Phys. Rev. Lett. 101 (2008) 211801.

786) [Precise measurement of the top quark mass from lepton+jets events at D0.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0807.2141 [hep-ex]].
[10.1103/PhysRevLett.101.182001](https://doi.org/10.1103/PhysRevLett.101.182001).
Phys. Rev. Lett. 101 (2008) 182001.

787) [Search for anomalous \$Wtb\$ couplings in single top quark production.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0807.1692 [hep-ex]].
[10.1103/PhysRevLett.101.221801](https://doi.org/10.1103/PhysRevLett.101.221801).
Phys. Rev. Lett. 101 (2008) 221801.

788) [Design, performance, and calibration of CMS hadron-barrel calorimeter wedges.](#)
By CMS HCAL Collaboration (S. Abdullin et al.).
[10.1140/epjc/s10052-008-0573-y](https://doi.org/10.1140/epjc/s10052-008-0573-y).
Eur. Phys. J. C55 (2008) 159-171.

789) [Search for charged Higgs bosons decaying to top and bottom quarks in \$p \bar{p}\$ collisions.](#)
By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0807.0859 [hep-ex]].
[10.1103/PhysRevLett.102.191802](https://doi.org/10.1103/PhysRevLett.102.191802).
Phys. Rev. Lett. 102 (2009) 191802.

790) [Search for third generation scalar leptoquarks decaying into \$\tau b\$.](#)
By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0806.3527 [hep-ex]].
[10.1103/PhysRevLett.101.241802](https://doi.org/10.1103/PhysRevLett.101.241802).
Phys.Rev.Lett. 101 (2008) 241802.

791) [Search for long-lived particles decaying into electron or photon pairs with the D0 detector.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0806.2223 [hep-ex]].
[10.1103/PhysRevLett.101.111802](https://doi.org/10.1103/PhysRevLett.101.111802).
Phys.Rev.Lett. 101 (2008) 111802.

792) [Search for a scalar or vector particle decaying into \$Z \gamma\$ in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0806.0611 [hep-ex]].
[10.1016/j.physletb.2008.12.009](https://doi.org/10.1016/j.physletb.2008.12.009).
Phys.Lett. B671 (2009) 349-355.

793) [Search for neutral Higgs bosons in multi-b-jet events in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ -TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0805.3556 [hep-ex]].
[10.1103/PhysRevLett.101.221802](https://doi.org/10.1103/PhysRevLett.101.221802).
Phys.Rev.Lett. 101 (2008) 221802.

794) [Measurement of the lifetime of the \$B_c^\pm\$ meson in the semileptonic decay channel.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0805.2614 [hep-ex]].
[10.1103/PhysRevLett.102.092001](https://doi.org/10.1103/PhysRevLett.102.092001).
Phys.Rev.Lett. 102 (2009) 092001.

795) [Relative rates of \$B\$ meson decays into \$\psi\(2S\)\$ and \$J/\psi\$ mesons.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0805.2576 [hep-ex]].
[10.1103/PhysRevD.79.111102](https://doi.org/10.1103/PhysRevD.79.111102).
Phys.Rev. D79 (2009) 111102.

796) [Search for Higgs bosons decaying to \$\tau\$ pairs in \$p\bar{p}\$ collisions with the D0 detector.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0805.2491 [hep-ex]].

[10.1103/PhysRevLett.101.071804](#).

Phys.Rev.Lett. 101 (2008) 071804.

797) [Search for \$t\bar{t}\$ resonances in the lepton plus jets final state in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0804.3664 [hep-ex]].

[10.1016/j.physletb.2008.08.027](#).

Phys.Lett. B668 (2008) 98-104.

798) [Measurement of the forward-backward charge asymmetry and extraction of \$\sin^2 \Theta\(W\)\(\text{eff}\)\$ in \$p\bar{p} \rightarrow Z/\gamma^* + X \rightarrow e^+e^- + X\$ events produced at \$s^{\(1/2\)} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0804.3220 [hep-ex]].

[10.1103/PhysRevLett.101.191801](#).

Phys.Rev.Lett. 101 (2008) 191801.

799) [Measurement of the polarization of the \$\Upsilon_{1S}\$ and \$\Upsilon_{2S}\$ states in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0804.2799 [hep-ex]].

[10.1103/PhysRevLett.101.182004](#).

Phys.Rev.Lett. 101 (2008) 182004.

800) [Measurement of the Differential Cross-Section for the Production of an Isolated Photon with Associated Jet in \$p\bar{p}\$ Collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0804.1107 [hep-ex]].

[10.1016/j.physletb.2008.06.076](#).

Phys.Lett. B666 (2008) 435-445.

801) [Search for \$W'\$ Boson Resonances Decaying to a Top Quark and a Bottom Quark.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.3256 [hep-ex]].

[10.1103/PhysRevLett.100.211803](https://doi.org/10.1103/PhysRevLett.100.211803).

Phys.Rev.Lett. 100 (2008) 211803.

802) [Measurement of the \$t \bar{t}\$ production cross section in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.2779 [hep-ex]].

[10.1103/PhysRevLett.100.192004](https://doi.org/10.1103/PhysRevLett.100.192004).

Phys.Rev.Lett. 100 (2008) 192004.

803) [Search for scalar top quarks in the acoplanar charm jets and missing transverse energy final state in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.2263 [hep-ex]].

[10.1016/j.physletb.2008.05.037](https://doi.org/10.1016/j.physletb.2008.05.037).

Phys.Lett. B665 (2008) 1-8.

804) [Measurement of the ratio of the \$p \bar{p} \rightarrow W^+ c^-\$ jet cross section to the inclusive \$p \bar{p} \rightarrow W +\$ jets cross section.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.2259 [hep-ex]].

[10.1016/j.physletb.2008.06.067](https://doi.org/10.1016/j.physletb.2008.06.067).

Phys.Lett. B666 (2008) 23-30.

805) [Search for large extra dimensions via single photon plus missing energy final states at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.2137 [hep-ex]].

[10.1103/PhysRevLett.101.011601](https://doi.org/10.1103/PhysRevLett.101.011601).

Phys.Rev.Lett. 101 (2008) 011601.

806) [Search for pair production of doubly-charged Higgs bosons in the \$H^{++} H^{--} \rightarrow \mu^+ \mu^+ \mu^- \mu^-\$ final state at D0.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.1534 [hep-ex]].

[10.1103/PhysRevLett.101.071803](https://doi.org/10.1103/PhysRevLett.101.071803).

Phys.Rev.Lett. 101 (2008) 071803.

807) [Search for decay of a fermiophobic Higgs boson \$h\(f\) \rightarrow \gamma\gamma\$ with the D0 detector at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.1514 [hep-ex]].

[10.1103/PhysRevLett.101.051801](#).

Phys.Rev.Lett. 101 (2008) 051801.

808) [Evidence for production of single top quarks.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.0739 [hep-ex]].

[10.1103/PhysRevD.78.012005](#).

Phys.Rev. D78 (2008) 012005.

809) [First study of the radiation-amplitude zero in \$W\gamma\$ production and limits on anomalous \$WW\gamma\$ couplings at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0803.0030 [hep-ex]].

[10.1103/PhysRevLett.100.241805](#).

Phys.Rev.Lett. 100 (2008) 241805.

810) [Observation of the \$B_c\$ Meson in the Exclusive Decay \$B_c \rightarrow J/\psi \pi\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0802.4258 [hep-ex]].

[10.1103/PhysRevLett.101.012001](#).

Phys.Rev.Lett. 101 (2008) 012001.

811) [Study of direct CP violation in \$B^{\pm} \rightarrow J/\psi K^{\pm}\(\pi^{\pm}\)\$ decays.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0802.3299 [hep-ex]].

[10.1103/PhysRevLett.100.211802](#).

Phys.Rev.Lett. 100 (2008) 211802.

812) [Measurement of the inclusive jet cross-section in \$p\bar{p}\$ collisions at \$s^{\(1/2\)} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0802.2400 [hep-ex]].

[10.1103/PhysRevLett.101.062001](https://doi.org/10.1103/PhysRevLett.101.062001).

Phys.Rev.Lett. 101 (2008) 062001.

813) [Measurement of \$B^0 \rightarrow J/\psi \phi\$ mixing parameters from the flavor-tagged decay \$B^0 \rightarrow J/\psi \phi\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0802.2255 [hep-ex]].

[10.1103/PhysRevLett.101.241801](https://doi.org/10.1103/PhysRevLett.101.241801).

Phys.Rev.Lett. 101 (2008) 241801.

814) [Simultaneous measurement of the ratio \$B\(t \rightarrow Wb\) / B\(t \rightarrow Wq\)\$ and the top quark pair production cross section with the D0 detector at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0801.1326 [hep-ex]].

[10.1103/PhysRevLett.100.192003](https://doi.org/10.1103/PhysRevLett.100.192003).

Phys.Rev.Lett. 100 (2008) 192003.

815) [Search for excited electrons in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0801.0877 [hep-ex]].

[10.1103/PhysRevD.77.091102](https://doi.org/10.1103/PhysRevD.77.091102).

Phys.Rev. D77 (2008) 091102.

816) [Search for squarks and gluinos in events with jets and missing transverse energy using \$2.1\text{ fb}^{-1}\$ of \$p\bar{p}\$ collision data at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0712.3805 [hep-ex]].

[10.1016/j.physletb.2008.01.042](https://doi.org/10.1016/j.physletb.2008.01.042).

Phys.Lett. B660 (2008) 449-457.

817) [Measurement of the \$B^0 \rightarrow D_s^- \mu^+ \nu\$ semileptonic branching ratio to an orbitally excited \$D_s^-\$ state, \$Br\(B^0 \rightarrow D_s^- \mu^+ \nu\) = 0.004 \pm 0.001\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0712.3789 [hep-ex]].
[10.1103/PhysRevLett.102.051801](https://doi.org/10.1103/PhysRevLett.102.051801).
Phys.Rev.Lett. 102 (2009) 051801.

818) [First measurement of the forward-backward charge asymmetry in top quark pair production.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0712.0851 [hep-ex]].
[10.1103/PhysRevLett.100.142002](https://doi.org/10.1103/PhysRevLett.100.142002).
Phys.Rev.Lett. 100 (2008) 142002.

819) [Measurement of the shape of the boson transverse momentum distribution in \$p \bar{p} \rightarrow Z / \gamma^* \rightarrow e^+ e^- + X\$ events produced at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0712.0803 [hep-ex]].
[10.1103/PhysRevLett.100.102002](https://doi.org/10.1103/PhysRevLett.100.102002).
Phys.Rev.Lett. 100 (2008) 102002.

820) [Search for \$ZZ\$ and \$Z\gamma^*\$ production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{ TeV}\$ and limits on anomalous \$ZZZ\$ and \$ZZ\gamma^*\$ couplings.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0712.0599 [hep-ex]].
[10.1103/PhysRevLett.100.131801](https://doi.org/10.1103/PhysRevLett.100.131801).
Phys.Rev.Lett. 100 (2008) 131801.

821) [A Combined search for the standard model Higgs boson at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0712.0598 [hep-ex]].
[10.1016/j.physletb.2008.02.069](https://doi.org/10.1016/j.physletb.2008.02.069).
Phys.Lett. B663 (2008) 26-36.

822) [Search for Scalar Neutrino Superpartners in \$e + \mu\$ Final States in \$p\bar{p}\$ Collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0711.3207 [hep-ex]].
[10.1103/PhysRevLett.100.241803](https://doi.org/10.1103/PhysRevLett.100.241803).

Phys.Rev.Lett. 100 (2008) 241803.

823) [Model-independent measurement of the \$W\$ boson helicity in top quark decays at D0.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0711.0032 [hep-ex]].

[10.1103/PhysRevLett.100.062004](#).

Phys.Rev.Lett. 100 (2008) 062004.

824) [Observation and properties of the orbitally excited \$B^*\(s2\)\$ meson.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0711.0319 [hep-ex]].

[10.1103/PhysRevLett.100.082002](#).

Phys.Rev.Lett. 100 (2008) 082002.

825) [CMS technical design report, volume II: Physics performance.](#)

By CMS Collaboration (G.L. Bayatian et al.).

[10.1088/0954-3899/34/6/S01](#).

J.Phys. G34 (2007) no.6, 995-1579.

826) [Search for supersymmetry in di-photon final states at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0710.3946 [hep-ex]].

[10.1016/j.physletb.2007.12.006](#).

Phys.Lett. B659 (2008) 856-863.

827) [Search for Randall-Sundrum gravitons with \$1 \text{ fb}^{-1}\$ of data from \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0710.3338 [hep-ex]].

[10.1103/PhysRevLett.100.091802](#).

Phys.Rev.Lett. 100 (2008) 091802.

828) [Search for \$W'\$ bosons decaying to an electron and a neutrino with the D0 detector.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0710.2966 [hep-ex]].

[10.1103/PhysRevLett.100.031804](#).

Phys.Rev.Lett. 100 (2008) 031804.

829) [Measurement of the muon charge asymmetry from \$W\$ boson decays.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0709.4254 [hep-ex]].

[10.1103/PhysRevD.77.011106](#).

Phys.Rev. D77 (2008) 011106.

830) [Measurement of the \$p \bar{p} \rightarrow WZ + X\$ cross-section at \$\sqrt{s} = 1.96\text{-TeV}\$ and limits on \$WWZ\$ trilinear gauge couplings.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0709.2917 [hep-ex]].

[10.1103/PhysRevD.76.111104](#).

Phys.Rev. D76 (2007) 111104.

831) [Search for flavor-changing-neutral-current \$D\$ meson decays.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0708.2094 [hep-ex]].

[10.1103/PhysRevLett.100.101801](#).

Phys.Rev.Lett. 100 (2008) 101801.

832) [Search for \$B_s \rightarrow \mu^+ \mu^-\$ at D0.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0707.3997 [hep-ex]].

[10.1103/PhysRevD.76.092001](#).

Phys.Rev. D76 (2007) 092001.

833) [Search for the lightest scalar top quark in events with two leptons in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0707.2864 [hep-ex]].

[10.1016/j.physletb.2007.11.086](#).

Phys.Lett. B659 (2008) 500-508.

834) [CMS physics technical design report: Addendum on high density QCD with heavy ions.](#)

By CMS Collaboration (David G. d'Enterria et al.).

[10.1088/0954-3899/34/11/008](#).

J.Phys. G34 (2007) 2307-2455.

835) [Measurement of the \$\Lambda_b^0\$ lifetime using semileptonic decays.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0706.2358 [hep-ex]].

[10.1103/PhysRevLett.99.182001](#).

Phys.Rev.Lett. 99 (2007) 182001.

836) [Direct observation of the strange \$b\$ baryon \$\Xi_b^-\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0706.1690 [hep-ex]].

[10.1103/PhysRevLett.99.052001](#).

Phys.Rev.Lett. 99 (2007) 052001.

837) [Measurement of the \$t \bar{t}\$ production cross-section in \$p \bar{p}\$ collisions using dilepton events.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0706.0458 [hep-ex]].

[10.1103/PhysRevD.76.052006](#).

Phys.Rev. D76 (2007) 052006.

838) [Observation and Properties of \$L = 1\$ \$B_{\{1\}}\$ and \$B^{*+} \pi^-\$ Mesons.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0705.3229 [hep-ex]].

[10.1103/PhysRevLett.99.172001](#).

Phys.Rev.Lett. 99 (2007) 172001.

839) [Measurement of the \$t \bar{t}\$ production cross section in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ -TeV using kinematic characteristics of lepton + jets events.](#)

By D0 Collaboration (V.M. Abazov et al.).

[arXiv:0705.2788 [hep-ex]].

[10.1103/PhysRevD.76.092007](#).

Phys.Rev. D76 (2007) 092007.

840) [\$Z \gamma\$ production and limits on anomalous \$Z Z \gamma\$ and \$Z \gamma \gamma\$ couplings in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ -TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0705.1550 [hep-ex]].
[10.1016/j.physletb.2007.08.035](https://doi.org/10.1016/j.physletb.2007.08.035).
Phys.Lett. B653 (2007) 378-386.

841) [Search for third-generation leptoquarks in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0705.0812 [hep-ex]].
[10.1103/PhysRevLett.99.061801](https://doi.org/10.1103/PhysRevLett.99.061801).
Phys.Rev.Lett. 99 (2007) 061801.

842) [Search for stopped gluinos from \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0705.0306 [hep-ex]].
[10.1103/PhysRevLett.99.131801](https://doi.org/10.1103/PhysRevLett.99.131801).
Phys.Rev.Lett. 99 (2007) 131801.

843) [Measurement of the \$\Lambda_b\$ lifetime in the exclusive decay \$\Lambda_b \rightarrow J/\psi \Lambda\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0704.3909 [hep-ex]].
[10.1103/PhysRevLett.99.142001](https://doi.org/10.1103/PhysRevLett.99.142001).
Phys.Rev.Lett. 99 (2007) 142001.

844) [Search for a Higgs boson produced in association with a \$Z\$ boson in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (V.M. Abazov et al.).
[arXiv:0704.2000 [hep-ex]].
[10.1016/j.physletb.2007.08.070](https://doi.org/10.1016/j.physletb.2007.08.070).
Phys.Lett. B655 (2007) 209-216.

845) [Measurement of the branching fraction \$\text{Br}\(B^0\(s\) \rightarrow D_s^{\(*\)} D_s^{\(*\)}\)\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0702049 [HEP-EX]].
[10.1103/PhysRevLett.99.241801](https://doi.org/10.1103/PhysRevLett.99.241801).
Phys.Rev.Lett. 99 (2007) 241801.

846) [Combined \$D^0\$ measurements constraining the CP-violating phase and width difference in the \$B^0 \{s\}\$ system.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0702030 [HEP-EX]].

[10.1103/PhysRevD.76.057101](#).

Phys. Rev. D76 (2007) 057101.

847) [Measurement of the shape of the boson rapidity distribution for \$\bar{p} \rightarrow Z/\gamma^* \rightarrow e^+ e^- + X\$ events produced at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0702025 [HEP-EX]].

[10.1103/PhysRevD.76.012003](#).

Phys. Rev. D76 (2007) 012003.

848) [Measurement of the top quark mass in the lepton + jets channel using the Ideogram method.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0702018 [HEP-EX]].

[10.1103/PhysRevD.75.092001](#).

Phys. Rev. D75 (2007) 092001.

849) [Search for production of single top quarks via tcg and tug flavor-changing neutral current couplings.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0702005 [HEP-EX], arXiv:0801.2556 [HEP-EX]].

[10.1103/PhysRevLett.99.191802](#).

Phys. Rev. Lett. 99 (2007) 191802.

850) [Lifetime difference and CP-violating phase in the \$B^0 \{s\}\$ system.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0701012].

[10.1103/PhysRevLett.98.121801](#).

Phys. Rev. Lett. 98 (2007) 121801.

851) [Measurement of the charge asymmetry in semileptonic \$B_s\$ decays.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0701007].
[10.1103/PhysRevLett.98.151801](https://arxiv.org/abs/0701007).
Phys.Rev.Lett. 98 (2007) 151801.

852) [Evidence for production of single top quarks and first direct measurement of \$|V_{tb}|\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0612052].
[10.1103/PhysRevLett.98.181802](https://arxiv.org/abs/0612052).
Phys.Rev.Lett. 98 (2007) 181802.

853) [Measurement of the \$p \bar{p} \rightarrow t \bar{t}\$ production cross section at \$\sqrt{s} = 1.96\text{-TeV}\$ in the fully hadronic decay channel..](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0612040].
[10.1103/PhysRevD.76.072007](https://arxiv.org/abs/0612040).
Phys.Rev. D76 (2007) 072007.

854) [Search for techniparticles in e+jets events at D0.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0612013].
[10.1103/PhysRevLett.98.221801](https://arxiv.org/abs/0612013).
Phys.Rev.Lett. 98 (2007) 221801.

855) [Search for single production of scalar leptoquarks in p anti-p collisions decaying into muons and quarks with the D0 detector.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0612012].
[10.1016/j.physletb.2007.01.064](https://arxiv.org/abs/0612012).
Phys.Lett. B647 (2007) 74-81.

856) [Search for the pair production of scalar top quarks in the acoplanar charm jet final state in p anti-p collisions at \$s^{**}\(1/2\) = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0611003].
[10.1016/j.physletb.2006.12.024](https://arxiv.org/abs/0611003).
Phys.Lett. B645 (2007) 119-127.

857) [Measurement of the t anti-t production cross section in p anti-p](#)

collisions at $s^{**}(1/2) = 1.96\text{-TeV}$ using secondary vertex b tagging.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0611002].

[10.1103/PhysRevD.74.112004](https://arxiv.org/abs/10.1103/PhysRevD.74.112004).

Phys. Rev. D74 (2006) 112004.

858) Measurement of the top quark mass in the dilepton channel.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0609056].

[10.1016/j.physletb.2007.08.074](https://arxiv.org/abs/10.1016/j.physletb.2007.08.074).

Phys. Lett. B655 (2007) 7-14.

859) Measurement of the top quark mass in the lepton+jets final state with the matrix element method.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0609053].

[10.1103/PhysRevD.74.092005](https://arxiv.org/abs/10.1103/PhysRevD.74.092005).

Phys. Rev. D74 (2006) 092005.

860) Measurement of the W boson helicity in top quark decay at D0.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0609045].

[10.1103/PhysRevD.75.031102](https://arxiv.org/abs/10.1103/PhysRevD.75.031102).

Phys. Rev. D75 (2007) 031102.

861) Measurement of B_d mixing using opposite-side flavor tagging.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0609034].

[10.1103/PhysRevD.74.112002](https://arxiv.org/abs/10.1103/PhysRevD.74.112002).

Phys. Rev. D74 (2006) 112002.

862) Measurement of the CP-violation parameter of B_0 mixing and decay with $p \bar{p} \rightarrow \mu^+ \mu^- X$ data.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0609014].

[10.1103/PhysRevD.74.092001](https://arxiv.org/abs/10.1103/PhysRevD.74.092001).

Phys. Rev. D74 (2006) 092001.

863) Measurement of the ratios of the Z/γ^* + $\geq n$ jet production

[cross sections to the total inclusive Z/gamma* cross section in p anti-p collisions at \$s^{**}\(1/2\) = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0608052].

[10.1016/j.physletb.2007.10.046](#).

Phys.Lett. B658 (2008) 112-119.

864) [Experimental discrimination between charge 2e/3 top quark and charge 4e/3 exotic quark production scenarios.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0608044].

[10.1103/PhysRevLett.98.041801](#).

Phys.Rev.Lett. 98 (2007) 041801.

865) [Search for pair production of scalar bottom quarks in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0608013].

[10.1103/PhysRevLett.97.171806](#).

Phys.Rev.Lett. 97 (2006) 171806.

866) [Limits on anomalous trilinear gauge couplings from \$W W \rightarrow e^{\pm} e^{\mp}\$, \$W W \rightarrow e^{\pm} \mu^{\mp}\$, and \$W W \rightarrow \mu^{\pm} \mu^{\mp}\$ events from \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0608011].

[10.1103/PhysRevD.74.059904](#), [10.1103/PhysRevD.74.057101](#).

Phys.Rev. D74 (2006) 057101, Erratum: Phys.Rev. D74 (2006) 059904.

867) [Search for \$W'\$ boson production in the top quark decay channel.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0607102].

[10.1016/j.physletb.2006.09.021](#).

Phys.Lett. B641 (2006) 423-431.

868) [Search for associated Higgs boson production \$WH \rightarrow WW^*\$ \$\rightarrow \ell\ell^*\nu\ell\nu\$ in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0607032].

[10.1103/PhysRevLett.97.151804](https://arxiv.org/abs/10.1103/PhysRevLett.97.151804).

Phys.Rev.Lett. 97 (2006) 151804.

869) [Search for neutral, long-lived particles decaying into two muons in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0607028].

[10.1103/PhysRevLett.97.161802](https://arxiv.org/abs/10.1103/PhysRevLett.97.161802).

Phys.Rev.Lett. 97 (2006) 161802.

870) [Search for the Standard Model Higgs Boson in the \$p \bar{p} \rightarrow ZH \rightarrow \nu \bar{\nu} b \bar{b}\$ channel.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0607022].

[10.1103/PhysRevLett.97.161803](https://arxiv.org/abs/10.1103/PhysRevLett.97.161803).

Phys.Rev.Lett. 97 (2006) 161803.

871) [Search for scalar leptoquarks in the acoplanar jet topology in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0607009].

[10.1016/j.physletb.2006.08.020](https://arxiv.org/abs/10.1016/j.physletb.2006.08.020).

Phys.Lett. B640 (2006) 230-237.

872) [Search for a heavy resonance decaying into a \$Z +\$ jet final state in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$ using the D0 detector.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0606018].

[10.1103/PhysRevD.74.011104](https://arxiv.org/abs/10.1103/PhysRevD.74.011104).

Phys.Rev. D74 (2006) 011104.

873) [Search for particles decaying into a \$Z\$ boson and a photon in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{ TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0605064].

[10.1016/j.physletb.2008.11.032](https://arxiv.org/abs/10.1016/j.physletb.2008.11.032), [10.1016/j.physletb.2006.08.079](https://arxiv.org/abs/10.1016/j.physletb.2006.08.079).

Phys.Lett. B641 (2006) 415-422, Erratum: Phys.Lett. B670 (2009) 455-458.

874) [Search for resonant second generation slepton production at the Tevatron.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0605010].

[10.1103/PhysRevLett.97.111801](#).

Phys.Rev.Lett. 97 (2006) 111801.

875) [Search for neutral Higgs bosons decaying to \$\tau\$ pairs in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0605009].

[10.1103/PhysRevLett.97.121802](#).

Phys.Rev.Lett. 97 (2006) 121802.

876) [Search for R-parity violating supersymmetry via the LL anti-E couplings \$\lambda_{121}\$, \$\lambda_{122}\$ or \$\lambda_{133}\$ in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0605005].

[10.1016/j.physletb.2006.05.077](#).

Phys.Lett. B638 (2006) 441-449.

877) [A Precise measurement of the \$B^0_s\$ lifetime.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0604046].

[10.1103/PhysRevLett.97.241801](#).

Phys.Rev.Lett. 97 (2006) 241801.

878) [Search for excited muons in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0604040].

[10.1103/PhysRevD.73.111102](#).

Phys.Rev. D73 (2006) 111102.

879) [Search for squarks and gluinos in events with jets and missing transverse energy in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0604029].

[10.1016/j.physletb.2006.05.030](https://doi.org/10.1016/j.physletb.2006.05.030).

Phys.Lett. B638 (2006) 119-127.

880) [Multivariate searches for single top quark production with the D0 detector.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0604020].

[10.1103/PhysRevD.75.092007](https://doi.org/10.1103/PhysRevD.75.092007).

Phys.Rev. D75 (2007) 092007.

881) [Search for the rare decay \$B^0 \rightarrow \phi \mu^+ \mu^-\$ with the D0 detector.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0604015].

[10.1103/PhysRevD.74.031107](https://doi.org/10.1103/PhysRevD.74.031107).

Phys.Rev. D74 (2006) 031107.

882) [First direct two-sided bound on the \$B^0\$ oscillation frequency.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0603029].

[10.1103/PhysRevLett.97.021802](https://doi.org/10.1103/PhysRevLett.97.021802).

Phys.Rev.Lett. 97 (2006) 021802.

883) [Measurement of \$B\(t \rightarrow W_b\)/B\(t \rightarrow W_q\)\$ at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0603002].

[10.1016/j.physletb.2006.07.019](https://doi.org/10.1016/j.physletb.2006.07.019).

Phys.Lett. B639 (2006) 616-622.

884) [Search for pair production of second generation scalar leptoquarks in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0601047].

[10.1016/j.physletb.2006.03.056](https://doi.org/10.1016/j.physletb.2006.03.056).

Phys.Lett. B636 (2006) 183-190.

885) [Measurement of the isolated photon cross section in \$\bar{p}p\$](#)

collisions at $\sqrt{s} = 1.96\text{-TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0511054].

[10.1016/j.physletb.2007.06.047](https://doi.org/10.1016/j.physletb.2007.06.047), [10.1016/j.physletb.2006.04.048](https://doi.org/10.1016/j.physletb.2006.04.048).

Phys.Lett. B639 (2006) 151-158, Erratum: Phys.Lett. B658 (2008) 285-289.

886) Search for the Higgs boson in $H \rightarrow WW^{(*)}$ decays in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0508054].

[10.1103/PhysRevLett.96.011801](https://doi.org/10.1103/PhysRevLett.96.011801).

Phys.Rev.Lett. 96 (2006) 011801.

887) The Upgraded D0 detector.

By D0 Collaboration (V.M. Abazov et al.).

[physics/0507191 [physics.ins-det]].

[10.1016/j.nima.2006.05.248](https://doi.org/10.1016/j.nima.2006.05.248).

Nucl.Instrum.Meth. A565 (2006) 463-537.

888) Measurement of the lifetime difference in the $B_0(s)$ system.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0507084].

[10.1103/PhysRevLett.95.171801](https://doi.org/10.1103/PhysRevLett.95.171801).

Phys.Rev.Lett. 95 (2005) 171801.

889) Measurement of semileptonic branching fractions of B mesons to narrow D^{**} states.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0507046].

[10.1103/PhysRevLett.95.171803](https://doi.org/10.1103/PhysRevLett.95.171803).

Phys.Rev.Lett. 95 (2005) 171803.

890) Search for large extra spatial dimensions in dimuon production at D0.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0506063].

[10.1103/PhysRevLett.95.161602](https://doi.org/10.1103/PhysRevLett.95.161602).

Phys.Rev.Lett. 95 (2005) 161602.

891) Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$

collisions at $\sqrt{s} = 1.96\text{-TeV}$ in dilepton final states.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0505082].

[10.1016/j.physletb.2005.08.105](https://doi.org/10.1016/j.physletb.2005.08.105).

Phys.Lett. B626 (2005) 55-64.

892) Search for single top quark production in $p \bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0505063].

[10.1016/j.physletb.2005.07.027](https://doi.org/10.1016/j.physletb.2005.07.027).

Phys.Lett. B622 (2005) 265-276.

893) Search for right-handed W bosons in top quark decay.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0505031].

[10.1103/PhysRevD.72.011104](https://doi.org/10.1103/PhysRevD.72.011104).

Phys.Rev. D72 (2005) 011104.

894) Search for Randall-Sundrum gravitons in dilepton and diphoton final states.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0505018].

[10.1103/PhysRevLett.95.091801](https://doi.org/10.1103/PhysRevLett.95.091801).

Phys.Rev.Lett. 95 (2005) 091801.

895) Measurement of the $t \bar{t}$ production cross section in $p \bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$ using lepton + jets events with lifetime b^{\sim} tagging.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0504058].

[10.1016/j.physletb.2005.08.103](https://doi.org/10.1016/j.physletb.2005.08.103).

Phys.Lett. B626 (2005) 35-44.

896) Measurement of the $t \bar{t}$ production cross section in $p \bar{p}$ collisions at $\sqrt{s} = 1.96\text{-TeV}$ using kinematic characteristics of lepton + jets events.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0504043].

[10.1016/j.physletb.2005.08.104](https://doi.org/10.1016/j.physletb.2005.08.104).

Phys.Lett. B626 (2005) 45-54.

897) [Search for supersymmetry via associated production of charginos and neutralinos in final states with three leptons.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0504032].

[10.1103/PhysRevLett.95.151805](https://doi.org/10.1103/PhysRevLett.95.151805).

Phys.Rev.Lett. 95 (2005) 151805.

898) [Production of WZ events in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$ and limits on anomalous WWZ couplings.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0504019].

[10.1103/PhysRevLett.95.141802](https://doi.org/10.1103/PhysRevLett.95.141802).

Phys.Rev.Lett. 95 (2005) 141802.

899) [Search for neutral supersymmetric Higgs bosons in multijet events at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0504018].

[10.1103/PhysRevLett.95.151801](https://doi.org/10.1103/PhysRevLett.95.151801).

Phys.Rev.Lett. 95 (2005) 151801.

900) [Measurement of the \$p - \bar{p} \rightarrow W\gamma + X\$ cross section at \$\sqrt{s} = 1.96\text{-TeV}\$ and \$WW\gamma\$ anomalous coupling limits.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0503048].

[10.1103/PhysRevD.71.091108](https://doi.org/10.1103/PhysRevD.71.091108).

Phys.Rev. D71 (2005) 091108.

901) [Study of \$Z\gamma\$ events and limits on anomalous \$Z Z\gamma\$ and \$Z\gamma\gamma\$ couplings in \$p \bar{p}\$ collisions at \$\sqrt{s} = 1.96\text{-TeV}\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0502036].

[10.1103/PhysRevLett.95.051802](https://doi.org/10.1103/PhysRevLett.95.051802).

Phys.Rev.Lett. 95 (2005) 051802.

902) [Measurement of inclusive differential cross sections for \$\Upsilon\(1S\)\$ production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ -TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0502030].

[10.1103/PhysRevLett.94.232001](#), [10.1103/PhysRevLett.100.049902](#).

Phys.Rev.Lett. 94 (2005) 232001, Erratum: Phys.Rev.Lett. 100 (2008) 049902.

903) [Search for first-generation scalar leptoquarks in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ -TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0412029].

[10.1103/PhysRevD.71.071104](#).

Phys.Rev. D71 (2005) 071104.

904) [First measurement of \$\sigma\(p\bar{p} \rightarrow Z\gamma\)\$. Br \(\$Z \rightarrow \tau\tau\$ \) at \$\sqrt{s} = 1.96\$ -TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0412020].

[10.1103/PhysRevD.77.039901](#), [10.1103/PhysRevD.71.072004](#).

Phys.Rev. D71 (2005) 072004, Erratum: Phys.Rev. D77 (2008) 039901.

905) [A Search for anomalous heavy-flavor quark production in association with \$W\$ bosons.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0411084].

[10.1103/PhysRevLett.94.152002](#).

Phys.Rev.Lett. 94 (2005) 152002.

906) [Measurement of the top quark mass in all-jet events.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0410086].

[10.1016/j.physletb.2004.11.071](#).

Phys.Lett. B606 (2005) 25-33.

907) [A measurement of the ratio of inclusive cross sections \$\sigma\(p\bar{p} \rightarrow Z + b\text{-jet}\)/\sigma\(p\bar{p} \rightarrow Z + \text{jet}\)\$ at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0410078].
[10.1103/PhysRevLett.94.161801](https://arxiv.org/abs/hep-ex/0410078).
Phys.Rev.Lett. 94 (2005) 161801.

908) [Measurement of the \$W W\$ production cross section in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0410066].
[10.1103/PhysRevLett.94.151801](https://arxiv.org/abs/hep-ex/0410066), [10.1103/PhysRevLett.100.139901](https://arxiv.org/abs/hep-ex/0410066).
Phys.Rev.Lett. 94 (2005) 151801, Erratum: Phys.Rev.Lett. 100 (2008) 139901.

909) [A search for \$W b\bar{b}\$ and \$W H\$ production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0410062].
[10.1103/PhysRevLett.94.091802](https://arxiv.org/abs/hep-ex/0410062).
Phys.Rev.Lett. 94 (2005) 091802.

910) [Measurement of the \$\Lambda_b^0\$ lifetime in the decay \$\Lambda_b^0 \rightarrow J/\psi \Lambda^0\$ with the DØ detector.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0410054].
[10.1103/PhysRevLett.94.102001](https://arxiv.org/abs/hep-ex/0410054).
Phys.Rev.Lett. 94 (2005) 102001.

911) [A search for the flavor-changing neutral current decay \$B_s^0 \rightarrow \mu^+ \mu^-\$ in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV with the DØ detector.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0410039].
[10.1103/PhysRevLett.94.071802](https://arxiv.org/abs/hep-ex/0410039).
Phys.Rev.Lett. 94 (2005) 071802.

912) [Measurement of the \$B_s^0\$ lifetime in the exclusive decay channel \$B_s^0 \rightarrow J/\psi \phi\$.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0409043].

[10.1103/PhysRevLett.94.042001](#).

Phys.Rev.Lett. 94 (2005) 042001.

913) [Search for supersymmetry with gauge-mediated breaking in diphoton events at D0.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0408146].

[10.1103/PhysRevLett.94.041801](#).

Phys.Rev.Lett. 94 (2005) 041801.

914) [A precision measurement of the mass of the top quark.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0406031].

[10.1038/nature02589](#).

Nature 429 (2004) 638-642.

915) [Observation and properties of the \$X\(3872\)\$ decaying to \$J/\psi \pi^+ \pi^-\$ in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0405004].

[10.1103/PhysRevLett.93.162002](#).

Phys.Rev.Lett. 93 (2004) 162002.

916) [Helicity of the \$W\$ boson in lepton + jets \$t\bar{t}\$ events.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0404040].

[10.1016/j.physletb.2005.04.069](#).

Phys.Lett. B617 (2005) 1-10.

917) [Search for doubly-charged Higgs boson pair production in the decay to \$\mu^+ \mu^+ \mu^- \mu^-\$ in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.96\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0404015].

[10.1103/PhysRevLett.93.141801](#).

Phys.Rev.Lett. 93 (2004) 141801.

918) [Search for pair production of light scalar top quarks in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0404028].
[10.1103/PhysRevLett.93.011801](https://arxiv.org/abs/hep-ex/0404028).
Phys.Rev.Lett. 93 (2004) 011801.

919) [Combination of CDF and D0 Results on \$W\$ Boson Mass and Width.](#)
By CDF and D0 Collaborations (V.M. Abazov et al.).
[hep-ex/0311039].
[10.1103/PhysRevD.70.092008](https://arxiv.org/abs/hep-ex/0311039).
Phys.Rev. D70 (2004) 092008.

920) [Search for 3- and 4-body decays of the scalar top quark in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)
By D0 Collaboration (V.M. Abazov et al.).
[10.1016/j.physletb.2003.12.001](https://arxiv.org/abs/hep-ex/0308033).
Phys.Lett. B581 (2004) 147-155.

921) [Search for new particles in the two jet decay channel with the D0 detector.](#)
By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0308033].
[10.1103/PhysRevD.69.111101](https://arxiv.org/abs/hep-ex/0308033).
Phys.Rev. D69 (2004) 111101.

922) [Observation of diffractively produced \$W\$ and \$Z\$ bosons in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1800\$ GeV.](#)
By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0308032].
[10.1016/j.physletb.2003.09.001](https://arxiv.org/abs/hep-ex/0308032).
Phys.Lett. B574 (2003) 169-179.

923) [Search for narrow \$t\bar{t}\$ resonances in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)
By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0307079].
[10.1103/PhysRevLett.92.221801](https://arxiv.org/abs/hep-ex/0307079).
Phys.Rev.Lett. 92 (2004) 221801.

924) [Search for large extra dimensions in the monojet + missing \$E_T\$](#)

channel at D\O.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0302014].

[10.1103/PhysRevLett.90.251802](https://arxiv.org/abs/hep-ex/0302014).

Phys.Rev.Lett. 90 (2003) 251802.

925) Search for the production of single sleptons through \$R\$-parity violation in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0207100].

[10.1103/PhysRevLett.89.261801](https://arxiv.org/abs/hep-ex/0207100).

Phys.Rev.Lett. 89 (2002) 261801.

926) Multiple jet production at low transverse energies in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0207046].

[10.1103/PhysRevD.67.052001](https://arxiv.org/abs/hep-ex/0207046).

Phys.Rev. D67 (2003) 052001.

927) \$t\bar{t}\$ production cross-section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ -TeV.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0205019].

[10.1103/PhysRevD.67.012004](https://arxiv.org/abs/hep-ex/0205019).

Phys.Rev. D67 (2003) 012004.

928) Search for mSUGRA in single electron events with jets and large missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0205002].

[10.1103/PhysRevD.66.112001](https://arxiv.org/abs/hep-ex/0205002).

Phys.Rev. D66 (2002) 112001.

929) Improved W boson mass measurement with the D\O\ detector.

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0204014].

[10.1103/PhysRevD.66.012001](https://arxiv.org/abs/hep-ex/0204014).

Phys.Rev. D66 (2002) 012001.

930) [A direct measurement of \$W\$ boson decay width.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0204009].

[10.1103/PhysRevD.66.032008.](#)

Phys. Rev. D66 (2002) 032008.

931) [Search for \$R\$ -parity violating supersymmetry in dimuon and four-jets channel.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0111053].

[10.1103/PhysRevLett.89.171801.](#)

Phys. Rev. Lett. 89 (2002) 171801.

932) [Search for leptoquark pairs decaying to \$\nu \bar{\nu} + \{ \text{rm jets} \}\$ in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0111047].

[10.1103/PhysRevLett.88.191801.](#)

Phys. Rev. Lett. 88 (2002) 191801.

933) [The inclusive jet cross-section in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV using the \$k_T\$ algorithm.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0109041].

[10.1016/S0370-2693\(01\)01441-1.](#)

Phys. Lett. B525 (2002) 211-218.

934) [Subjet multiplicity of gluon and quark jets reconstructed with the \$k_T\$ algorithm in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0108054].

[10.1103/PhysRevD.65.052008.](#)

Phys. Rev. D65 (2002) 052008.

935) [A search for the scalar top quark in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0108018].

[10.1103/PhysRevLett.88.171802.](#)

Phys.Rev.Lett. 88 (2002) 171802.

936) [Measurement of the ratio of differential cross sections for \$W\$ and \$Z\$ boson production as a function of transverse momentum in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0107012].

[10.1016/S0370-2693\(01\)01020-6.](#)

Phys.Lett. B517 (2001) 299-308.

937) [Search for single top quark production at D0 using neural networks.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0106059].

[10.1016/S0370-2693\(01\)01009-7.](#)

Phys.Lett. B517 (2001) 282-294.

938) [Search for new physics using QUAERO: A General interface to D0 event data.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0106039].

[10.1103/PhysRevLett.87.231801.](#)

Phys.Rev.Lett. 87 (2001) 231801.

939) [The ratio of the isolated photon cross sections at \$\sqrt{s} = 630\$ GeV and 1800 GeV.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0106026].

[10.1103/PhysRevLett.87.251805.](#)

Phys.Rev.Lett. 87 (2001) 251805.

940) [Search for first generation scalar and vector leptoquarks.](#)

By D0 Collaboration (V.M. Abazov et al.).

[hep-ex/0105072].

[10.1103/PhysRevD.64.092004.](#)

Phys.Rev. D64 (2001) 092004.

941) [Search for heavy particles decaying into electron positron pairs in \$p\bar{p}\$ collisions.](#)

By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0102048].
[10.1103/PhysRevLett.87.061802](https://arxiv.org/abs/hep-ex/0102048).
Phys.Rev.Lett. 87 (2001) 061802.

942) [Direct search for charged Higgs bosons in decays of top quarks.](#)
By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0102039].
[10.1103/PhysRevLett.88.151803](https://arxiv.org/abs/hep-ex/0102039).
Phys.Rev.Lett. 88 (2002) 151803.

943) [A quasi-model-independent search for new high \$p_T\$ physics at D0.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/0011071].
[10.1103/PhysRevLett.86.3712](https://arxiv.org/abs/hep-ex/0011071).
Phys.Rev.Lett. 86 (2001) 3712-3717.

944) [High- \$p_T\$ jets in \$\bar{p}p\$ collisions at \$\sqrt{s} = 630\$ GeV and 1800 GeV.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/0012046].
[10.1103/PhysRevD.64.032003](https://arxiv.org/abs/hep-ex/0012046).
Phys.Rev. D64 (2001) 032003.

945) [A Quasi model independent search for new physics at large transverse momentum.](#)
By D0 Collaboration (V.M. Abazov et al.).
[hep-ex/0011067].
[10.1103/PhysRevD.64.012004](https://arxiv.org/abs/hep-ex/0011067).
Phys.Rev. D64 (2001) 012004.

946) [Inclusive jet production in \$p\bar{p}\$ collisions.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/0011036].
[10.1103/PhysRevLett.86.1707](https://arxiv.org/abs/hep-ex/0011036).
Phys.Rev.Lett. 86 (2001) 1707-1712.

947) [Differential cross section for \$W\$ boson production as a function of](#)

transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0010026].

[10.1016/S0370-2693\(01\)00628-1](https://doi.org/10.1016/S0370-2693(01)00628-1).

Phys.Lett. B513 (2001) 292-300.

948) Measurement of the angular distribution of electrons from $W \rightarrow e\nu$ decays observed in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0009034].

[10.1103/PhysRevD.63.072001](https://doi.org/10.1103/PhysRevD.63.072001).

Phys.Rev. D63 (2001) 072001.

949) Ratios of multijet cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0009012].

[10.1103/PhysRevLett.86.1955](https://doi.org/10.1103/PhysRevLett.86.1955).

Phys.Rev.Lett. 86 (2001) 1955-1960.

950) The ratio of jet cross sections at $\sqrt{s} = 630$ GeV and 1800 GeV.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0008072].

[10.1103/PhysRevLett.86.2523](https://doi.org/10.1103/PhysRevLett.86.2523).

Phys.Rev.Lett. 86 (2001) 2523-2528.

951) Search for large extra dimensions in dielectron and diphoton production.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0008065].

[10.1103/PhysRevLett.86.1156](https://doi.org/10.1103/PhysRevLett.86.1156).

Phys.Rev.Lett. 86 (2001) 1156-1161.

952) Search for electroweak production of single top quarks in $p\bar{p}$ collisions.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0008024].

[10.1103/PhysRevD.63.031101](https://doi.org/10.1103/PhysRevD.63.031101).

Phys.Rev. D63 (2000) 031101.

953) [Cross section for b jet production in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0008021].

[10.1103/PhysRevLett.85.5068](#).

Phys.Rev.Lett. 85 (2000) 5068-5073.

954) [Search for new physics in \$e\mu X\$ data at DØ using Sherlock: A quasi model independent search strategy for new physics.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0006011].

[10.1103/PhysRevD.62.092004](#).

Phys.Rev. D62 (2000) 092004.

955) [Search for R-parity violation in multilepton final states in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0005034].

[10.1103/PhysRevD.62.071701](#).

Phys.Rev. D62 (2000) 071701.

956) [A search for dilepton signatures from minimal low-energy supergravity in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[10.1103/PhysRevD.63.091102](#).

Phys.Rev. D63 (2001) 091102.

957) [Spin correlation in \$t\bar{t}\$ production from \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/0002058].

[10.1103/PhysRevLett.85.256](#).

Phys.Rev.Lett. 85 (2000) 256-261.

958) [Implications of the unitarity triangle 'uc' for J, delta and \$|V\(CKM\)|\$ elements.](#)

By Monika Randhawa, V. Bhatnagar, P.S. Gill, M. Gupta.

[hep-ph/0002217].

[10.1142/S0217732300002462](https://arxiv.org/abs/10.1142/S0217732300002462).

Mod.Phys.Lett. A15 (2000) 2363-2372.

959) [A measurement of the \$W \rightarrow \tau \nu\$ production cross section in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).
[hep-ex/9912065].

[10.1103/PhysRevLett.84.5710](https://arxiv.org/abs/10.1103/PhysRevLett.84.5710).

Phys.Rev.Lett. 84 (2000) 5710-5715.

960) [Hard single diffraction in \$\bar{p}p\$ collisions at \$\sqrt{s} = 630\$ GeV and 1800 GeV.](#)

By D0 Collaboration (B. Abbott et al.).
[hep-ex/9912061].

[10.1016/S0370-2693\(02\)01364-3](https://arxiv.org/abs/10.1016/S0370-2693(02)01364-3).

Phys.Lett. B531 (2002) 52-60.

961) [Limits on anomalous \$WW\gamma\$ and \$WWZ\$ couplings from \$WW/WZ \rightarrow e\nu jj\$ production.](#)

By D0 Collaboration (B. Abbott et al.).
[hep-ex/9912033].

[10.1103/PhysRevD.62.052005](https://arxiv.org/abs/10.1103/PhysRevD.62.052005).

Phys.Rev. D62 (2000) 052005.

962) [Probing BFKL dynamics in the dijet cross section at large rapidity intervals in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1800\$ GeV and 630-GeV.](#)

By D0 Collaboration (B. Abbott et al.).
[hep-ex/9912032].

[10.1103/PhysRevLett.84.5722](https://arxiv.org/abs/10.1103/PhysRevLett.84.5722).

Phys.Rev.Lett. 84 (2000) 5722-5727.

963) [Limits on quark compositeness from high-energy jets in \$\bar{p}p\$ collisions at 1.8 TeV.](#)

By D0 Collaboration (B. Abbott et al.).
[hep-ex/9912023].

[10.1103/PhysRevD.62.031101](https://arxiv.org/abs/10.1103/PhysRevD.62.031101).

Phys.Rev. D62 (2000) 031101.

964) [The isolated photon cross-section in \$\bar{p}p\$ collisions at \$\sqrt{s}\$](#)

= 1.8\$ TeV.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9912017].

[10.1103/PhysRevLett.84.2786](https://arxiv.org/abs/hep-ex/9912017).

Phys.Rev.Lett. 84 (2000) 2786-2791.

965) Search for second generation leptoquark pairs in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9910040].

[10.1103/PhysRevLett.84.2088](https://arxiv.org/abs/hep-ex/9910040).

Phys.Rev.Lett. 84 (2000) 2088-2093.

966) A measurement of the W boson mass using electrons at large rapidities.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9909030].

[10.1103/PhysRevLett.84.222](https://arxiv.org/abs/hep-ex/9909030).

Phys.Rev.Lett. 84 (2000) 222-227.

967) Differential production cross section of Z bosons as a function of transverse momentum at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9909020].

[10.1103/PhysRevLett.84.2792](https://arxiv.org/abs/hep-ex/9909020).

Phys.Rev.Lett. 84 (2000) 2792-2797.

968) A measurement of the W boson mass using large rapidity electrons.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9908057].

[10.1103/PhysRevD.62.092006](https://arxiv.org/abs/hep-ex/9908057).

Phys.Rev. D62 (2000) 092006.

969) Evidence of color coherence effects in $W + \text{rm jets}$ events from $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9908017].

[10.1016/S0370-2693\(99\)01015-1](https://arxiv.org/abs/hep-ex/9908017).

Phys.Lett. B464 (1999) 145-155.

970) [Small angle muon and bottom quark production in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9907029].

[10.1103/PhysRevLett.84.5478](#).

Phys.Rev.Lett. 84 (2000) 5478-5483.

971) [Search for R-parity violating supersymmetry in the dielectron channel.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9907019].

[10.1103/PhysRevLett.83.4476](#).

Phys.Rev.Lett. 83 (1999) 4476-4481.

972) [Measurement of the inclusive differential cross section for Z bosons as a function of transverse momentum in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9907009].

[10.1103/PhysRevD.61.032004](#).

Phys.Rev. D61 (2000) 032004.

973) [Extraction of the width of the W boson from measurements of \$\sigma\(p\bar{p} \rightarrow W + X\) \times B\(W \rightarrow e\nu\)\$ and \$\sigma\(p\bar{p} \rightarrow Z + X\) \times B\(Z \rightarrow e e\)\$ and their ratio.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9906025].

[10.1103/PhysRevD.61.072001](#).

Phys.Rev. D61 (2000) 072001.

974) [The \$b\bar{b}\$ production cross section and angular correlations in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9905024].

[10.1016/S0370-2693\(00\)00844-3](#).

Phys.Lett. B487 (2000) 264-272.

975) [Studies of \$W W\$ and \$W Z\$ production and limits on anomalous \$W W \gamma\$ and \$W W Z\$ couplings.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9905005].

[10.1103/PhysRevD.60.072002.](#)

Phys. Rev. D60 (1999) 072002.

976) [Search for second generation leptoquark pairs decaying to \$\mu \nu + \text{jets}\$ in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9904023].

[10.1103/PhysRevLett.83.2896.](#)

Phys. Rev. Lett. 83 (1999) 2896-2901.

977) [Unique mass texture for quarks and leptons.](#)

By Monika Randhawa, V. Bhatnagar, P.S. Gill, M. Gupta.

[hep-ph/9903428].

[10.1103/PhysRevD.60.051301.](#)

Phys. Rev. D60 (1999) 051301.

978) [Search for charged higgs bosons in decays of top quark pairs.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9902028].

[10.1103/PhysRevLett.82.4975.](#)

Phys. Rev. Lett. 82 (1999) 4975-4980.

979) [Search for bottom squarks in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9903041].

[10.1103/PhysRevD.60.031101.](#)

Phys. Rev. D60 (1999) 031101.

980) [Search for squarks and gluinos in events containing jets and a large imbalance in transverse energy.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9902013].

[10.1103/PhysRevLett.83.4937.](#)

Phys. Rev. Lett. 83 (1999) 4937-4942.

981) [Measurement of \$W\$ and \$Z\$ boson production cross sections.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9901040].

[10.1103/PhysRevD.60.052003.](#)

Phys. Rev. D60 (1999) 052003.

982) [Measurement of the top quark pair production cross-section in the all jets decay channel.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9901023].

[10.1103/PhysRevLett.83.1908.](#)

Phys. Rev. Lett. 83 (1999) 1908-1913.

983) [Measurement of the high mass Drell-Yan cross-section and limits on quark electron compositeness scales.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9812010].

[10.1103/PhysRevLett.82.4769.](#)

Phys. Rev. Lett. 82 (1999) 4769-4774.

984) [Search for nonstandard Higgs bosons using high mass photon pairs in \$\bar{p} \rightarrow \gamma \gamma + 2 \text{ jets}\$ at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9811029].

[10.1103/PhysRevLett.82.2244.](#)

Phys. Rev. Lett. 82 (1999) 2244-2249.

985) [Probing Hard Color-Singlet Exchange in \$\bar{p}p\$ Collisions at \$\sqrt{s} = 630\$ GeV and 1800 GeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9809016].

[10.1016/S0370-2693\(98\)01238-6.](#)

Phys. Lett. B440 (1998) 189-202.

986) [Measurement of the top quark pair production cross section in \$\bar{p}p\$ collisions using multijet final states.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9808034].

[10.1103/PhysRevD.60.012001](#).

Phys. Rev. D60 (1999) 012001.

987) [Measurement of the Top Quark Mass in the Dilepton Channel.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9808029].

[10.1103/PhysRevD.60.052001](#).

Phys. Rev. D60 (1999) 052001.

988) [Search for squarks and gluinos in single-photon events with jets and large missing transverse energy in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9808010].

[10.1103/PhysRevLett.82.29](#).

Phys. Rev. Lett. 82 (1999) 29-34.

989) [Small angle \$J/\psi\$ production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9807029].

[10.1103/PhysRevLett.82.35](#).

Phys. Rev. Lett. 82 (1999) 35-40.

990) [The inclusive jet cross section in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9807018].

[10.1103/PhysRevLett.82.2451](#).

Phys. Rev. Lett. 82 (1999) 2451-2456.

991) [The dijet mass spectrum and a search for quark compositeness in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9807014].

[10.1103/PhysRevLett.82.2457](#).

Phys. Rev. Lett. 82 (1999) 2457-2462.

992) [Determination of the absolute jet energy scale in the D0 calorimeters.](#)

By D0 Collaboration (B. Abbott et al.).
[hep-ex/9805009].
[10.1016/S0168-9002\(98\)01368-0](https://doi.org/10.1016/S0168-9002(98)01368-0).
Nucl.Instrum.Meth. A424 (1999) 352-394.

993) [A Search for heavy point - like Dirac monopoles.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9803023].
[10.1103/PhysRevLett.81.524](https://doi.org/10.1103/PhysRevLett.81.524).
Phys.Rev.Lett. 81 (1998) 524-529.

994) [Limits on anomalous \$W W \gamma\$ and \$W W Z\$ couplings.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9803017].
[10.1103/PhysRevD.58.031102](https://doi.org/10.1103/PhysRevD.58.031102).
Phys.Rev. D58 (1998) 031102.

995) [Search for charge 1/3 third generation leptoquarks in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9803009].
[10.1103/PhysRevLett.81.38](https://doi.org/10.1103/PhysRevLett.81.38).
Phys.Rev.Lett. 81 (1998) 38-43.

996) [Limits on \$W W \gamma\$ and \$W W Z\$ couplings from \$W\$ boson pair production.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9803004].
[10.1103/PhysRevD.58.051101](https://doi.org/10.1103/PhysRevD.58.051101).
Phys.Rev. D58 (1998) 051101.

997) [Measurement of the shape of the transverse momentum distribution of \$W\$ bosons produced in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9803003].
[10.1103/PhysRevLett.80.5498](https://doi.org/10.1103/PhysRevLett.80.5498).
Phys.Rev.Lett. 80 (1998) 5498-5503.

998) [Search for the decay \$b \rightarrow X_s \mu^+ \mu^-\$.](#)

By D0 Collaboration (B. Abbott et al.).
[hep-ex/9801027].
[10.1016/S0370-2693\(98\)00161-0](https://doi.org/10.1016/S0370-2693(98)00161-0).
Phys.Lett. B423 (1998) 419-426.

999) [Direct measurement of the top quark mass at D0.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9801025].
[10.1103/PhysRevD.58.052001](https://doi.org/10.1103/PhysRevD.58.052001).
Phys.Rev. D58 (1998) 052001.

1000) [\\$Z \gamma\\$ production in \\$\bar{p} p\\$ collisions \\$S^{\(1/2\)} = 1.8\\$-TeV and limits on anomalous \\$Z Z \gamma\\$ and \\$Z \gamma \gamma\\$ couplings.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9710031].
[10.1103/PhysRevD.57.R3817](https://doi.org/10.1103/PhysRevD.57.R3817).
Phys.Rev. D57 (1998) R3817-R3821.

1001) [A measurement of the \\$W\\$ boson mass.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9712029].
[10.1103/PhysRevD.58.092003](https://doi.org/10.1103/PhysRevD.58.092003).
Phys.Rev. D58 (1998) 092003.

1002) [A measurement of the \\$W\\$ boson mass.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9712028].
[10.1103/PhysRevLett.80.3008](https://doi.org/10.1103/PhysRevLett.80.3008).
Phys.Rev.Lett. 80 (1998) 3008.

1003) [Search for first generation scalar leptoquark pairs in \\$p\bar{p}\\$ collisions at \\$\sqrt{s} = 1.8\\$ TeV.](#)
By D0 Collaboration (B. Abbott et al.).
[hep-ex/9710032].
[10.1103/PhysRevLett.80.2051](https://doi.org/10.1103/PhysRevLett.80.2051).
Phys.Rev.Lett. 80 (1998) 2051-2056.

1004) [Determination of the mass of the \\$W\\$ boson using the D\O\ detector](#)

at the Tevatron.

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9710007].

[10.1103/PhysRevD.58.012002](https://arxiv.org/abs/hep-ex/9710007).

Phys.Rev. D58 (1998) 012002.

1005) [Scintillation counters for the D0 muon upgrade.](#)

By D0 Collaboration (Bannanje Sripath Acharya et al.).

[hep-ex/9709018].

[10.1016/S0168-9002\(97\)01020-6](https://arxiv.org/abs/hep-ex/9709018).

Nucl.Instrum.Meth. A401 (1997) 45-62.

1006) [Experimental search for chargino and neutralino production via gauge mediated supersymmetry breaking models.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9708005].

[10.1103/PhysRevLett.80.442](https://arxiv.org/abs/hep-ex/9708005).

Phys.Rev.Lett. 80 (1998) 442-447.

1007) [Search for scalar leptoquark pairs decaying to electrons and jets in \$\bar{p}p\$ collisions.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9707033].

[10.1103/PhysRevLett.79.4321](https://arxiv.org/abs/hep-ex/9707033).

Phys.Rev.Lett. 79 (1997) 4321-4326.

1008) [Measurement of dijet angular distributions and search for quark compositeness.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9707016].

[10.1103/PhysRevLett.80.666](https://arxiv.org/abs/hep-ex/9707016).

Phys.Rev.Lett. 80 (1998) 666-671.

1009) [Measurement of the top quark mass using dilepton events.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9706014].

[10.1103/PhysRevLett.80.2063](https://arxiv.org/abs/hep-ex/9706014).

Phys.Rev.Lett. 80 (1998) 2063-2068.

1010) [Color coherent radiation in multijet events from \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9706012].

[10.1016/S0370-2693\(97\)01190-8](#).

Phys.Lett. B414 (1997) 419-427.

1011) [Search for the trilepton signature from the associated production of SUSY \$\tilde{\chi}_1^{\pm} \tilde{\chi}_2^0\$ gauginos.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9705015].

[10.1103/PhysRevLett.80.1591](#).

Phys.Rev.Lett. 80 (1998) 1591-1596.

1012) [Limits on \$WWZ\$ and \$WW\gamma\$ couplings from \$\bar{p}p \rightarrow e\nu jj X\$ events at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (B. Abbott et al.).

[hep-ex/9705010].

[10.1103/PhysRevLett.79.1441](#).

Phys.Rev.Lett. 79 (1997) 1441-1446.

1013) [Measurement of the top quark pair production cross section in \$\bar{p}p\$ collisions.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9704015].

[10.1103/PhysRevLett.79.1203](#).

Phys.Rev.Lett. 79 (1997) 1203-1208.

1014) [Studies of gauge boson pair production and trilinear couplings.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9704004].

[10.1103/PhysRevD.56.6742](#).

Phys.Rev. D56 (1997) 6742-6778.

1015) [Direct measurement of the top quark mass.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9703008].

[10.1103/PhysRevLett.79.1197](#).

Phys.Rev.Lett. 79 (1997) 1197-1202.

1016) [Study of the \$Z Z \gamma\$ and \$Z \gamma \gamma\$ couplings in \$Z \(\nu \bar{\nu}\) \gamma\$ production.](#)

By D0 Collaboration (S. Abachi et al.).
[hep-ex/9702011].

[10.1103/PhysRevLett.78.3640.](#)

Phys.Rev.Lett. 78 (1997) 3640-3645.

1017) [Search for top squark pair production in the dielectron channel.](#)

By D0 Collaboration (S. Abachi et al.).
[hep-ex/9612009].

[10.1103/PhysRevD.57.589.](#)

Phys.Rev. D57 (1998) 589-593.

1018) [Search for diphoton events with large missing transverse energy in \$\bar{p}p\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).
[hep-ex/9612011].

[10.1103/PhysRevLett.78.2070.](#)

Phys.Rev.Lett. 78 (1997) 2070-2074.

1019) [Limits on anomalous \$W W \gamma\$ couplings from \$\bar{p}p \rightarrow W \gamma + X\$ events at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).
[hep-ex/9612002].

[10.1103/PhysRevLett.78.3634.](#)

Phys.Rev.Lett. 78 (1997) 3634-3639.

1020) [Search for a fourth generation charge -1/3 quark via flavor changing neutral current decay.](#)

By D0 Collaboration (S. Abachi et al.).
[hep-ex/9611021].

[10.1103/PhysRevLett.78.3818.](#)

Phys.Rev.Lett. 78 (1997) 3818-3823.

1021) [Search for additional neutral gauge bosons.](#)

By D0 Collaboration (S. Abachi et al.).

[10.1016/0370-2693\(96\)00932-X.](#)

Phys.Lett. B385 (1996) 471-478.

1022) [Measurement of the \$W\$ boson mass.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9607011].

[10.1103/PhysRevLett.77.3309.](#)

Phys.Rev.Lett. 77 (1996) 3309-3314.

1023) [Search for anomalous \$W W\$ and \$W Z\$ production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9606013].

[10.1103/PhysRevLett.77.3303.](#)

Phys.Rev.Lett. 77 (1996) 3303-3308.

1024) [Isolated photon cross-section in the central and forward rapidity regions in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9603006].

[10.1103/PhysRevLett.77.5011.](#)

Phys.Rev.Lett. 77 (1996) 5011-5015.

1025) [The Azimuthal decorrelation of jets widely separated in rapidity.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9603010].

[10.1103/PhysRevLett.77.595.](#)

Phys.Rev.Lett. 77 (1996) 595-600.

1026) [\$J/\psi\$ production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ -TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[10.1016/0370-2693\(96\)00067-6.](#)

Phys.Lett. B370 (1996) 239-248.

1027) [Search for light top squarks in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[10.1103/PhysRevLett.76.2222.](#)

Phys.Rev.Lett. 76 (1996) 2222-2227.

1028) [Search for Right-Handed \$W\$ Bosons and Heavy \$W'\$ in](#)

\$p\bar{p}\$ Collisions at \$\sqrt{s} = 1.8\$ TeV.

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9512007].

[10.1103/PhysRevLett.76.3271](#).

Phys.Rev.Lett. 76 (1996) 3271-3276.

1029) Search for $\tilde{W}_1 \tilde{Z}_2$ Production via Trilepton Final States in $p\bar{p}$ collisions at $\sqrt{s}=1.8$ TeV.

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9512004].

[10.1103/PhysRevLett.76.2228](#).

Phys.Rev.Lett. 76 (1996) 2228-2233.

1030) Search for heavy W boson in 1.8 TeV $p\bar{p}$ collisions.

By D0 Collaboration (S. Abachi et al.).

[10.1016/0370-2693\(95\)01029-P](#).

Phys.Lett. B358 (1995) 405-411.

1031) Jet Production via Strongly-Interacting Color-Singlet Exchange in $p\bar{p}$ Collisions.

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9509013].

[10.1103/PhysRevLett.76.734](#).

Phys.Rev.Lett. 76 (1996) 734-739.

1032) Studies of Topological Distributions of the Three- and Four-Jet Events in $p\bar{p}$ Collisions at $\sqrt{s}=1800$ GeV with the DØ Detector.

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9509005].

[10.1103/PhysRevD.53.6000](#).

Phys.Rev. D53 (1996) 6000-6016.

1033) Top quark search with the D0 1992 - 1993 data sample.

By D0 Collaboration (S. Abachi et al.).

[10.1103/PhysRevD.52.4877](#).

Phys.Rev. D52 (1995) 4877-4919.

1034) Transverse energy distributions within jets in $p\bar{p}$ collisions at

$\sqrt{s} = 1.8$ TeV.

By D0 Collaboration (S. Abachi et al.).

[10.1016/0370-2693\(95\)00889-S](https://doi.org/10.1016/0370-2693(95)00889-S).

Phys.Lett. B357 (1995) 500-508.

1035) [The D0 upgrade.](#)

By D0 Collaboration (S. Abachi et al.).

[10.1016/S0168-9002\(98\)00241-1](https://doi.org/10.1016/S0168-9002(98)00241-1).

Nucl.Instrum.Meth. A408 (1998) 103-109.

1036) [Second generation leptoquark search in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9507002].

[10.1103/PhysRevLett.75.3618](https://doi.org/10.1103/PhysRevLett.75.3618).

Phys.Rev.Lett. 75 (1995) 3618-3623.

1037) [\\$W\\$ and \\$Z\\$ boson production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ -TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9505013].

[10.1103/PhysRevLett.75.1456](https://doi.org/10.1103/PhysRevLett.75.1456).

Phys.Rev.Lett. 75 (1995) 1456-1461.

1038) [Search for squarks and gluinos in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[10.1103/PhysRevLett.75.618](https://doi.org/10.1103/PhysRevLett.75.618).

Phys.Rev.Lett. 75 (1995) 618-623.

1039) [Measurement of the \$WW\gamma\$ gauge boson couplings in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9505007].

[10.1103/PhysRevLett.75.1034](https://doi.org/10.1103/PhysRevLett.75.1034).

Phys.Rev.Lett. 75 (1995) 1034-1039.

1040) [A Study of the strong coupling constant using \$W + \{\rm jets\}\$ processes.](#)

By D0 Collaboration (S. Abachi et al.).

[10.1103/PhysRevLett.75.3226](https://arxiv.org/abs/hep-ex/9503010).

Phys.Rev.Lett. 75 (1995) 3226-3231.

1041) [Measurement of the \$Z Z \gamma\gamma\$ and \$Z \gamma\gamma \gamma\gamma\$ couplings in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9503010].

[10.1103/PhysRevLett.75.1028](https://arxiv.org/abs/hep-ex/9503010).

Phys.Rev.Lett. 75 (1995) 1028.

1042) [Search for \$W\$ boson pair production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9503012].

[10.1103/PhysRevLett.75.1023](https://arxiv.org/abs/hep-ex/9503012).

Phys.Rev.Lett. 75 (1995) 1023-1027.

1043) [Observation of the top quark.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9503003].

[10.1103/PhysRevLett.74.2632](https://arxiv.org/abs/hep-ex/9503003).

Phys.Rev.Lett. 74 (1995) 2632-2637.

1044) [Inclusive \$\mu\$ and \$B\$ quark production cross-sections in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[10.1103/PhysRevLett.74.3548](https://arxiv.org/abs/hep-ex/9411001).

Phys.Rev.Lett. 74 (1995) 3548-3552.

1045) [Search for high mass top quark production in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[hep-ex/9411001].

[10.1103/PhysRevLett.74.2422](https://arxiv.org/abs/hep-ex/9411001).

Phys.Rev.Lett. 74 (1995) 2422-2426.

1046) [Search for the top quark in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\$ TeV.](#)

By D0 Collaboration (S. Abachi et al.).

[10.1103/PhysRevLett.72.2138](https://doi.org/10.1103/PhysRevLett.72.2138).

Phys.Rev.Lett. 72 (1994) 2138-2142.

1047) [Rapidity gaps between jets in \$p\bar{p}\$ collisions at \$\sqrt{s} = 1.8\text{ TeV}\$](#) .

By D0 Collaboration (S. Abachi et al.).

[10.1103/PhysRevLett.72.2332](https://doi.org/10.1103/PhysRevLett.72.2332).

Phys.Rev.Lett. 72 (1994) 2332-2336.